

JAPANESE HEART JOURNAL

Jpn. Heart J.

Twenty Year Cumulative Index

Vol. 1–Vol. 20 (1960–1979)

Japanese Heart Journal Association

Editorial Office:
The Second Department of Internal Medicine,
Faculty of Medicine, University of Tokyo,
Hongo, Bunkyo-ku, Tokyo, Japan

ISSN 0021-4868

JAPANESE HEART JUORNAL

Twenty Year Content

1960–1961 Quartery

1962–1979 Bimonthly

Compiled and Edited by
Tsuguya Sakamoto, M.D.
Chief, Executive Editor

Published by
Japanese Heart Journal Association

© 1981, COPYRIGHT, JAPANESE HEART JOURNAL ASSOCIATION

Vol. 1, 1960

Number 1, January

Editorial : Preface to the Publication of Japanese Heart Journal. *Hideo Ueda* . . i

Circulatory and Respiratory Changes Induced by Stimulation of the Thalamic Nuclei. *Hideo Ueda, Soichi Katayama, Hitoshi Goto, and Kiyoshi Ito* 1

The Study on Hepatic Blood Flow Determination by Au^{198} Colloid Using Deviced Recording Method.
I. New Apparatus for the Determination of Circulation.
II. Determination of Hepatic Blood Flow.
Masahiro Iio, Haruo Kameda, and Hideo Ueda 17

Studies on the Expired Alveolar Carbon Dioxide Tension in Chronic Pulmonary Emphysema with Special Reference to Pulmonary Arterial Hypertension. *Atsushi Sakamoto and Makoto Murao* 37

Effects of Insulin on the Electrocardiogram. *Saburo Mashima* 56

Respiratory Findings in the Neurocirculatory Asthenia. *Eiichi Kimura* . . . 72

Special Articles

Conceptional Changes of Electrocardiographic Theories as Developed by the Advent of the Microelectrode Technique. *Toyomi Sano* 81

Theoretical Consideration on Plasma Volume Determination. *Atsuo Nakanishi* 92

Case Reports

Congenital Aneurysm of the Right Coronary Sinus of Valsalva with Rupture into the Left Ventricle. *Sadataka Tasaka, Yawara Yoshitoshi, Kiyoshi Seki, Keizo Koide, Etsuro Ogata, and Kozo Nakamura* 106

Combination of Ventricular Septal Defect and Aortic Insufficiency—Report of Two Cases. *Iwao Ito, Goro Kaito, Tsuguya Sakamoto, Akira Nakajima, Tohru Kobayashi, Ryoga Ohmori, and Shigeaki Jogi* 113

Massive Occlusion of the Main Pulmonary Artery and Its Primary Branches with Subsequent Cor Pulmonale—A Case Report. *Sadataka Tasaka, Satoshi Ohta, Yamato Mishina, Hiroya Saheki, and Kiyoshi Machii* 120

Number 2, April

Editorial : Causes of Death in Japan with Special Reference to the Death of Cardiovascular Origin. *Hideo Ueda and Masaya Sugiura* 129

Cerebral Embolism in Cardiac Disease—The Clinical and Pathological Studies of 56 Cases. *Yutaka Takabatake, Hitoshi Goto, Kiyoshi Ito, Soichi Katayama, Toranosuke Hidaka, Akiyuki Yamada, Yoshio Ito, and Hideo Ueda* 135

Rheumatic Fever in Children—A Statistical Report in Japan. *Masahiko Okuni, Masahiro Oshima, Kazuo Okuyama, Yoshiaki Okamoto, Masao Iijima, and*

Yoshiro Obe 149

Studies on Myocardial Metabolism by Coronary Sinus Catheterization in Man —Relationship of Myocardial Metabolism to ECG and Cardiac Size. *Tachio Kobayashi, Yoshio Ito, Atsuo Nakanishi, Kazuzo Kato, Iwao Ito, Hiroshi Tsuyuki, Toshiyuki Atsumi, Akio Ota, Kenichi Harumi, Hisakazu Yasuda, and Mototsugu Watanabe* 157

The Influence of the Sympathetic Innervation on Carotid Sinus Activity. *Yoshiaki Masuyama* 169

Studies on the Vasomotoricity of the Cerebral Vessels. *Yoshizi Yamane, Jinkichi Ishiba, Hiroshi Fukaya, Akira Morisawa, Shigetaka Watanabe, Keizo Koide, and Kiyoshi Seki* 181

Synthesis and Pharmacology of Some Bis-quaternary Salts of the Bicyclo (2. 2. 2) octane Series, Including 2-(3-Dimethylaminoprophyl)-3 a, 4, 7, 7 a-tetrahydro-4,7-ethanoisoindoline Dimethiodide (KK-25-S)—A New Hypotensive Agent. *Ken'ichi Takeda, Keizo Kitahonoki, Tetsuo Mineshita, Ryonosuke Kido, and Tetsutaro Ikeda* 189

Electrocardiographic and Phonocardiographic Studies in Hypertension. Part I. Electrocardiographic Study with Special Reference to the P-Wave. *Tsuguya Sakamoto, Goro Kaito, and Hideo Ueda* 198

Electrocardiographic and Phonocardiographic Studies in Hypertension. Part II. Phonocardiographic Study with Special Reference to the Atrial Sound and "Q-1" Interval. *Tsuguya Sakamoto, Goro Kaito, and Hideo Ueda* . . . 213

The Quantitative Analysis of Vectorcardiograms of Normal Hearts and Left Ventricular Hypertrophy. *Toyomi Sano, Hisashi Ohshima, Hiromichi Tsuchihashi, and Takio Shimamoto* 226

Case Reports

A Case of Sinus of Valsalva—Right Ventricular Fistula Successfully Repaired by Surgery. *Takeshi Kuzuya, Hitoshi Tanabe, Hiroshi Kurihara, and Kizuku Kuramoto* 239

A Case of Idiopathic Cardiomegaly. *Tohru Kobayashi, Ryozo Okada, Tsuguya Sakamoto, and Satoru Murao* 248

Number 3, July

Editorial: Historical Review of Cardiology in Japan. *Hideo Ueda* 257

Studies on the Time of Valvular Movements in Mitral Valvular Disease with Ultrasonic Doppler Method. *Tsuneo Yoshida, Masayoshi Mori, Yasuharu Nimura, Shinpachi Takagishi, and Katsumi Nakanishi* 261

Experimental Studies upon the Reciprocal Rhythm. *Ichiro Dohi, Yutaka Dohi, Tsutomu Tada, Yahiro Mita, Ken Yoshida, Yasushi Matsuura, Riichi Maruyama, Shohji Koyama, and Torao Taketani* 275

Experimental Studies on the Nervous Control of the Renal Circulation—Effect of the Electrical Stimulation of the Diencephalon on the Renal Circulation. *Jugoro Takeuchi, Shigeru Yagi, Shosaku Nakayama, Takao Ikeda, Eiichi Uchida, Gosuke Inoue, Fujio Shintani, and Hideo Ueda* 288

Clinical Evaluation of KK-25-S—A New Ganglionic Blocking Agent. *Eiichi Kimura, Hiroshi Hannya, Kōji Yahata, and Kiyoto Satake* 300

Treatment of Hypertension with KK-25-S, a New Potent Ganglionic Blocking Agent. *Jugoro Takeuchi, Tadanao Takeda, Koji Nakajima, Takao Ikeda, Eiichi Uchida, Shigeru Yagi, Shosaku Nakayama, and Hideo Ueda* 308

Algebraic Reflections on the Vector Concept in Electrocardiography. Part I. Construction of the Electric Field. *Mitsumasa Sato* 317

Special Article: Reevaluation of the Solid Angle Approach in Electrocardiography Bearing on the Lead-Field Concept. *Tozomi Sano and Iwao Ogawa* . 325

Case Reports:

Bacterial Aortic Regurgitation with Musical and Associated Rumbling Diastolic Murmurs. *Hiroshi Watanabe, Tsuguya Sakamoto, Zen'ichiro Uozumi, Tohru Kobayashi, and Tadashi Sakurai* 333

A Case of Ebstein's Disease. *Kunio Matsuda, Toshio Ozawa, Hiroichi Niitani, and Masao Ikeda* 339

A Case of Coronary Sclerosis in Small Arteries Associated with Diffuse Myocardial Fibrosis. *Ryozo Okada, Kenichi Harumi, Masuyo Nomura, and Satoru Murao* 348

Number 4, October

Editorial: Present Status of Cardiology in Japan. *Hideo Ueda* 357

Balneotherapy for Hypertension with Special Reference to the Factor Analysis of the Effects of Spa Treatment on Hypertensive Patients. *Yoshio Oshima, Kosei Takahashi, Tsutomu Kashiwagi, Iwao Yokoyama, Toshiro Sato, Momosuke Hara, Ieo Akaoka, Ichiro Nishizawa, Tadashi Amamiya, and Masamori Maeda* . . 361

Open Heart Surgery under Hypothermia. *Itsuro Fukukei, Yōtarō Iyomasa, Shigeo Katō, Kinsaku Sakakibara, Hiroshi Satake, Toshio Abe, Richū Horigome, Ryūhei Tonomura, Tamotsu Nishizaki, Ariyoshi Sawa, Hiromichi Tsuchioka, and Takeshi Shimizu* 375

The Study on Plethysmocardiography—A Preliminary Report. *Hiroto Mashiba* 392

Electrocardiographic Changes in Open Heart Surgery under Hypothermia *Hiroshi Satake, Hiromichi Tsuchioka, Osamu Minamikawa, Toshihito Maehara, and Takeshi Shimizu* 397

Experimental Studies on Medionecrosis of the Aorta—Discussion on the Underlying Factors of Lathyrism, Ehlers-Danlos and Marfan's Syndromes. *Kunio Yamakawa, Kazuo Kitamura, Hiroshi Ohta, and Yoshiaki Noda* 408

Study on the Ventricular Activation of the Heart of Cattle and Goat. *Hiroshi Sugeno, Satoru Murao, and Hideo Ueda* 418

Algebraic Reflections on the Vector Concept in Electrocardiography. Part II. Structure of the Electric Field. *Mitsumasa Sato* 432

Special Article: Lung Blood Volume in Acquired Valvular Diseases. *Kiyoshi Fujimoto, Ryo Kunieda, and Takuya Shiba* 442

Case Reports: Hemoglobin M Disease—A Case Report. *Noboru Kimura, Shozi Nishimoto, Yoshio Nawata, Fuminobu Mori, Shunichi Kodama, and Shigeo Nakakura* 456

Annular Constrictive Pericarditis—A Case with Functional Pulmonary and Mitral Stenosis. *Tsuguya Sakamoto, Nobuyoshi Kawai, Jugoro Takeuchi, and Hideo Ueda* 466

Vol. 2, 1961

Number 1, January

Editorial: A New Look at an Old Problem.... *C. Heymans and A. F. de Schaepdryver* 1

Clinical and Phonocardiographic Study of Aortic Regurgitation. *Hiroshi Watanabe and Tsuguya Sakamoto*..... 7

Phonocardiographic Study on the Acute Rheumatic Carditis. *Shozo Yoshimura, Jiro Sugai, Shin'ichi Mitsuya, Jun'ichi Akatsuka, and Tadao Takahashi*..... 28

Experimental Studies on the Beriberi Heart. I. Cardiac Lesions in Thiamine Deficient Rats. *Yawara Yoshitoshi, Nagao Shibata, and Seizo Yamashita*..... 42

Experimental Studies on the Nervous Control of the Renal Circulation—Effect of the Electrical Stimulation of Splanchnic, Vagal and Other Somatic Nerves and of the Occlusion of Carotid Arteries on the Renal Circulation. *Jugoro Takeuchi, Eiichi Uchida, Shosaku Nakayama, Tadanao Takeda, Shigeru Yagi, Gosuke Inoue, and Hideo Ueda*..... 65

Circulatory and Respiratory Effects of Hypertonic Saline with Special Reference to the Coronary Effect. *Atsuo Nakanishi, Masaya Sugiura, Yutaka Takabatake, Iwao Ito, Hiroshi Tsuyuki, Akio Ohta, Hisakazu Yasuda, and Hideo Ueda* 77

Studies of Electrocardiographic Patterns in Cases with Neurosurgical Lesions. *Shiro Hayashi, Jyokichi Watanabe, Seiichiro Miyagawa, Shioetsu Tamakuma, and Hisamitsu Nagaki*..... 92

Algebraic Reflections on the Vector Concept in Electrocardiography. Part III. Representation of the Electric Field. *Mitsumasa Sato*..... 112

Case Report: Surgical Treatment of Aneurysm of the Aortic Arch—Report of Two Operated Cases with Synthetic Prostheses. *Seiji Kimoto, Tatsuo Wada, Akihiko Suzuki, Yuji Maruyama, and Yukio Harada*..... 119

Number 2, April

Editorial: The Need for Support of Medical Research. *Irvine H. Page and James W. McCubbin*..... 131

Cerebral Sclerosis and Cerebral Circulation. *Toyozo Aizawa and Shoichi Hamaya* 133

Pathogenesis of the Acute Pulmonary Edema Occurring after Brain Operation and Brain Trauma. *Miyoshi Urabe, Yasuo Segawa, Takashi Tsubokawa, Keiichi Yamamoto, Kinpei Araki, and Kaiichi Izumi* 147

Ventilatory Mechanics in Patients with Cardio-Pulmonary Diseases. Part III. On Pulmonary Fibrosis. *Kazuaki Sera*..... 170

Air Pollution Asthmatic-Bronchitis among United States Personnel in Japan. *Harvey W. Phelps*..... 180

Superior Vena Cava-Pulmonary Artery Anastomosis, Its Experimental Study and Clinical Applications. *Ken-ichi Asano, Shigenori Sawaguchi, and Seiji Kimoto*..... 187

Inhibitory Effect of Sulfated Mono- and Polysaccharides on Experimental Hyperlipemia and Atherosclerosis in Rabbits. *Katsumi Murata*..... 198

A Comparative Study of Four Lead Systems of Vectorcardiography. *Keiji Ueda, Kenichi Harumi, Saburo Mashima, Satoru Murao, and Hideo Ueda*..... 210

Special Article

Clinicopathological Study on the Thickening of Parietal Endocardium in the Adult Heart. *Ryozo Okada*..... 220

Case Reports

A Case Report of Pulmonary Carcinoma Presenting Superior Vena Cava Obstruction Syndrome—A Rare Case of Bilateral Cardiac Chamber Involvement by Tumor Thrombosis— *Kunio Yamakawa, Kazuo Kitamura, Akimasa Yoshioka, Noboru Ogawa, and Ichiro Sato*..... 256

A Case Report of Endomyocardial Fibrosis. *Kouji Nakajima, Ryozo Okada, and Hideo Ueda*..... 265

Number 3, July

Editorial: New Frontiers in Cardiology. *Richard. J. Bing, Chiyo Chiba, and Kyohei Kako*..... 277

Treatment of Arteriosclerosis—Vitamins and Sulfuric Esters of Polysaccharides *Kozo Yamada*..... 281

Radiographic Appearance of Pulmonary Complications in Cardiovascular Disease. *Shuichi Hatano, Kiyoichi Hirota, Tatsuya Momose, and Makoto Murao*.. 297

Successive Measurements of Cardiac Output by External Monitoring Using Digital Counter and Automatic Digital Printer. *Hideo Ueda, Masahiro Iio, Tadashi Koide, Atsuo Nakanishi, Iwao Ito, Haruo Kameda, and Hisakazu Yasuda*. 309

Studies on Ventilatory Mechanics in Cardiacs and in Patients with Pulmonary Diseases. *Toru Shiraishi, Tatsuya Momose, Shigeo Koike, and Makoto Murao*... 325

Experimental Studies on Cerebral Hemorrhage. *Masao Kase, Jun-ichi Ono, Kimiyo Yasumizu, and Nobuo Yoshimasu*..... 338

Antiatherosclerotic and Anticoagulant Activity of Cerebroside Sulfate. *Kenji Wago*..... 354

Experimental Studies on the Nervous Control of the Renal Circulation—Effect of the Electrical Stimulation of Splanchnic, Vagal and Other Somatic Nerves and of the Carotid Sinus Reflex on the Renal Circulation II. *Jugoro Takeuchi, Eiichi Uchida, Shosaku Nakayama, Tadanao Takeda, Yoshitada Miyasato, Shigeru Yagi, Gosuke Inoue, and Hideo Ueda*..... 368

Studies on the Conduction System in Congenital Malformations of the Heart, Especially of Tetralogy of Fallot. *Tsuguo Hasegawa*..... 377

An Analytical Study on Aberrant Ventricular Conduction. Part I. A General Rule. *Satoru Murao, Akio Kuroiwa, Tsuneaki Sugimoto, Ken-ichi Harumi, and Kazuzo Kato*..... 397

Case Report
A Case of Congenital Aneurysm of the Pulmonary Artery. *Fumimaro Takaku, Masao Ikeda, and Shigeo Okinaka* 404

Number 4, October

Editorial: The Position of Phonocardiography in Clinical Medicine. *Aldo A. Luisada* 421

The Normal Heart Sounds in the Japanese—The Normal Phonocardiogram. I. *Hideo Ueda, Zen-ichiro Uozumi, and Tsuguya Sakamoto* 426

Follow-up Study of Renal Blood Flow in Patients with Essential Hypertension: Changes in Those under Natural Course and under Antihypertensive Treatment. *Jugoro Takeuchi, Kouji Nakajima, Tadanao Takeda, Keigo Suzuki, Shosaku Nakayama, Takao Ikeda, Gosuke Inoue, and Hideo Ueda.* 443

Analysis of Radioactive Colloidal Gold Uptake Rate in the Liver by Electronic Digital Computer—New Analytical Method for the Determination of Liver Blood Flow. *Hideo Ueda, Masahiro Iio, Haruo Kameda, and Tohru Migita* 460

Clinical Evaluation of Internal Mammary Artery Ligation as a Treatment of Coronary Heart Disease. *Syuzo Matoba, Kazuo Kitamura, Kunio Yamakawa, and Yusaku Anazawa.* 473

Studies on Fibrillation—Ordinary Action Potential and Interaction Potential. *Hiroto Mashiba.* 487

Further Studies on the Inhibitory Effects of Synthetic Sulfated Monosaccharides on Experimental Atherosclerosis. *Katsumi Murata* 493

The Role of Neural Factors in Experimental Renal Hypertension. *Yoshiaki Masuyama, Yogo Yamanaka, Yukiko Ohno, Noboru Inoue, Kikuo Sugiyama, Tadashi Murata, and Hiroshi Suzuki.* 505

Electrocardiographic Changes in Induced Bronchial Asthma. *Terumasa Miyamoto, Julian Bastaroli, and Murray S. Hoffman.* 524

Case Report
Aortic Arch Syndrome with Cardiomegaly and Aortic Calcification. *Hideo Yamada, Kenichi Harumi, Akio Ohta, Takeo Nomura, Ryozo Okada, and Masao Ishii.* 538

Vol. 3, 1962

Number 1, January

Editorial: Footprints of Previous Pericardial Disease. *Victor A. McKusick* .. 1
Urinary Aldosterone and Hypertension. *Mototaka Murakami, Riyoyu Takeda, Susumu Miyabo, Shinpei Morimoto, Katsuo Hasui, Mataei Kaneda, and Takeshi Nagano* 5
A Graphical Method for Evaluation of Narrowing of the Coronary Arteries (Coronary Profile Method)—With Special Reference to Intramural Arteriosclerosis. *Ryozo Okada, Satoru Murao, Mamoru Saito, and Hideo Ueda* 13
Digital Computer Aids for the Cardiac Output Calculation from Radio Isotope Dilution Curves. *Hideo Ueda, Masahiro Iio, Atsuo Nakanishi, and Tadashi Koide* 24
An Experimental Study of Some Effects of Hypoxia and Respiratory Acidosis on the Mammalian Heart. *Chandler McC. Brooks, Manual K. Ang, and Rudolf Th. van Dam* 34
Effect of Ouabain on Actomyosin—Studies on the Effect of Ouabain on Actomyosin Extracted from Cardiac, Both Normal and Failing, and Skeletal Muscles. *Mitsuo Miyahara, Minoru Yokoyama, Yukio Nagasaki, and Kozen Kinjo* 46
Experimental Studies on the Nervous Control of the Renal Circulation—Changes in Renal Circulation Induced by Electrical Stimulation of the Diencephalon and Effect of Several Drugs on the Circulatory Responses. *Jugoro Takeuchi, Shigeru Yagi, Tadanao Takeda, Eiichi Uchida, Gosuke Inoue, and Hideo Ueda* 57
Observation upon Some Aspects of A-V Conduction in Advanced A-V Block *Kazuzo Kato, Katsuro Shimomura, Akio Kuroiwa, Tsuneaki Sugimoto, Satoru Murao, and Hideo Ueda* 73
Clinical Note: Uncommon but Important Bedside Hints in Diagnosis of Heart Disease. *Terumasa Miyamoto* 83

Number 2, March

Editorial: Dignostic Approach to Minor Cardiac Abnormality. *Hideo Ueda* 103
Symposium on Nutrition and Cardio-Vascular Disease for the Tenth Pacific Science Congress
Epidemiologic Data on Heart Disease in the Orient. *Mariano M. Alimurung* 108
Epidemiology of Cardiovascular Disease in the Pacific Area. *Francisco Rojas Villegas* 117
Diet Composition in the Pacific Area in Relation to Cardiovascular Disease. *Joseph S. Chen, Teh-ming Kiang, and Li-chuen Chen* 126
Alimental Habits and Longevity. *Shoji Kondo* 147
Preventive Faction in Cardiovascular Disease—Clinical Application of Present Knowledge of Atherosclerosis. *Nilis P. Larsen* 151

Measurement of Hepatic Arterial and Portal Blood Flow and Circulation Time via Hepatic Artery and Portal Vein with Radioisotope. *Hideo Ueda, Tadao Unuma, Masahiro Iio, and Haruo Kameda* 154
On the Electrocardiographic Findings in the Gastrointestinal Diseases, Especially on the Changes in the RS-T Segment and T Wave. *Kiyoto Satake and Eiichi Kimura* 167
Precordial Low-frequency Vibrocardiography. I. Method of Recording. *Hideo Ueda, Tohru Kobayashi, Chuichi Sato, and Tsuguya Sakamoto* 176
Case Reports
Aortic Arch Syndrome Associated with Hypertension Due to Unilateral Renal Lesion—A Clinical Case Report. *Toshiaki Takasu, Shigenobu Nagataki, Yasusada Miura, and Kizuku Kuramoto* 183
A Cace of Chaotic Heart Action. *Hiroto Mashiba* 193

Number 3, May

Editorial: Why is the Incidence of Cerebral Apoplexy High among the Japanese? *Kanshi Sassa* 203
The Normal Systolic Murmurs in the Japanese—The Normal Phonocardiogram. II. *Hideo Ueda, Zen'ichiro Uozumi, and Tsuguya Sakamoto* 207
Viscoelastic Properties of Edematous Skin. *Yawara Yoshitoshi and Masahito Nagasaka* 220
Precordial Low-frequency Vibrocardiography. II. The Normal Configuration. *Tohru Kobayashi, Tsuguya Sakamoto, and Hideo Ueda* 231
Experimental Studies on the Effect of Potassium Citrate for Elective Cardiac Arrest and a Trial of the Concomitant Use of Glucose and Insulin. *Koroku Hashimoto, Masahiro Saigusa, Iwao Uei, and Kazuo Nakamura* 240
Experimental Studies on the Nervous Control of the Renal Circulation—Effect of the Electrical Stimulation of Vagal and Other Somatic Nerves and of the Carotid Sinus Reflex on the Renal Circulation (III). *Jugoro Takeuchi, Eiichi Uchida, Shosaku Nakayama, Tadanao Takeda, Shigeru Yagi, Gosuke Inoue, and Hideo Ueda* 259
Autocorrelation and Crosscorrelation of Electrocardiographic Record during Ventricular Fibrillation. *Sintaro Koyama, Kenichi Harumi, Keigo Suzuki, Hiroshi Watanabe, and Nobumitsu Takahashi* 269
Case Reports
A Case of Constrictive Endocardial Sclerosis Accompanied with Congenital Lutembacher's Syndrome. *Masahiko Okuni, Yokuko Saito, Ryozo Okada, and Akio Nakanishi* 275
Two Cases of Complex A-V Interference-Dissociation. *Kazuzo Kato, Katsuro Shimomura, Kazutetsu Matsuyama, Masahiko Iizuka, Satoru Murao, and Hideo Ueda* 284

Number 4, July

Editorial: The Development of Cardiovascular Surgery in Japan. *Seiji Kimoto* 297
Heart Sounds and Murmurs in Rheumatic Valvular Aortic Stenosis—A Physiologic Approach—Systemic Review and Personal Contribution. *Aldo A. Calo* 299
High Blood Pressure and the Salt Intake of the Japanese. *Naosuke Sasaki* ... 313
Clinical Observation on the Heart Involvement in Rheumatoid Arthritis. *Katuyasu Asai* 325
Evaluation of Kidney Function Test Using Radioisotope, Especially I^{131} Labeled Hippuran. *Hideo Ueda, Jugoro Takeuchi, Masao Ishii, Eiichi Uchida, Masahiro Iio, Gosuke Inoue, Tadanao Takeda, Shigeru Yagi, and Fujio Shintani* ... 332
Experimental Studies on the Beriberi Heart—II. Effect of Starvation and Role of Vagus Nerve. *Yawara Yoshitoshi, Nagao Shibata, and Seizo Yamashita* 342
Electrical Events in Specialized Muscle Fibers of a Mammalian Right Atrium —Part I. S-A Node. *Atsuyoshi Miyauchi* 357
Case Report: Idiopathic Enlargement of the Right Atrium. *Masahiro Saigusa, Kazuhiro Morimoto, Tadashi Koike, Takashi Hori, and Tomizo Sato* ... 373

Number 5, September

Editorial: Proposal for the Standardization of the Lead System on Vectorcardiography. *Noboru Kimura* 391
Vascular Lesions of Rheumatic Heart Disease, with Special Reference to Rheumatic Activity. *Yuichi Shiokawa* 393
Precordial Low-Frequency Vibrocardiography. III. Hypertension. *Hideo Ueda, Tohru Kobayashi, Zen-ichiro Uozumi, and Tsuguya Sakamoto* 408
Pathological Studies of Coronary Atherosclerosis: Especially of Sclerosis of Intramuscular Coronary Arteries. *Imasato Donomae, Yoshijiro Matsumoto, Tatsuro Kokubo, Reizo Koide, Rokuro Kobayashi, Harumichi Ikegami, Einosuke Ueda, Tomoo Fujisawa, and Shiro Fujimoto* 423
Acute Cardiac Death of Unknown Etiology. A Preliminary Report. *Tachio Kobayashi, Yoshio Ito, Terutomo Kajihara, Toshiaki Kishii, Hirofumi Osada, Utako Komizo, Masayoshi Sugai, Saburo Yoshimura, Rin Kono, Noritsugu Mukai, and Toshihiko Aoki* 442
Changes in Cardiac Rate and Rhythm Produced by Electrical Stimulation of the Brain Stem of Dogs. *Hideo Ueda, Tsuneaki Sugimoto, Satoru Murao, Hitoshi Goto, Kazuzo Kato, Soichi Katayama, and Kiyoshi Ito* 455
Electrical Events in Specialized Muscle Fibers of a Mammalian Right Atrium. Part II. A-V Node. *Atsuyoshi Miyauchi* 476
Case Report: Alternating Right and Left BBB Pattern and A-V Block of Various Degrees with Stokes-Adams Syndrome. *Masao Takayasu, Yoshio Tateichi, Sho Kato, Yoshinobu Inoue, Toshihito Morishima, and Kazuo Hattori* ... 494

Number 6, November

Editorial: Japanese Medicine in the Recent Hundred Years. *Hideo Ueda*... 503

High Speed Phonocardiography and the Study of Musical Cardiac Murmurs. *Angelo Caniggia, Guido Bertelli, and Mario Rubegni* 505

A Method for Arteriography of the Bronchial Artery. *Toshihiko Neyazaki* ... 523

Endomyocardial Biopsy. *Sigeru Sakakibara and Souji Konno* 537

Epidemiologic Studies on Hypertension and Coronary Heart Disease in a Japanese Rural Population. I. A Study of Blood Pressure in Chiyoda. *Keigo Suzuki, Hiroshi Watanabe, Nobumitsu Takahashi, Keiko Ishizuka, and Shintaro Koyama* 544

Carbohydrate Metabolism of Rabbit Heart Muscle Using C^{14} Individually Labelled Glucose. *Shinsaku Matsumoto, Toshiaki Kishii, Yoshio Ito,* and *Tachio Kobayashi* 555

Studies on Fibrin Deposition in the Aorta. *Mototaka Murakami, Hiroshi Sekimoto, Masuzo Tatsuguchi, Yoshiaki Yasuda, Sumio Masuda, Kazuyuki Matsumoto, Toshio Shinagawa, Akira Genda, Takekuni Ikeshima, Hidekazu Ozaki, and Takio Yamada* 563

Experimental Studies on the Humoral and Nervous Control of the Hepatic Circulation—Effects of Epinephrine and Norepinephrine and of Splanchnic Nerve Stimulation. *Hideo Ueda, Hidenori Maszawa, Naoto Hasegawa, Masuyo Nomura, Tadashi Sakurai, and Kazuo Kamii* 569

Edematous Arterial Reaction by Adrenaline and Cholesterol and Its Prevention by MAO Inhibitor Observed by Electron Microscopic Technique *Takio Shimamoto and Toshiaki Sunaga* 581

Survey on the Long Term Use of Antihypertensive Drug (Committee Report) 602

Case Report: Adenomatous Metaplasia of Renal Glomerular Capsular Epithelium Associated with a Carcinoma of the Liver. *Tsuneaki Sugimoto, Takao Ikeda, Eiichi Uchida, and Hideo Ueda* 617

Vol. 4, 1963

Number 1, January

Editorial: Experimental Studies on Cerebral Vascular Disease. *Toyozo Aizawa and Tsuneo Hasegawa* 1
Catecholamine in Congestive Heart Failure (Report I). *Tatsuya Tomomatsu, Yasuyuki Ueba, Tetsuo Matsumoto, Teishi Ikoma, and Yoshihiko Kondo* 13
Prognostic Implications of Certain Kidney Function Tests in Diffuse Glomerulonephritis. *Kouji Nakajima, Tadanao Takeda, Takao Ikeda, Fujio Shintani, Jugoro Takeuchi, and Hideo Ueda* 25
A Study on the Lipid Metabolism in the Patients with Atherosclerosis Especially on the Cholesterol in Serum Lipoprotein β-Fraction. *Fuminobu Mori*... 39
Electron Microscopic Studies on the Rabbit Aorta in Acute Hypercholesterolemia. *Yoshiharu Sako and Motoomi Nakamura* 53
Vascular Lesions in Experimental Renal Hypertension, with Special Reference to Effect of Hypotensive Treatment. *Jugoro Takeuchi, Tadanao Takeda, Kiichi Uchida, Ryozo Okada, and Fujio Shintani* 69
The Clinical Evaluation of the Exercise-test by the Use of Radioelectrocardiograph. *Hideo Furuya, Katsumaro Yamakura, Kazutoshi Minamitani, Yoshitada Yamanaka, Kazuo Kitamura, and Kunio Yamakawa* 81
Case Report
Diffuse Myocarditis of Unknown Etiology. *Yasushi Morisawa, Terutomo Kajihara, Yoshio Ito, Tachio Kobayashi, Shoichi Otsu, Go Shozawa, and Kiyomi Inoue*... 92

Number 2, March

Editorial: The Development of VCG in Japan. *Masao Takayasu* 103
Some Observations of the ST Depression in the Exercise Electrocardiogram. *Haruo Takahashi, Tohru Iwatsuka, Ikuo Ohashi, and Shuji Hotta* 105
Role of Catecholamine in Pressor Responses to Stimulation of the Central Nervous System. *Hideo Ueda, Akiyuki Yamada, Hitoshi Goto, Iwao Ito, Yutaka Takabatake, Kiyoshi Ito, Soichi Katayama, Akio Kuroiwa, Tsuneaki Sugimoto, and Katsuro Shimomura* 118
Metabolism of the Heart Muscle—Effects of Epinephrine, Insulin and Hydrocortisone on the C^{14}-labeled Glucose and Palmitate-1-C^{14} Metabolism of the Normal Rat Heart Muscle. *Shinsaku Matsumoto* 131
The Normal Value of Electrocardiogram in the Japanese. (Committee Report) 141
Case Reports
A Case of Cholesterol Pericarditis. *Katsuro Shimomura, Tetsuro Yamada, Hisakazu Yasuda, Atsuo Nakanishi, and Akihiko Matsumoto* 173

A Case of Congenital Idiopathic Cardiomegaly in Association with Three Other Congenital Anomalies, Such as Accessory Lung, Hydronephrosis and Hyperkeratosis. *Yawara Yoshitoshi and Seizo Yamashita* 182

Number 3, May

Editorial: Electrocardiography in Japan. *Eiichi Kimura* 201
Primary Pulmonary Hypertension, Congenital Heart Disease and Skeletal Anomalies in Three Generations. *Erich Kuhn, Johannes Schaaf, and Alfred Wagner* 205
Aortic Arch Syndrome with Special Reference to Pulseless Disease and Its Variants. *Hideo Ueda, Iwao Ito, Ryozo Okada, Gosuke Inoue, Hideo Yamada, Kazutetsu Matsuyama, Shozo Saito, and Tatsujiro Gondaira* 224
Autocorrelation of Ventricular Response in Atrial Fibrillation. *Nobumitsu Takahashi and Shintaro Koyama* 233
Prognostic Value of Various Electrocardiographic Features: Report of the Committee on the Criteria of the Heart Disease and Electrocardiogram..... 239
Case Reports
Right Atrial Ball Valve Thrombus. *Fusao Tominaga, Yoshio Ito, Tachio Kobayashi, Takeshi Shozawa, and Kiyomi Inoue* 285
Bilateral Bundle Branch Block Due to Cardiac Metastasis of Pulmonary Carcinoma. *Kohji Tamura, Masao Oguro, Yohji Aoki, Akihiko Kawabe, Tadashi Mashima, and Chutaro Oguro* 294

Number 4, July

Editorial: Studies of the Electrolyte Metabolism in Japan. *Yawara Yoshitoshi* 301
Atypical Bundle Branch Block—Report of Four Cases with Vectorcardiographic Observation. *Saburo Mashima, Kenichi Harumi, Chuichi Sato, Yoshimi Yanai, and Hideo Ueda* 303
Exercise Test and Anoxia Test in the Diagnosis of Angina Pectoris. A Comparative Study. *Eiichi Kimura, Kiyoji Ushiyama, Naohiko Kojima, Hirokazu Hayakawa, Takayuki Kanie, and Koichi Yoshida* 313
Epidemiologic Studies on Hypertension and Coronary Heart Disease in a Japanese Rural Population. II. A Study of Serum Cholesterol Level in Chiyoda. *Keigo Suzuki, Hiroshi Watanabe, Nobumitsu Takahashi, Satomi Tanaka, and Shintaro Koyama* 323
Stimulus Conduction in Atria Studied by Means of Intracellular Microelectrode. Part I. That in Bachmann's Bundle. *Maretsugu Horiba*..... 333
Circulatory and Respiratory Responses to Medullary Stimulation in the Dog. *Hideo Ueda, Akio Kuroiwa, Hitoshi Goto, Iwao Ito, Kiyoshi Ito, and Soichi Katayama*... 346
Arrhythmias Produced by Cardiac Nervous Stimulation. *Hideo Ueda, Tsuneaki Sugimoto, Satoru Murao, Kazuzo Kato, Kenichi Harumi, Saburo Mashima, Akio Kuroiwa, Chuichi Sato, and Katsuro Shimomura* 356
Experimental Studies on the Nervous Control of the Renal Circulation—Effect

of the Electrical Stimulation of the Medulla Oblongata on the Renal Circulation. *Jugoro Takeuchi, Gosuke Inoue, Tadanao Takeda, Eiichi Uchida, Shigeru Yagi, Masao Ishii, and Hideo Ueda* 364
Case Reports
A Case of the Superior Vena Caval Syndrome Presumed to Result from the Postoperative Disorder of Bilateral Clavicular Osteomyelitis. *Toshinosuke Wakatsuki, Motoyoshi Yamada, Ryuichi Kanayama, Tatsuo Hirose, and Jugoro Takeuchi* 378
Protein-Losing Gastroenteropathy as Cause of Hypoproteinemia in Constrictive Pericarditis. *Shigekoto Kaihara, Hiroko Nishimura, Toshio Aoyagi, Haruo Kameda, and Hideo Ueda* 386

Number 5, September

Editorial: ECG in Children. *K. K. Datey* 403
Studies on Rheumatic Fever with Immunofluorescent Method. *Yuichi Shiokawa, Shigeru Yamada, and Hisao Shibayama* 407
Pressor Response in Essential Hypertension. Blood Pressure Response to Noradrenaline in the Patient with Essential Hypertension. *Mitsuo Miyahara, Tadashi Ueda, and Osamu Iimura* 417
Pathological Studies on the Endocrine Organs of the Spontaneously Hypertensive Rats. *Kyuzo Aoki, Hidemitsu Tankawa, Takao Fujinami, Akio Miyazaki, and Yoshiteru Hashimoto* 426
Experimental Studies on the Relationship between Endocrine Organs and Hypertension in Spontaneously Hypertensive Rats. I. Effects of Hypophysectomy, Adrenalectomy, Thyroidectomy, Nephrectomy and Sympathectomy on Blood Pressure. *Kyuzo Aoki* 443
Central Effect of Some Vasoactive Substances as Observed by the Cross-Circulation in the Dog. *Hiroshi Kumagai* 462
Statistical Diagnosis of Electrocardiogram by Theorem of Bayes. A Preliminary Report. *Eiichi Kimura, Yutaka Mibukura, and Shigeru Miura* 469
Case Reports
Three Cases of Traumatic Pericarditis Following Transseptal Left Heart Catheterization: with Special Reference to Atrial Injury Current. *Hideo Ueda, Atsuo Nakanishi, Masamitsu Shiba, Iwao Ito, Hiroshi Tsuyuki, Hisakazu Yasuda, Tadashi Koide, and Kazutetsu Matsuyama* 489
A Cured Case of Renovascular Hypertension Caused by Panaortitis. *Hideo Ueda, Tatsuo Wada, Tadanao Takeda, Fujio Shintani, and Hidezo Nakamura* 496

Number 6, November

Editorial: Cardiac "Membrane Potential" as the Spatial Summation of Membrane Activities of Multiple Cells. *Kojiro Matsuda* 505
Phonocardiographic Study of Hyperthyroidism. *Hideo Ueda, Zen'ichiro Uozumi, Hiroshi Watanabe, Tohru Kobayashi, Nobuyoshi Kawai, Tohru Matsuura, and Tohru Iwase* 509

Studies on Prognosis of Chronic Pulmonary Emphysema with Special Reference to Abnormalities in Pulmonary Circulation and Arterial Blood Gases. *Tatsuya Momose, Shuichi Hatano, Shigeo Koike, Toru Shiraishi, and Makoto Murao*..... 524

Coronary Atherosclerosis in Cases Observed at the Department of Internal Medicine, Tokyo University Hospital. *Satoru Murao, Ryozo Okada, Kenichi Harumi, Yoshimi Yanai, Masahiro Murayama, and Hideo Ueda* 537

The Influence of Phosphorus Metabolism on the Renal Function. *Kaizo Kobayashi, Eiziro Sasano, Masao Shibata, Ryukichi Fujii, Katsumi Kato, Noboru Yoshimine, Yasuzumi Okura, Yumiko Tomida, and Akihisa Iwazu* 542

Experimental Studies on the Relationship between Endocrine Organs and Hypertension in Spontaneously Hypertensive Rats. II. Effects of Various Hormones on Blood Pressure. *Kyuzo Aoki* 561

Heart Muscle Catecholamines and Enzymes in Experimental Thyroid Diseases. *Shoichi Yamagata, Rikuo Sasaki, Sadao Ohira, Tatsuro Hirai, Akiyuki Hoshi, Hisao Otsuka, Kenji Suzuki, Tetsumaru Kikuchi, Shunichi Sato, Yasuo Watabe, Mamoru Chiba, and Kiyoshi Ito* 577

A Study on the Direction of Inscription of the Vectorcardiographic T-Loop in Left and Right Ventricular Hypertrophy. *Kenichi Harumi, Saburo Mashima, Chuichi Sato, Yoshimi Yanai, and Hideo Ueda* 586

Case Report

A Case of Inconstant Left Bundle Branch Block Associated with Sepsis. *Shiro Iino, Tadashi Okada, Shuichiro Sakai, Shoji Hanada, and Jugoro Takeuchi* ... 599

Vol. 5, 1964

Number 1, January

Editorial: Competition and Collaboration. *Koroku Hashimoto* 1

Precordial Low-Frequency Vibrocardiography of Aortic Insufficiency (precordial low-frequency vibrocardiography, the IVth report). *Hideo Ueda, Tohru Kobayashi, Tsuguya Sakamoto, Hiroshi Watanabe, Zen'ichiro Uozumi, and Nobuyoshi Kawai* 3

Epidemiological Studies on Cerebrovascular Diseases in Hisayama, Kyushu Island, Japan: Part I. With Particular Reference to Cardiovascular Status. *Shibanosuke Katsuki, Yasuo Hirota, Tanehiko Akazome, Shin Takeya, Teruo Omae, and Sakutaro Takano* 12

Epidemiologic Studies on Hypertension and Coronary Heart Disease in a Japanese Rural Population: III. Electrocardiographic Findings in Chiyoda. *Nobumitsu Takahashi, Kazuzo Kato, Keigo Suzuki, Hiroshi Watanabe, Chihoko Furumi, Masako Kuroda, and Shintaro Koyama* 37

Continuous Observations of Cardiac Output with Electromagnetic Flowmeter during Cardiovascular Reflexes. *Juro Iriuchijima and Hiromaru Ogata* 49

Experimental Studies on the Relationship between Endocrine Organs and Hypertension in Spontaneously Hypertensive Rats: III. Role of the Endocrine Organs and Hormones. *Kyuzo Aoki* 57

Experimental Studies on the Nervous Control of the Renal Circulation—Effect of the Electrical Stimulation of the Spinal Cord on the Renal Circulation. *Jugoro Takeuchi, Gakuji Nomura, Masamichi Saito, and Kazuyuki Kobayashi* 69

Case Reports:

Familial Polytopic and Polymorphic Extrasystoles. *Erich Kuhn, Dieter Wolf, and Märgen Stieler* 81

A Diffuse Endocardial Fibroelastosis with Markedly Dilated Right Atrium Observed in an Adult. *Tsuneo Yoshida, Yasuharu Nimura, Hiroshi Sakakibara, Kimio Matsutani, Kou Nishizaki, and Takeshi Nakata* 85

Number 2, March

Editorial: Computer Diagnosis of Heart Diseases. *Yashio Oshima* 99

Studies on Blood Lipids in Cases with Cerebrovascular Diseases—A Preliminary Report. *Shibanosuke Katsuki, Haruo Uzawa, Satoru Fujimi, Keiko Shiratsuchi, and Yasuo Ito* 101

Studies on the Role of Fibrinogen on Lipid Deposition into the Aorta. *Mototaka Murakami, Hiroshi Sekimoto, Masazo Tatsuguchi, Yoshiaki Yasuda, Sumio Masuda, Kazuyuki Matsumoto, Toshio Shinagawa, Akira Genda, Takekuni Ikeshima, Hidekazu Ozaki, Takio Yamada, and Masao Murakami* 108

Postural Changes in Blood Distribution and Its Relation to the Change in Cardiac Output. *Hideo Ueda, Tadashi Koide, Iwao Ito, Hideo Yamada, Kazutetsu Matsuyama, and Masahiko Iizuka* 115
Brain Circulation Studies by External Counting of Intravenously Injected RISA—A Preliminary Report. *Shibanosuke Katsuki, Haruo Uzawa, Kenjiro Tanaka, Koshiro Fukiyama, Masatoshi Fujishima, and Teruo Omae* 127
WPW Syndrome on Bovine—A Case Report. *Hiroshi Sugeno, Satoru Murao, and Hideo Ueda* 140
Experimental Studies on the Beriberi Heart. III. Correct Treatment Doses of Thiamine for the Beriberi Heart Disease and Effects of Vitacampher and Norepinephrine. *Yawara Yoshitoshi, Nagao Shibata, and Seizo Yamashita* 150
Case Reports:
Double A-V Nodal Rhythm. *Koo-Young Chung, Thomas J. Walsh, and Edward Massie* 171
Atrioventricular Dissociation in a Case of Reticulosarcomatosis and the Effects of Steroid and Co^{60} Irradiation. *Kohji Tamura, Yohji Aoki, Akihiko Kawabe, Tadashi Mashima, and Chutaro Oguro* 180
Report of International Society of Cardiology Research Committee Meeting at Makarska, September, 1963 188

Number 3, May

Editorial: Arterial Disease in Japan. *Koichi Ishikawa* 199
Clinical and Phonocardiographic Studies of Gallop Rhythm. Report II. Reevaluation of Kidney Gallop. *Hideo Ueda, Tsuguya Sakamoto, and Toshitami Sawayama* 201
Electrocardiographic Interpretation Machine Simplifiedly Constructed in Binary Logic System. *Eiichi Kimura, Yutaka Mibukura, Nobuyasu Yamazaki, and Shigeru Miura* 212
The Effects of Reserpine, α-Methyl DOPA, Nialamide and Dexamethasone on the Uptake and Metabolism of H^3-Catecholamine—Mainly in Regard to the Cardiovascular System of Human and Rabbits. *Hirofumi Osada* 224
Levocardia with Abdominal Situs Inversus. Report of Eight Cases with Special Reference to Their Electrocardiographic Findings. *Kazuo Momma, Ayako Tanae, Masahiro Oshima, and Masahiko Okuni* 243
Depressor Reflex from the Kidney with Altered Perfusion Pressure. *Hideo Ueda, Gosuke Inoue, Shigeru Yagi, and Masao Ishii* 254
Effect of Chronic Electrical Stimulation of Diencephalon on Blood Pressure in Rabbits. *Hideo Ueda, Masao Ishii, Akio Ebihara, Tadanao Takeda, Takao Ikeda, and Fujio Shintani* 260
The Effects of Varying Dietary Potassium on the Electrocardiogram and Blood Electrolytes in Young Dogs. *Ichio Ono, Tokuo Fukuoka, and Isao Onodera* 272
Case Report:
Endocardial Cushion Defect with Transposition of Great Vessels, Pulmonic Stenosis, and Multiple Anomalies. *Nobuyoshi Kawai and Tsuguya Sakamoto* 287

Number 4, July

Editorial: Surgical Treatment of Congenital Cardiac Lesions in Infants Younger than 2 Years of Age. *Shigeru Sakakibara* 297

Transseptal Catheterization of the Left Heart. Observation in 200 Cases. *Ludwig Bette and Gottfried Harbauer* 301

Studies on the Lead System for Telemetering of Exercise Electrocardiogram. *Masahiro Murayama, Satoru Murao, Kenichi Harumi, Chuichi Sato, and Hideo Ueda* 312

Changes in Coronary Blood Flow by Central Nervous Stimulation. *Hideo Ueda, Katsuro Shimomura, Hitoshi Goto, Hisakazu Yasuda, Kiyoshi Ito, Soichi Katayama, Akio Kuroiwa, and Tsuneaki Sugimoto* 323

The Normal Ventricular Gradient Determined with Frank's Lead System and Its Relation to the Heart Rate Change Induced by Various Procedures. Studies on the Ventricular Gradient I. *Saburo Mashima, Longtai Fu, and Kokichi Fukushima* 337

U Vector Loop in Patients with Right Ventricular Hypertrophy, Right Bundle Branch Block, and Myocardial Infarction. *Toyomi Sano, Syozi Takigawa, and Hiromichi Tsuchihashi* 347

Electrocardiographic and Vectorcardiographic Changes Produced by Electrical Stimulation of the Cardiac Nerves. *Hideo Ueda, Yoshimi Yanai, Satoru Murao, Kenichi Harumi, Saburo Mashima, Akio Kuroiwa, Tsuneaki Sugimoto, and Katsuro Shimomura* 359

Case Reports:

A Case of Hypertension Due to the Left Renal Vascular Stenosis with Aplasia of the Right Kidney. *Kazuo Shirasaki, Akiyuki Okubo, Hiroshi Kurihara, and Masao Ikeda* 373

A Case of Ventricular Paroxysmal Tachycardia with Abnormal P Waves. *Takashi Yanaga, Katsumi Kosaka, Masao Kaji, Zene Ohya, Morio Ito, Hiroto Mashiba, Kenryu Ohshita, and Hiroyoshi Mori* 380

Number 5, September

Editorial: Mechanism of Lipid Deposition on Arterial Wall. *Mototaka Murakami* 397

Effectiveness of Prolonged Antihypertensive Treatment on Survival of Patients with Essential Hypertension. *Hideo Ueda, Kouji Nakajima, Tadanao Takeda, and Tadao Ikeda* 399

Measurement of Cardiac Events by a Precise Technique: Comparison with Vibrocardiogam. *Clarence M. Agress, Stanley Wegner, and Shigeo Nakakura* 414

Determination of Regional Pulmonary Blood Flow in Various Cardiopulmonary Disorders. Study and Application of Macroaggregated Albumin (MAA) Labelled with I^{131} (I). *Hideo Ueda, Masahiro Iio, and Shigekoto Kaihara* 431

Incidence and Clinicopathological Manifestations of Pulmonary Thromboembolism in Japan. *Hideo Ueda, Makoto Murao, Tatsuya Momose, Shuichi Hatano, Tohru Shiraishi, Masahiro Iio, Ryozo Okada, Tsuyoshi Uzawa, Yoshimi Saito, Nobuyoshi Kawai, and Tetsuro Yamada* 445
The Effects of Cations on Digitalis Induced Arrhythmias—Experimental Trials of the Artificial Pacemaker to These Arrhythmias—I. The Effect of Potassium. *Kohji Tamura* 456
Cerebral Hemorrhage in Experimental Renal Hypertension. *Masao Ikeda, Jun Fujii, Fujio Terasawa, Saichi Hosoda, Hiroshi Kurihara, and Shin-ichi Kimata* 466
Case Report:
A Case of Multiple Aneurysms. *Mototaka Murakami, Tetsuo Yokoyama, Akira Itakura, Eiji Murakami, Seiichi Murakami, Kenji Shiotani, Itaru Yamakawa, and Fujitsugu Matsubara* 474

Number 6, November

Editorial: Cerebral Circulation and Arteriographic Findings in the Study of the Cerebrovascular Disease. *Toyozo Aizawa* 495
Clinical Feature of Myocardial Infarction in Japan. *Yawara Yoshitoshi, Waichiro Hanaoka, Masahito Nagasaka, Hideo Miyashita, Akira Yamaguchi, Teizo Ito, Shigetaka Watanabe, Motochika Oshima, and Yukio Shinohara* 497
Studies on Dacron Prostheses Treated with Gelatin Sponge: Experimental and Clinical Studies. *Yuji Maruyama* 512
Activation of Subclinical Rheumatic Activity by Metopirone Administration in Rheumatic Heart Disease and Rheumatoid Arthritis. *Yuichi Shiokawa* 532
Frank Lead Vectorcardiogram in Left Ventricular Hypertrophy. *Kazuhiko Murata, Hiroshi Kurihara, Saichi Hosoda, Masao Ikeda, and Masuji Seki* 543
Committee Report: I. The Epidemiologic Survey of Ischemic Heart Disease in Japan. II. The Evaluation of Anticoagulant Therapy for Myocardial Infarction. 549
Standardization of Phonocardiography. *Klaus Holldack, Hideo Ueda, Aldo A. Luisada, Shozo Yoshimura, G. Fuchs, and T. Okamura* 558
Case Reports:
Coarctation of the Abdominal Aorta. Report of a Case and Review of the Literature. *Shigeyuki Daimon and Kazuto Kitamura* 562
A Case Report of Subaortic Stenosis. *Noboru Kimura, Fumiji Katayama, Yoshiro Fuyuno, and Yoshifumi Oki* 574
An Abnormal Electrocardiogram in One Case with the Spontaneous Subarachnoid Hemorrhage. *Tatsuya Tomomatsu, Tsutomu Ino, Masanari Morimoto, Etsuo Matsumoto, Shigeru Tatsumi, Isamu Takeshita, Tetsuo Mizutani, Toshiyuki Funabiki, and Satoshi Okada* 583

Vol. 6, 1965

Number 1, January

Editorial: Teaching Cardiology. *Kempson Maddox* 1
Studies on Type-Specific Streptococcal Antibody in Rheumatic Heart Disease. *Toshio Nishimura, Naohide Kumagai, and Tachio Kobayashi*..... 4
Abnormal Liver Function Test in Patients with Rheumatic Disease with Special Reference to Elevated Alkaline Phosphatase. *Masataka Katsu, Junichi Ogawa Rokuro Osako, and Tohru Abe*..... 12
Acid Mucopolysaccharides, Cholesterol, Calcium, and Magnesium Content of Japanese Aortas. *Motoomi Nakamura, Ira Gore, Noriko Yabuta, Shinichiro Torii, Yasushi Ishihara, Kazuhiro Tamari, and Tamaki Imai*..... 20
Unusual Distribution of Pulmonary Blood Flow between the Right and Left Lung in Man. Study and Application of Macroaggregated Albumin (MAA) Labelled with I^{131} (II). *Hideo Ueda, Shigekoto Kaihara, and Masahiro Iio* 40
Determination of Renin in Rat and Human Kidneys. *Kazuki Kawabe and Hirofumi Sokabe* 51
Stimulus Conduction in Atria Studied by Means of Intracellular Microelectrode. Part II. That Around Atrioventricular Ring. *Maretsugu Horiba*..... 59
Origination and Transmission of Impulse in the Right Auricle. *Kazuo Yamada, Maretsugu Horiba, Yukio Sakaida, Mitsuharu Okajima, Hiroshi Horibe, Hiroshige Muraki, Toshiji Kobayashi, Atsuyoshi Miyauchi, Hiroshi Oishi, Akira Nonogawa, Kazuo Ishikawa, and Junji Toyama* 71

Number 2, March

Editorial: A Walk of a Japanese Cardiologist. *Tachio Kobayashi* 101
Influence of Heart Rate on the Phases of the Left Heart Cycle in Exercise. *Shigeo Nakakura, Stanley Wegner, and Clarence M. Agress* 104
Detection of Portal Systemic Shunts by Hepatopulmonary Scanning Using I^{131} MAA. Study and Application of Macroaggregated Albumin (MAA) Labelled with I^{131} (III). *Hideo Ueda, Kenichi Kitani, Haruo Kameda, Hideo Yamada, and Masahiro Iio* 115
On the Role of Fatty Acid Peroxides in Atherogenesis. *Shingo Aoyama and Minoru Iwakami* 128
Automatic Rhythms Produced by Ectopic Ventricular Contractions. *Agustin Castellanos, Jr. and Worawit Wongthongsri* 144
Experimental Studies of the Excitability of Ventricular Musculature in Infarcted Region. *Tetsuo Tsuchida* 152
The Effects of Cations to the Digitalis-Induced Arrhythmias: Experimental Trials of the Artificial Pacemaker to These Arrhythmias. II. The Effect of

Calcium. *Kohji Tamura* 165
Case Report: A Case of Corrected Transposition of the Great Vessels without Associated Intracardiac Anomalies. *Kunitake Hashiba, Tomoyuki Katayama, Akio Ono, Shuzo Matsuo, Yoshimi Yamaguchi, Nobuo Tajima, Masato Yoshioka, and Kayuko Miura* 174

Number 3, May

Editorial: History of Phonocardiographic Studies in Japan. *Kunio Yamakawa* 187
Clinical Studies on the Cardiac Performance by Means of Transseptal Left Heart Catheterization. The Acute Effects of Digitalis on Left Ventricular Function in Patients with Valvular Stenosis. *Hideo Ueda, Atsuo Nakanishi, Masamitsu Shiba, Iwao Ito, Hiroshi Tsuyuki, Hisakazu Yasuda, Masaya Sugiura, Yutaka Takabatake, Keiji Ueda, Tadashi Koide, and Yasuro Sugishita*..... 189
" Silent " Mitral Stenosis. Patho-anatomical Basis of the Absence of Diastolic Rumble. *Hideo Ueda, Tsuguya Sakamoto, Nobuyoshi Kawai, Hiroshi Watanabe, Zen'ichiro Uozumi, Ryozo Okada, Tohru Kobayashi, and Goro Kaito*..... 206
The Anatomical Factor in Pulmonary Heart Disease. *Michiyoshi Harasawa, Seiichi Yoshida, Yasunobu Fukushima, Hiroshi Murao, and Satoshi Kitamura*..... 220
Cardiovascular Reactivity after Bilateral Nephrectomy in Rats. *Hirofumi Sokabe, Fumio Shibayama, Susumu Mizogami, and Fuminori Sakai*..... 233
Autoregulation of Renal Circulation. *Jugoro Takeuchi, Tadashi Kubo, Taisei Sawada, Etsuro Funaki, Minoru Sanada, Tetsundo Kitagawa, and Yoshio Nakada*..... 243
Atrio-ventricular Block Produced by Ligation of Septal Arteries in the Dog. *Kunitake Hashiba, Tomoyuki Katayama, Akira Takahashi, Akio Ono, Shuzo Matsuo, Junshi Fujita, Yoshimi Yamaguchi, Nobuo Tazima, Masato Yoshioka, and Kayuko Miura* 256
Case Reports:
Abnormal Transradiancy of One Lung Studied by Pulmonary Scintiscanning. *Hideo Ueda, Shigekoto Kaihara, Masahiro Iio, and Minoru Togashi* 268
Idiopathic Dilatation of the Pulmonary Artery. Report of a Case and Review of the Literature. *Tohru Ishikawa and Ichiro Seki*..... 273

Number 4, July

Editorial: Prognosis of High Arterial Pressure. *F. Horace Smirk*..... 289
The Austin Flint Murmur. Phonocardiographic and Patho-anatomical Study *Hideo Ueda, Tsuguya Sakamoto, Nobuyoshi Kawai, Hiroshi Watanabe, Zen'ichiro Uozumi, Ryozo Okada, Tohru Kobayashi, Tetsuro Yamada, Kiyoshi Inoue, and Goro Kaito* 294
Functional Diastolic Murmur in 2: 1 A-V Block. *Klaus Holldack, Shozo Yashimura, Tetsuo Okamura, and Hans Zapfe* 313

Studies on Chronic Cor Pulmonale with Special Reference to Coronary Circulation. *Kiyoshi Hosono* 318
Effects of Chronic Electrical Stimulation of Diencephalon on Aortas in Rabbits. *Hideo Ueda, Akio Ebihara, Masao Ishii, Tadanao Takeda, and Takao Ikeda* 325
Effects of Some Coronary "Vasodilators" on Myocardial Catecholamine. *Shingo Aoyama* 335
An Improved Method for Reconstruction of Vectorcardiogram. *Akira Nonogawa* 346
Electrocardiographic Changes in Rheumatoid Arthritis. Supplementary Report. *Katsuyasu Asai* 367
Case Reports
A Case of Congenital Quadricuspid Pulmonary Valve with Mitral Stenosis. *Fujio Terasawa, Sho Yoshida, and Kizuku Kuramoto* 370
A Case of Medionecrosis Aortae Cystica Idiopathica (Erdheim) with Congenital Hypoplasia of Myocardium. *Kohji Tamura, Rhoji Kikuta, and Hiroshi Kaneko* 376

Number 5, September

Editorial: Recent Advances in Clarifying the Genesis of Cardiac Fibrillation. *Toyomi Sano* 387
Clinical Studies on the Cardiac Performance by Means of Transseptal Left Heart Catheterization. II. Left Ventricular Function in High Output Heart Diseases, Especially in Hyperthyroidism. *Hideo Ueda, Yasuro Sugishita, Atsuo Nakanishi, Iwao Ito, Hisakazu Yasuda, Masaya Sugiura, Yutaka Takabatake, Keiji Ueda, Tadashi Koide, and Katsuhiko Ozeki* 396
Pyridinolcarbamate; Bradykinin Antagonist, in Patients Suffering from Arteriosclerosis Obliterans and Thromboangiitis Obliterans (Buerger's Disease). A Preliminary Report on the Treatment of Human Atherosclerosis. *Takio Shimamoto and Toshiyuki Atsumi* 407
Effect of Uremic Human Plasma on Renin Activity. *Hideo Ueda, Tadanao Takeda, Kouji Nakajima, Masao Ishii, and Akio Ebihara* 416
Effects of Unilateral Pulmonary Artery or Vein Distension with a Balloon on the Pulmonary and Femoral Arterial Pressures in Anesthetized Dogs. *Hideo Ueda, Makoto Murao, Tatsuya Momose, Schuichi Hatano, Shigeo Koike, Tohru Shiraishi, Akio Kuroiwa, Tsuneaki Sugimoto, Takeshi Uzawa, Katsuro Shimomura, Yoshimi Saito, and Tetsuro Yamada* 428
Nucleic Acid Metabolism in Experimentally Hypertrophied Myocardium. *Shinsaku Matsumoto, Toshiaki Kishii, Yoshio Ito, and Tachio Kobayashi* 443
Pulsus Alternans Involving the Right Heart. *Kunitake Hashiba, Tomoyuki Katayama, Akira Takahashi, Akio Ono, Junshi Fujita, Shozo Matsuo, Nobuo Tajima, Yoshimi Yamaguchi, Yoshito Yoshioka, and Kayuko Miura* 452
The Effect of Oral Potassium Chloride on the Normal and Abnormal Electrocardiogram. Studies on the Ventricular Gradient II. *Saburo Mashima, Longtai Fu, and Kokichi Fukushima* 463

Committee Report. III. Patho-anatomical Survey on Myocardial Infarction in Japan 474
Case Report
Electrocardiogram and Vectorcardiogram on Paroxysmal Hypertension of Cystic Pheochromocytoma. Report of Case. *Tsunetaka Matoba, Akio Fukumoto, Kazushige Takayama, Taiji Yokota, and Hironori Toshima*..... 483

Number 6, November

Editorial: Catecholamine and Heart Disease. *Tatsuya Tomomatsu*..... 493

Comparison of the Ejection Time-Heart Rate Relationships in Normal and Ischemic Subjects. *Clarence M. Agress, Stanley Wegner, Shigeo Nakakura, Eugene H. Lehman, and Leonardo Chait* 497

Studies on Rheumatoid Agglutination Factor in Myocardial Infarction. *Shinichi Shiina and Yasutoshi Yasuda* 511

Orthostatic Hypotension. *Tatsuo Abe, Sueharu Tsutsui, and Eijiro Satoyoshi*..... 521

Measurement of Coronary Circulation Time with a Catheter Type Micro G-M Counter. *Hideo Ueda, Tadashi Koide, Masahiro Iio, Atsuo Nakanishi, and Iwao Ito* 527

Regional Myocardial Blood Flow Measured by I^{131} Labelled Macroaggregated Albumin (I^{131}-MAA). *Hideo Ueda, Shigekoto Kaihara, Keiji Ueda, Yasuro Sugishita, Yasuhito Sasaki, and Masahiro Iio*..... 534

Experimental Studies on the Nervous Control of the Renal Circulation. The Relationship between the Action Potential of the Renal Nerve and the Renal Vascular Resistance. *Jugoro Takeuchi, Shiro Iino, Shoji Hanada, Shuichiro Sakai, Nobuo Oya, and Kenji Kitamura* 543

Experimental Systemic-Coronary Anastomosis Using Extracorporeal Circulation. *Yukio Harada, Yuji Maruyama, Zenya Yamazaki, Taijun Go, Minoru Hashimoto, Akira Furuse, and Masahiro Saigusa*..... 558

Statement of the Technical Group on ECG-VCG and Computer Application. Meeting of the Research Committee, International Society of Cardiology, Venice, April 11–17, 1965..... 566

Vol. 7, 1966

Number 1, January

Editorial: The Mechanism of Action of Cardiovascular Drugs and Their Clinical Effectiveness. *Fumio Takenaka* 1
Quantitative Assessment of Obstruction of the Aorta and Its Branches in "Aortitis Syndrome". The Value of Functional Phonoarteriography Using Vasoactive Drugs. *Hideo Ueda, Tsuguya Sakamoto, Tetsuro Yamada, Zen'ichiro Uozumi, Tohru Kobayashi, Nobuyoshi Kawai, Kiyoshi Inoue, and Goro Kaito* 3
Recent Trends in Incidence of Cerebral Hemorrhage and Infarction in Japan. A Report Based on Death Rate, Autopsy Case and Prospective Study on Cerebrovascular Disease. *Shibanosuke Katsuki and Yasuo Hirota* 26
DC Countershock for Cardiac Arrhythmias. *Toshio Mitsui* 35
Clinical Course and Prognosis of Chronic Pulmonary Emphysema with Special Reference to Pulmonary Circulatory Disturbance. *Junichi Mise, Katsutoshi Moriyama, and Shozo Itagaki* 45
Studies on Coronary Circulation in Coronary Sclerosis. *Yuji Kojima* 56
Further Studies on the Determination of Renin in Rat Kidney. *Shoichi Harigaya, Hirofumi Sokabe, and Fuminori Sakai* 68
Effect of Changes in Coronary Arterial Blood Flow on the Myocardial Contractile Force. *Jiro Nakano* 78
Case Report: Treatment of Occlusive Diseases of the Arteries in the Limbs with Pyridinol-carbamate. *Keizo Matsumoto, Kohji Sato, and Sanae Tanaka* 87

etsu-Hokuriku District Meeting 94

Number 2, March

Editorial: The Origin of the Effective Treatment of Cardiac Shock. *Myron Prinzmetal* 101
Interrelationships between Cardiac Performance Measurements. *Clarence M. Agress and Stanley Wegner* 103
Mechanisms of Ventricular Fibrillation. *Yoshio Watanabe and Leonard S. Dreifus* 110
A Contribution to the Method of Analysis in the Vectorcardiography. *Saburo Mashima, Longtai Fu, and Kokichi Fukushima* 121
Myocardial Metabolism of Individual Free Fatty Acids (FFA) in Valvular Disease as Compared with Coronary Sclerosis. *Takenori Kikuchi, Seiyo Endo, Toshiaki Kishii, Yoshiyasu Hasegawa, Yoshio Ito, and Tachio Kobayashi* 130
The Effect of Pulmonary Hypertension on the Elastic Structure of the Pulmonary Trunk. *Kunio Yamakawa, Kazuo Kitamura, Tatsuko Sugano, Masahide*

Uesugi, Kohko Takagi, Yoshitada Yamanaka, and Toshitaka Takagi 136
Better Resolution in Clinical Phonocardiography. The Use of Simultaneously Recorded Multi-Filter System Phonocardiograms Synchronously Taken from Various Auscultatory Areas. *Tsuguya Sakamoto, Zen'ichiro Uozumi, Goro Kaito, and Hideo Ueda* 154
Autoregulation of Hepatic Circulation. ***Jugoro Takeuchi**, Tetsundo Kitagawa, Tadashi Kubo, Ichiro Murai, and Tsuneo Tone* 168
Susceptibility to Defibrillation of the Hypoxic Heart. *Toshio Mitsui* 181
Case Report: A Case of Relapsing Polychondritis Associated with Aortic insufficieney. *Nobuyasu Yamazaki, Koji Yawata, Hiroshi Hannya, and Eiichi Kimura* 188

Kanto District Meeting 196

Number 3, May

Editorial: The Innervation of the Kidney. ***Jugoro Takeuchi*** 201
The Use of Methoxamine as a Diagnostic Aid in Clinical Phonocardiography. *Hideo Ueda, Tsuguya Sakamoto, Zen'ichiro Uozumi, Kiyoshi Inoue, Nobuyoshi Kawai, and Tetsuro Yamada* 204
A Study of Metastatic Tumors to the Heart, Pericardium and Great Vessels. I. Incidences of Metastases to the Heart, Pericardium and Great Vessels. *Ryu Nakayama, Takeshi Yoneyama, Osamu Takatani, and Kiyoji Kimura* 227
Determination of Cardiac Output by Earpiece Dye-Dilution Technique at Rest and during Exercise. *Tan Watanabe, Kazuzo Kato, Hiroshi Watanabe, and Shintaro Koyama* 235
Further Studies on Type-Specific Streptococcal Antibody in Rheumatic Heart Disease. *Toshio Nishimura, Naohide Kumagai, and Tachio Kobayashi* 244
A Vectorcardiographic Study of WPW Syndrome. *Hideo Ueda, Kenichi Harumi, Katsuro Shimomura, Hideo Yamamoto, and Tsuneaki Sugimoto* 255
The U Loop in the Vectorcardiogram with the Frank System. *Seiichi Toyama and Keiko Suzuki* 269
Effects of the Electrical Stimulation of the Central Gray Stratum of the Midbrain on the Blood and Myocardial Catecholamine. *Hideo Ueda, Tetsuji Iizuka, Hisakazu Yasuda, Yutaka Takabatake, Masahiko Iizuka, Masashi Ihori, and Mutsuo Yamamoto* 277
Alterations in the Renal Hemodynamics Induced by Increased Renal Vein Pressure in the Rabbit Kidney. *Yawara Yoshitoshi, Nishio Honda, Akio Morikawa, and Kiyoshi Seki* 289

Number 4, July

Editorial: Radiological Aspects of the Aortic Arch Syndrome. *Masao Tamaki* 305
The Intrarenal Vascular Lesions in Renovascular Hypertension with Special

Reference to Results of Surgical Treatment. *Hideo Ueda, Takao Ikeda, Tadanao Takeda, Eiichi Uchida, and Masao Ishii* 308
Comparison of Vasoconstrictor Responses in Functionally Different Organs Induced by Stimulation of Mesencephalic Pressor Area. *Hideo Ueda, Kiyoshi Inoue, Masahiko Iizuka, Masashi Ihori, and Hisakazu Yasuda* 318
Electro- and Vectorcardiograms of Perfused Canine Heart Immersed in Electrolyte-filled Human Torso Model. Alteration of Electro- and Vectorcardiographic Patterns due to Rotation of the Heart. *Kazuo Yamada, Mitsuharu Okajima, Kazuhiko Hori, Junji Toyama, Toshiji Kobayashi, Tetsuro Fujino, and Hiroshige Muraki* 331
Symposium on Pulmonary Circulation 346
Opening Remarks. *Hideo Ueda* 349
Influence of Hydrostatic Pressure on the Pulmonary Circulation. *John B. West* 350
The Effect of Airway Pressure on the Pulmonary Circulation. *Simon Rodbard and Shiro Kira* 369
Effects of Alveolar Surface Tension on the Pulmonary Vascular Bed. *Norman C. Staub* 386
Pulmonary Circulation from the Viewpoint of Capillary Flow. *Arthur B. DuBois* 400
Closing Remarks. *Simon Rodbard* 414

Number 5, September

Editorial: Some Problems of Collaterals in Organ Circulation. *Takashi Nakamura* 415
Pheochromocytoma in Japan. *Tatsuo Sato, Kaoru Yoshinaga, Atsushi Oikawa, and Tatsuo Torikai* 419
Effects of Nitroglycerin on H^3-Catecholamine Metabolism. *Tachio Kobayashi, Terutomo Kajihara, Hirofumi Osada, Utako Komizo, and Koki Ishii* 430
Hemodynamic Effect of a ß-Adrenergic Blocker (Propranolol) in Tilted Position. *Hideo Ueda, Tadashi Koide, Masahiko Iizuka, and Iwao Ito* 438
Intensity Distribution of the Systolic Murmur in Ventricular Septal Defect on the Chest Surface. *Toshimasa Ogawa, Hideo Takada, Shinji Yoshida, Sumio Hisada, Kazuo Horikoshi, Shuji Hotta, Teruo Nagaya, Yasushi Mizuno, and Susumu Hibino* 448
Better Resolution in Clinical Phonocardiography. II. The Use of Compressor Phonocardiograph. *Tsuguya Sakamoto, Chuichi Sato, Tetsuro Yamada, Zen'ichiro Uozumi, and Hideo Ueda* 460
Effects of Dietary Magnesium and Glycyrrhizin on Experimental Atheromatosis of Rats (Long-Term Experiment). *Motoomi Nakamura, Yasushi Ishihara, Teizo Sata, Shinichiro Torii, Akinobu Sumiyoshi, and Kenzo Tanaka* 474
Effects of Mesencephalic Stimulation on Resistance and Capacitance Vessels in Extremity of the Dog. *Hideo Ueda, Masahiko Iizuka, Hisakazu Yasuda, Tetsuji Iizuka, Masashi Ihori, and Kiyoshi Inoue* 487
Membrane Effects of Pronethalol on the Mammalian Heart Muscle Fiber. *Koki Shigenobu, Akimitsu Kamiyama, Keijiro Takagi, and Kojiro Matsuda* 494

Studies on Aconitine-induced Arrhythmias. I. The Ectopic Pacemaker Formation in the Left Superior Vena Cava Proximal to the Heart and the Genesis of Cardiac Arrhythmias. *Takasi Yanaga, Morio Ito, Kazuyuki, Saeki, Makoto Arita, Mitsuo Tanoue, and Hiroto Mashiba* 505

Number 6, November

Editorial: Corrective Surgery of Tetralogy of Fallot. The Right Ventricular Outflow Obstruction and Its Relief. *Ken-ichi Asano* 513

Effects of Coronary Vasodilators on the Coronary Circulation in the Sclerotic Heart Disease. *Yoshio Ito, Yuji Kojima, Yoshiyasu Hasegawa, Shugo Sasamoto, Toshiaki Kishii, and Tachio Kobayashi* 524

An Instrumental Aspect of Apexcardiography. Decay Characteristic of Transducers and Its Clinical Implication. *Keimei Mashimo, Yoshinori Tanabe, Shinji Kinoshita, Sanya Sakamoto, and Nobuko Tsushima* 536

Reflex Control of Blood Pressure by the Right Subclavian Baroreceptor in Experimental Renal Hypertension of Rabbit. *Hideo Ueda, Yasumi Uchida, Hisakazu Yasuda, and Tadanao Takeda* 543

The Development and Calibration of a Method for the Continuous Measurement of Stroke-Volume in the Experimental Animal. *L. A. Geddes, H. E. Hoff, and A. Mello* 556

Studies on Myocardial Protein Metabolism in Cardiac Hypertrophy. *Kazuo Tomita* 566

Effect of Pyridinol-Carbamate on Experimental Cerebral Hemorrhage (Part II). *Keizo Matsumoto and Koji Sato* 590

The Vector U Loop of Ventricular Premature Beats. *Toyomi Sano, Tadayuki Hiroki, and Sadayuki Sato* 597

Special Article: On the Humane Treatment of Charity Patients. *Myron Prinzmetal* 606

Case Report: Unusual Coarctation of the Aorta with a Large Saccular Aneurysm. *Tadanao Takeda, Keisuke Nishiyama, Shigenori Morooka, Akira Ueno, Hiroyasu Tada, and Hideo Ueda* 608

Vol. 8, 1967

Number 1, January

Editorial: Pathogenesis of Ventricular Fibrillation in Acute Coronary Occlusion. *Satoru Murao* 1

Immunological Studies of Aortitis Syndrome. *Hideo Ueda, Yoshimi Saito, Iwao Ito, Hisomu Yamaguchi, Masaya Sugiura, and Shigenori Morooka* 4

The Surgical Treatment of Ventricular Septal Defect with Aortic Insufficiency, with Special Emphasis on Valve Replacement. *Shoji Eguchi, Masahiko Washio, Kota Shiozaki, Noboru Motoyama, Makoto Tanaka, Yoshifumi Sakurai, Isao Sakashita, Takao Irisawa, Hisashi Isogawa, Kunio Hoshino, Masanori Terazima, and Kenichi Asano* 19

Alterations in the Intrarenal Hemodynamics Following Changes in Ureteral Pressure in the Rabbit Kidney. *Yawara Yoshitoshi, Nishio Honda, Akio Morikawa, Chikara Aizawa, and Kiyoshi Seki* 32

Experimental Vascular Lesions in Desoxycorticosterone Hypertension in Rats. *Hideo Ueda, Hiroko Nishimura, and Hisakazu Yasuda* 42

Heterotopic Allotransplantation of Heart in Adult Dog Treated with Thymectomy and Intralymphatic Administration of 6-Mercaptopurine. *Akira Furuse, Iwao Uei, Kazuo Nakamura, Kenji Ito, Tsuguo Hasegawa, Takasi Kotoda, and Masahiro Saigusa* 58

Effects of High and Low Potassium on the Electrocardiogram. *Myron Prinzmetal, Hideo Toyoshima, Mitsuo Hattori, Maretsugu Horiba, Kazuo Ishikawa, Ryu Nakayama, Akira Nonogawa, Emir Ozkan, Tetsuo Tsuchida, and James M. Baine* 67

Spatial T Wave Changes Produced by Exercise in Health and Disease. *Hideo Ueda, Masahiro Murayama, Kenichi Harumi, Chuichi Sato, and Satoru Murao* .. 83

Case Reports:

A Case of Patent Ductus Arteriosus in a 60-year-old Female. *Hideo Tohgi, Satoru Matsushita, Masao Hattori, and Kazuhiko Murata* 94

Marfan's Syndrome Complicated by Huge Hydropericardium. *Eiji Matsui and Takeshi Ito* 98

Number 2, March

Editorial: Low Incidence of Pulmonary Thromboembolism in Japan. *Makoto Murao* 105

Aortic Insufficiency Associated with Aortitis Syndrome. *Hideo Ueda, Masaya Sugiura, Iwao Ito, Yoshimi Saito, and Shigenori Morooka* 107

The Acute Effect of Aminophylline on Left Ventricular Function in Patients with Heart Failure. Clinical Studies on the Cardiac Performance by Means of Left Heart Catheterization. *Hideo Ueda, Atsuo Nakanishi, Masamitsu Shiba, Iwao Ito, Hiroshi Tsuyuki, Hisakazu Yasuda, Tadashi Koike, Yasuro Sugishita, Yasumi Uchida, and Kikuo Machida* 121

Mitochondrial Respiration of Experimentally Produced Ischemic Heart Muscle

in Dogs. *Toru Yamagami, Yoshiharu Morita, and Yuichi Yamamura* 132
Fatty Acid Peroxides and Antioxidants in Rabbit Tissue. *Shingo Aoyama, Hideya Ohta, Noboru Fujishiro, Shiro Kawashima, Hiroshi Iwahashi, Yukio Takagi, Morimasa Hasegawa, Takahiko Miyazu, and Takeshi Ito* 142
Reninlike Activity in Kidneys of Rats with Various Types of Experimental Hypertension. *Yoshiaki Masuyama, Rihei Sato, Yogo Yamanaka, Yukiko Ohno, Sho Tanaka, Tadashi Murata, and Hiroshi Suzuki* 148
Effect of Renal Denervation on Release and Content of Renin in Anesthetized Dogs. *Hideo Ueda, Hitoshi Tagawa, Masao Ishii, and Yoshihiro Kaneko* 156
Participation of Neural Factor in the Pathogenesis of Hypertension in the Spontaneously Hypertensive Rat. *Kozo Okamoto, Shoichiro Nosaka, Yukio Yamori, and Masao Matsumoto* 168
Vectorcardiogram in Cyanotic Heart Disease (Frank System). I. Tetralogy of Fallot. *Tsuguo Hasegawa, Kenji Ito, Akira Furuse, and Masahiro Saigusa* 181
Case Reports
Congenital Aortic Arch Interruption. Report of a Case, Surgically Treated with Success. *Ken-ichi Asano, Kota Shiozaki, Shoji Eguchi, and Takao Irisawa* 196
Hypertension due to Combination of Pheochromocytoma and Unilateral Renal Ischemia by Tumor Compression. *Tatsuo Sato, Shinobu Sakamoto, Masaru Maebashi, Chikara Suzuki, Takashi Furuyama, Kaoru Yoshinaga, and Ken Sudo* 202

Number 3, May

Editorial: Renovascular Hypertension as a Manifestation of Aortitis Syndrome. *Hideo Ueda* 209
Surgical Correction of Single Atrium. *Ken-ichi Asano, Masahiko Washio, Noboru Motoyama, Kota Shiozaki, Shoji Eguchi, Isao Sakashita, Yoshifumi Sakurai, Makoto Tanaka, Takao Irisawa, Hisashi Isogawa, Kunio Hoshino, Masanori Terashima, and Ei-ichiro Aoki* 211
Developmental Mechanism of Angina Pectoris and Action of Coronary Vasodilators. *Eiichi Kimura, Koichi Yoshida, and Kiyoji Ushiyama* 219
Study of the Effect of N-Methyl Carbamate on the Electroencephalogram in Cerebral Arteriosclerosis. *Atsuyoshi Mori, Yasumu Ishikawa, and Kohtaro Mukoyama* 234
Catecholamine in Congestive Heart Failure. Report II. *Tatsuya Tomomatsu, Yasuyuki Ueba, Yoshihiko Kondo Michihiko Oda, Yasuji Ijiri, Hitoshi Kogame, Yoshihisa Ito, and Takaaki Yao* 242
The Role of Aldosterone in the Pathogenesis of Congestive Heart Failure. *Teizo Ito, Kazumichi Nakamura, Takashi Kinouchi, Takeshi Kurosawa, Motochika Ohshima, Masahito Nagasaka, Masao Takahashi, Teiryo Maeda, Waichiro Hanaoka, Kiyoshi Seki, and Yawara Yoshitoshi* 252
Vectorcardiogram in Cyanotic Heart Disease (Frank System). II. Other Malformations Than Tetralogy of Fallot. *Tsuguo Hasegawa, Kenji Ito, Akira Furuse, and Masahiro Saigusa* 264
Manner of Stimulus Conduction in Atria. *Hiroshi Oishi* 276

Strenuous Exercise Electrocardiogram of Top Class Swimmers in Mexico City. *Kizuku Kuramoto, Michio Ikai, Kazuo Asahina, Yoshio Kuroda, Shinkichi Ogawa, and Mitsumasa Miyashita* 291
On the Spatial Velocity Electrocardiogram. I. Apparatus. *Toyomi Sano, Fumio Suzuki, Tadashi Takahashi, Masahiko Fukamachi, and Takashi Furukawa* 301
Case Reports:
Aneurysm of the Membranous Ventricular Septum. Review of Japanese Cases with Additional Three Cases. *Isao Sakashita, Kota Shiozaki, Takao Irisawa, Kunio Hoshino, and Kenichi Asano* 309
Atypical Response of Intermittent Continuous Murmur of Patent Ductus Arteriosus to Vasoactive Agents, With Particular Reference to the External and Intracardiac Phonocardiography. *Tsuguya Sakamoto, Yutaka Takabatake, Zen'ichiro Uozumi, and Nobuyoshi Kawai* 318

Number 4, July

Editorial: Prognosis of Myocardial Infarction in Japan. *Hideo Ueda* 329
The Ultrasono-tomography for the Heart and Great Vessels in Living Human Subjects by Means of the Ultrasonic Reflection Technique. *Toshiaki Ebina, Sutemi Oka, Motonao Tanaka, Shigemi Kosaka, Yoshio Terasawa, Kinjiro Unno, Yoshimitsu Kikuchi, and Rokuro Uchida* 331
The Mechanism of Transmission of the Cardiovascular Sound. An Experimental Study of the Conduction Velocity of Sound on the Chest Wall. *Shuji Hotta* 354
Studies with Tritiated Digoxin in Renal Failure and Diabetes Mellitus. *Hideo Ueda, Tatsuya Motoki, Kikuo Machida, Shigekoto Kaihara, Masahiro Iio, Hisakazu Yasuda, and Satoru Murao* 369
Experimental Vascular Lesions Elicited by Collagenase in Rats. *Hideo Ueda, Hiroko Nishimura, and Hisakazu Yasuda* 378
The Vectorcardiogram of Ventricular Premature Beats—An Analysis of Vectorcardiograms from 100 Cases Taken by Frank's Method. *Toyomi Sano, Tadayuki Hiroki, and Fumio Suzuki* 388
An Approach to the Construction of Ideal Lead ECG and VCG. *Toshiji Kobayashi* 401
Incidence of Abnormal Q and QS Patterns Classified by the Minnesota Code in 74 Autopsied Cases of Myocardial Infarction in the Aged. *Hiroshi Kurihara, Kizuku Kuramoto, Kazuhiko Murata, Fujio Terasawa, Masuji Seki, and Masao Ikeda* 419
Case Reports:
A Case of Anomalous Inferior Vena Cava with Azygos Continuation Associated with Situs Inversus Totalis and Acquired Mitral Valvular Disease. *Hirokuni Beppu, Satoru Matsushita, Shin-ichi Kimata, and Kazuhiko Murata* 428
Pheochromocytoma Associated with Carcinoma of the Thyroid: Report of a Case. *Tatsuo Sato, Naoya Watanabe, Atsushi Oikawa, Naoya Matoba, Sadami Sato, Sadamu Sano, Hiroki Watanabe, and Tsuneo Namiki* 433

Conference: Prospect of Computer Diagnosis of Cardiovascular Disease. Informal Meeting at the 6th International Conference on Medical Electronics and Biological Engineering Held in Tokyo, August 24, 1965 .. 438

Number 5, September

Editorial: Hemodynamic Aspect of Extracorporeal Circulation. *Hisao Manabe* 445

QRS Dependence of the Split Interval of the Second Heart Sound in Complete Right and Left Bundle Branch Block. *Tsuguya Sakamoto, Zen'ichiro Uozumi, Nobuyoshi Kawai, Tetsuro Yamada, Kiyoshi Inoue, Umeno Horikoh, and Hideo Ueda* 459

Heart Sounds in Bundle Branch Block. Observations on 244 Cases. *Harold N. Segall and A. Sharp* 468

Surgical Treatment of the Ruptured Aneurysm of the Aortic Sinus of Valsalva. *Ken-ichi Asano, Masahiko Washio, Kota Shiozaki, Shoji Eguchi, Hideo Matsuzawa, and Tetsunosuke Matsukawa* 487

Increased Renin Release Evoked by Mesencephalic Stimulation in the Dog. *Hideo Ueda, Hisakazu Yasuda, Yutaka Takabatake, Masahiko Iizuka, Tetsuji Iizuka, Masashi Ihori, Mutsuo Yamamoto, and Yoshiyuki Sakamoto* 498

Cardiac Decompensation in Dogs Subjected to Chronic Congestive Heart Failure. *Earl E. Aldinger and Juan A. Brown* 507

Reliability of Abnormal Q and QS Patterns Classified by the Minnesota Code for the Diagnosis of Myocardial Infarction in Aged People. *Hiroshi Kurihara, Kizuku Kuramoto, Fujio Terasawa, Satoru Matsushita, Matsuji Seki, and Masao Ikeda* 514

Usefulness and Reliability of Vectorcardiography in the Diagnosis of Myocardial Infarction. A Vectorcardiographic and Pathological Correlation. *Kazuhiko Murata, Hiroshi Kurihara, Satoru Matsushita, Fujio Terasawa, Masao Ikeda, and Masuji Seki* 522

Vectorcardiogram in Persistent Common Atrioventricular Canal. *Tsuguo Hasegawa, Kenji Ito, Akira Furuse, and Masahiro Saigusa* 529

Case Reports:

Successfully Operated Obliterative Brachiocephalic Arteritis (Takayasu) Associated with the Elongated Coarctation. *Akira Ueno, Yasuyuki Awane, Akio Wakabayashi, and Koichi Shimizu* 538

A Case of Primary Heart Sarcoma with Acute Cardiac Tamponade. *Hayase Shisa, Hiroshi Yamagiwa, Masanobu Ozaki, and Kiyoshi Murata* 545

Number 6, November

Editorial: Atherosclerosis of Cerebral Arteries in Japanese. *Motoomi Nakamura* 553

Pulmonary Regional Ventilation-Perfusion Relationships in Chronic Cardiopulmonary Disorders. I. Radioactive Rare Gas Method (Xe-133, Xe-135 and Kr-85 Method). *Hideo Ueda, Shuichi Hatano, Masahiro Iio,*

Shigekoto Kaihara, Hajime Morinari, Shigeo Koike, and Makoto Murao 559
Intracardiac Scanning of the Heart with the Aid of Ultrasonic Intravenous Probe. *Ryozo Omoto* 569
Significance of Correction of Metabolic Acidosis on the Cardiovascular Dynamics. —Experimental Study and Clinical Observation Following Cardiopulmonary Bypass—. *Shoji Eguchi, Hisashi Isogawa, Masanori Terashima, and Kenichi Asano* 582
Mechanism of the Reflex Depressor Effect by Kidney in Dog. *Hideo Ueda, Yasumi Uchida, and Kazuaki Kamisaka* 597
A Method for the Determination of Plasma Renin Activity in Small Samples. *Masashi Imai and Hirofumi Sokabe* 607
Studies on the Vectorcardiogram Referred to an Atrio-ventricular Canal Type Loop. Counterclockwise Superiorly Oriented Frontal Loop in Various Congenital Heart Diseases Other Than Persistent Common Atrio-ventricular Canal. *Tsuguo Hasegawa, Kenji Ito, Akira Furuse, and Masahiro Saigusa* .. 620
Case Reports:
Origin of Both Great Vessels from the Right Ventricle. Report of a Case without Pulmonary Stenosis. *Ken-ichi Asano, Isao Sakashita, Shoji Eguchi, Hiroshi Ito, and Kunio Hoshino* 632
Methoxamine Induced "Non-paradoxical" Reversed Splitting. A Preliminary Report of Hitherto Undescribed Form of Respiratory Splitting of the Second Heart Sound. *Tsuguya Sakamoto, Tetsuro Yamada, Zenichiro Uozumi, Nobuyoshi Kawai, Kiyoshi Inoue, and Hideo Ueda* 642
Transient Recurrent Ventricular Fibrillation due to Hypopotassemia with Special Note on the U Wave. *Kohji Tamura, Takashi Tamura, Shoji Yoshida, Masahide Inui, and Nobuyoshi Fukuhara* 652
A Case of Myocardial Infarction, Precipitated by Orthostatic Hypotension in the Presence of Essential Hypertension, with the Autopsy. *Kohji Tamura, Masahide Inui, Takashi Tamura, and Nobuyoshi Fukuhara* 661
Two Cases of Cardiac Murmur Caused by Deformity of Spinal Column. *Akira Furuse, Akira Mizuno, Kenji Ito, and Masahiro Saigusa* 670
Symposium on Pulmonary Edema 677
Introductory Remarks. *M. Visscher* 679
The Sequence of Events during Fluid Accumulation in Acute Pulmonary Edema. *Norman C. Staub, Hitoshi Nagano, and Morton L. Pearce* 683
Experimental Studies on Permeability of the Pulmonary Capillary. *Tatsuya Tomomatsu, Tsutomu Inoh, Yutaka Yoshida, and Kiyoyasu Oka* 690
Some Aspects of Acute Pulmonary Edema with Special Reference to Pulmonary Hemodynamics. *Soroku Saitoh, Yasuhiro Kinoshita, Yoshitaka Tokumasa, Yasushi Nakamura, Masahisa Usami, and Nobutaka Doba* 700
Right and Left Heart Functions in Pulmonary Congestion and Pulmonary Edema. *Hiroshi Sasamoto and Kazuhiko Katayama* 709
Process of Critical Movement of Intravascular Fluid into Intracellular Space. *Yorinori Hikasa and Masao Nagase* 715
A Study on the Protective Effect of Bromelain, Crude Pineapple Proteases, against Adrenaline Pulmonary Edema in Rats. *Tatsuro Shigei, Akira Sakuma, and Tsune Nishiwaki* 718
Pulmonary Edema in Cardiac Surgery. *Shigeru Sakakibara and Yaeko Ota* .. 721

Pathological Physiology of Postoperative Acute Pulmonary Edema. *Junichi Wakisaka, Tetsuzo Inoguchi and Hiroshi Yano* 722
Filtration into the Pleural and Airway Spaces. *S. Rodbard and S. Kira*.... 728
Lymph Formation in the Lungs. *F. C. Courtice* 729
Blood Air Pathway with Special Reference to the Correlation Between Structure and Function in the Pulmonary Alveolar Basement Membrane. *S. Miyamoto, Y. Sezai, and K. Kanita* 733
Pulmonary Involvement in Oxygen Toxicity. *J. W. Bean, D. Zee, and B. Thom* 734
New Isolated Lung Method. *C. Heymans and A. Delaunois* 736
Mechanisms of Centrally Induced Pulmonary Edema. *Lloyd D. Seager*.. 736
Pathogenesis of Postoperative Acute Pulmonary Edema of the Central Nervous Origin. *Miyoshi Urabe*..... 738
The Mechanism of the Development of Acute Pulmonary Edema in Lung Surgery. *Y. Sagawa and C. Nagaishi* 741
Pulmonary Edema as a Cause of Surfactant Deficiency. *S. I. Said, C. M. Banerjee, W. R. Harlan, Jr., and M. E. Avery*..... 742
Action of Certain Diuretics in Pulmonary Edema: An Experimental Study. *A. A. Luisada, R. Madoery, and S. Levey* 743
2-Pyridine Aldoxime Methiodide in the Treatment of Post-operative Acute Pulmonary Edema: Possible Role of Cholinesterase. *S. Ishikawa, I. Ueda, T. Yoneyama, and K. Watanabe*..... 744
Treatment of Pulmonary Edema by Means of Temporal Occlusion of Inferior Vena Cava with Balloon-Technique. *K. Taguchi* 745
Concluding Remarks. *D. M. Aviado* 746

Vol. 9, 1968

Number 1, January

Editorial: Idiopathic Cardiomegaly and Endomyocardial Fibrosis. *Hideo Ueda* 1

The Effects of Aldosterone and Spirolactone on the Renal Sodium and Potassium Excretion During Mannitol Diuresis. *Masahito Nagasaka, Kazumichi Nakamura, Takashi Kinouchi, Takeshi Kurosawa, Teizo Ito, Masao Takahashi, Yoshitaka Araki, Kiyoshi Seki, and Yawara Yoshitoshi* 3

Interrelationship between Angiotensin and Catecholamines. *Tatsuo Sato, Masaru Maebashi, Koji Goto, and Kaoru Yoshinaga* 13

Hemodynamic Characteristics of Abnormal Distribution of Pulmonary Blood Flow in Patients with Cardiac Disorders. *Hiroshi Sasamoto, Kiyoshi Hosono, and Takeyoshi Kunieda* 20

Study on Lipids and Fatty Acids of the Plasma and Aortic Walls in Human and Experimental Atherosclerosis. *Takanobu Mizuguchi* 34

Quantitative Effect of Low Coronary Pressure on Left Ventricular Performance. *Tsuneaki Sugimoto, Kiichi Sagawa, and Arthur C. Guyton* 46

Enzyme Activity in the Myocardium in Experimental Hypertension. *Makoto Nagano, Tetsuya Kogure, Mahito Kawamura, Shigeomi Tomizuka, Masahiro Kawanishi, and Hisashi Aoki* 57

On the Spatial Velocity Electrocardiogram. II. Clinical Application. *Toyomi Sano, Fumio Suzuki, Tadayuki Hiroki, and Tohru Sawanobori* 64

Clinical and Pathological Studies of Aortitis Syndrome. *Committe Report* 76

Case Reports:

Two Cases of Aortitis Syndrome with Aneurysm Formation. *Hideo Ueda, Kyoko Ohno, Iwao Ito, Tadanao Takeda, Yoshimi Saito, and Akira Ueno* 88

Surgical Treatment of the Congenital Valvular and Subvalvular Aortic Stenosis. *Ken-ichi Asano, Masahiko Washio, Kota Shiozaki, Shoji Eguchi, and Makoto Tanaka* 97

Number 2, March

Editorial: Heart Valve Substitute. *Juro Wada* 105

Hemagglutination of Formalin Preserved Erythrocytes Treated with Tannic Acid and Sensitized with Streptokinase-Streptodoranase (Varidase). *Naohide Kumagai, Hiroyoshi Ishii, and Tachio Kobayashi* 110

The Point of Maximum Intensity of Aortic Diastolic Regurgitant Murmur. With Special Reference to the " Right-Sided " Aortic Diastolic Murmur. *Tsuguya Sakamoto, Nobuyoshi Kawai, Zen'ichiro Uozumi, Tetsuro Yamada, Kiyoshi Inoue, Sheng Yu Chang, and Hideo Ueda* 117

The Significance of the Continuous Murmurs in the Lutembacher Syndrome. *Ken-ichi Asano, Masahiko Washio, and Kunio Hoshino* 134

Phonoarteriographic and Arteriographic Evaluation of Abdominal Murmurs

in Renovascular Hypertension. *Hideo Ueda, Tsuguya Sakamoto, Tadanao Takeda, Zen'ichiro Uozumi, Tetsuro Yamada, Hidezo Nakamura, and Hitoshi Tagawa* 142
Mode of Action of New Anti-Arrhythmic Agents. *Toyomi Sano, Fumio Suzuki Sadayuki Sato, and Yutaka Iida* 161
The Determinants of Left Ventricular Isovolumetric Contraction Time. *Clarence M. Agress and Stanley Wegner* 169
Effect of " Short-term " Hypertension on the Uptake of C^{14}-Cholesterol by the Aortic Wall of the Rat. *Chikayuki Naito, Yogo Yamanaka, Motoo Ushi, and Yawara Yoshitoshi* 180
Cerebrovascular Lesions in Experimental Renal Hypertensive Rats. *Hideo Ueda, Hiroshi Matsuo, and Hisakazu Yasuda* 186
Coronary Sinus Rhythm in Anomalous Systemic Venous Connection. *Akira Furuse, Akira Mizuno, Fumio Sato, Tsuguo Hasegawa, Takashi Kotada, and Masahiro Saigusa* 200

Case Reports:
Two Cases of Marfan's Syndrome Associated Respectively with Subacute Bacterial Endocarditis and the Wolff-Parkinson-White Syndrome. *Kazumasa Hiejima, Shigeru Tsuchiya, Yasuki Sakamoto, and Shin-ichi Shiina* 208
A Case Report of Ventricular Septal Defect in the Aged. Interrelation between Its Closing Process and Subacute Bacterial Endocarditis. *Atsuo Nakanishi, Tomomi Morii, Ryozo Okada, Shuji Inoue, and Hiroyuki Shimada* .. 219

Number 3, May

Editorial: A Comment on the Interaction between Digitalis and Other Drugs. *Tsuneyoshi Tanabe* 225
Left Ventricular Performance during the Infusion of Isoproterenol in Patients with Valvular Heart Diseases and Idiopathic Cardiomegaly. *Hideo Ueda, Kikuo Machida, Atsuo Nakanishi, Iwao Ito, Hisakazu Yasuda, Masaya Sugiura, Yutaka Takabatake, Keiji Ueda, Tadashi Koide, Yasuro Sugishita, Yasumi Uchida, and Katsuhiko Ozeki* 228
Hemodynamic Studies of Mitral Valve Disease—Analysis of Left Atrial Pressure Pulse. *Noboru Kimura, Fumihiko Utsu, Muneto Yomoda, and Masamichi Akasu* 241
The Origin and Clinical Significance of Thyroid Murmur. *Tohru Matsuura, Yoshiaki Hishimoto, Shozo Shimazaki, Masakazu Ochiai, Toshiaki Kiriyama, Naoto Endo, Takashi Hachiya, Susumu Ichinose, Toshitami Sawayama, Tsuguo Shikata, Isao Niki, and Susumu Marumoto* 247
Coronary Arteriography Using Paulin's Method. Clinical Experience. *Masakazu Tsuzuki, Herbert Kiefer, Gerhard Blümchen, and Herbert Reindell* 258
A Clinicopathological Study on the Cardiac Rupture Following Myocardial Infarction in the Aged. *Masaya Sugiura, Ryozo Okada, Tomomi Morii, Keisuke Hiraoka, Hiroyuki Shimada, and Atsuo Nakanishi* 265
Constant Infusion of Hypertonic Saline in the Dog. I. Kinetic Analysis. *Masahito Nagasaka, Kazumichi Nakamura, Takashi Kinouchi, Teizo Ito, Masao*

Takahashi, and Yawara Yoshitoshi 281
Cineangiocardiographic Observations on the Asynchronism of Cardiac Contraction during Ventricular Pacing. *Hideo Ueda, Kenichi Harumi, and Keiji Ueda* 295

Case Reports:
Quadrivalvular Heart Disease. An Autopsied Case with Massive Pulmonary Regurgitation. *Tsuguya Sakamoto, Zen'ichiro Uozumi, Nobuyoshi Kawai, Yoshiyuki Sakamoto, Ryoko Kato, and Hideo Ueda* 303
Calcified Patent Ductus Arteriosus. *Akira Furuse, Akira Mizuno, Fujio Nohara, Kenji Ito, and Masahiro Saigusa* 316

Number, 4, July

Editorial: Anxiety States, Altered Diaphragmatic Breathing, Coronary Disease. *Vincenzo Lapiccirella* 321
Phasic Analysis of Cardiac Cycle on the Basis of Polygraphic Tracing. Apex Cardiogram, Phonocardiogram and Carotid Tracing. *Vesselin I. Oreshkov* 332
Determination of Stroke Volume from Left Ventricular Isovolumetric Contraction and Ejection Times. *Clarence M. Agress and Stanley Wegner* 339
External Measurement of Regional Cerebral Blood Flow in Man by Common Carotid Arterial Injection of Radioactive Krypton-85 Saline Solution. *Hideo Ueda, Shuichi Hatano, Tadashi Koide, and Tatsujiro Gondaira* 349
Clinical Evaluation of the Effect of Pyridinolcarbamate (Anginin) on Ischemic Heart Diseases. *Mitsuo Miyahara and Tadashi Ueda* 359
Studies on Myocardial Metabolism of Protein and Amino Acids by the Use of C^{14}-Labelled Substrates. *Takeshi Asano* 368
Study of the Myocardial Nucleic Acids and Proteins Metabolism in Experimentally Induced Cardiac Hypertrophy and Heart Failure. *Isaomi Kaku* 393
Special Article: The Importance of Biplane 35 mm. Cinefluorography in Congenital and Acquired Cardiopathies. *Ludwig Bette, Jürgen Ebeling, and Tohru Kobayashi* 405

Case Reports:
Two Cases of Septal Perforation Following Acute Myocardial Infarction with Special Reference to Types of Infarction and a Study of Conduction System. *Masaya Sugiura, Ryozo Okada, Tateo Iizuka, Shin-ichiro Ohkawa, Hiroyuki Shimada, and Atsuo Nakanishi* 411
Acquired Pulmonary Artery Stenosis. Report of a Case Caused by Mediastinal Tumor. *Tsuguya Sakamoto, Masao Nagatani, Zen'ichiro Uozumi, and Hideo Ueda* 420

Number 5, September

Editorial: Neurocirculatory Asthenia. An Approach to Its Pathogenesis. *Shoji Hayase* 431
Sizes of the Great Arteries in Ventricular Septal Defect. Surgical Significance

of Preoperative Assessment by Angiocardiography. *Akira Furuse, Akira Mizuno, Kenji Ito, and Masahiro Saigusa* 434
Pulmonary Alveolar Lesions Following Open Heart Surgery. An Electron Microscopic Study. *Isao Sakashita, Masayuki Miyoshi, Kunio Hoshino, Tetsunosuke Matsukawa, and Ken-ichi Asano* 441
Effects of Chondroitin Sulfates on Serum Lipids and Hexosamines in Atherosclerotic Patients: With Special Reference to Thrombus Formation Time. *Kenjiro Iizuka, Katsumi Murata, Koji Nakazawa, Kazuko Okubo, and Yoshio Oshima* 453
On Vascular Permeability Factor from the Kidney Cortex. *Mototaka Murakami, Hiroshi Sekimoto, Yoshiaki Yasuda, Sumio Masuda, Akiyoshi Yasumura, and Tadayuki Nagai* 461
The Quantitative Appraisal of Coronary Vascular Lesion in Experimental Hypertension and Hypercholesterolemia with Special Reference to Intramural Arteriolosclerosis. *Jugoro Takeuchi, Akira Takada, Shuichiro Sakai, Keijiro Nishide, Nobuo Ohya, and Kenji Kitamura* 473
The Effect of Local Peripheral Resistance on Systemic Arterial Pressure. *Juro Iriuchijima* 487
Inhibition of Angiotensinases in the Rat Plasma and Kidney. *Hiroko Nishimura and Hirofumi Sokabe* 494

Case Reports:
Digitalis-Induced Double Atrioventricular Nodal Rhythm Associated with Electrical Alternans. *Edward K. Chung* 504
An Aged Case of Partial Hypoplasia of the Left Ventricle with Rudimentary Right Coronary Artery and Partially Fused Kidneys. *Masaya Sugiura, Ryozo Okada, Tomomi Morii, and Hiroyuki Shimada* 509

Number 6, November

Editorial: Afferent Impulses in the Renal Nerves. *Hideo Ueda and Yasumi Uchida* 517
Parenteral Fluid Therapy Following Cardiac Surgery in Childhood. *Yoshiaki Tsuchida, Toshio Nakajo, Masao Hanawa, Shigenori Sawaguchi, Masanobu Ishida, and Masahiro Saigusa* 520
Hemodynamic Effects of Propranolol in Patients with Fallot's Tetralogy at Rest. *Kenji Ito, Akira Furuse, Sohgen Boku, and Masahiro Saigusa* 531
Reversed Splitting of the Second Heart Sound in Arterial Stenotic Lesions. *Tsuguya Sakamoto, Tetsuro Yamada, Zen'ichiro Uozumi, Sheng Yu Chang, Hidezo Nakamura, and Hideo Ueda* 539
Pulmonary Regional Ventilation-Perfusion Relationships in Chronic Cardiopulmonary Disorders. II. Scintiscanning Method. *Hideo Ueda, Hajime Morinari, Shuichi Hatano, Masahiro Iio, Masashi Mori, Shigeo Koike, and Makoto Murao* 552
Nervous Control of the Renal Tubular Function. *Jugoro Takeuchi, Nobuo Ohya, Shuichiro Sakai, Haruo Nakamura, Tetsuo Nohara, Kunihiko Hirasawa, and Akira Shinoda* 564

Experimental Arteritis Produced Immunologically in Rabbits. *Hideo Ueda, Yoshimi Saito, Shigenori Morooka, Iwao Ito, Hisomu Yamaguchi, and Masaya Sugiura* 573

ABC Electrocardiographic Diagnosis of Ventricular Septal Defect. *E. R. Trethewie* 583

Special Article:

A Reappraisal of Atrioventricular Dissociation. *Edward K. Chung* 593

Case Report:

Isolated Levocardia with Polysplenia in an Aged with Special Reference to Minor Cardiac Abnormalities. *Masaya Sugiura, Ryozo Okada, and Keisuke Hiraoka* 603

Vol. 10, 1969

Number 1, January

PAGE

The Current Status of Ischemic Heart Disease and Myocardial Infarction in Japan. *Hideo Ueda, Satoru Murao, Kenichi Harumi, and Akio Kuroiwa* 1

Adrenal Adenoma and Hypertension. A Study in the Japanese in Hawaii. *Edward Y. Yamada and Francis H. Fukunaga* 11

A New Etiological Concept of the Aortic Regurgitation in the Aged. Prolapsed Cusp Due to Degeneration. *Masaya Sugiura, Ryozo Okada, Keisuke Hiraoka, Shinichiro Ohkawa, and Hiroyuki Shimada* 20

Histopathological Differentiation Employing Endomyocardial Biopsy in the Clinical Assessment of Primary Myocardial Disease. *Morie Sekiguchi and Souji Konno* 30

Incorporation of Adenosine and Adenosine Triphosphate into Rat Myocardium. *Eizou Hattori, Tadashi Miyazaki, and Motoomi Nakamura* 47

Effects of Epicardial Perfusion with Hydrogen Peroxide for Ischemic Myocardium. *Masatoshi Takahashi, Yasuyoshi Horiguchi, and Kazuhiko Murakami* ... 53

Effects of Occlusion and Further Distension of Unilateral Pulmonary Artery with an Inflatable Balloon upon Systemic and Pulmonary Hemodynamics. *Makoto Murao, Sokichi Onodera, Takeshi Homma, Norio Kataoka, Takeshi Takabori, Yoshiaki Marutani, Takeshi Kobayashi, and Mikio Makino* 59

Distribution and Responses of the Cardiac Sympathetic Receptors to Mechanically Induced Circulatory Changes. *Hideo Ueda, Yasumi Uchida, and Kazuaki Kamisaka* 70

Case Report

Total Anomalous Pulmonary Venous Drainage into the Portal Vein. A Case Report and a Review in the Literature. *Masahiko Washio, Tomoyuki Kanai, Isao Sakashita, and Ken-ichi Asano* 82

Number 2, March

A Cineangiocardiographic Study of the Regional Contraction Sequence of the Normal and Diseased Left Ventricle in Man. *Hideo Ueda, Keiji Ueda, Shigenori Morooka, Atsuo Nakanishi, Iwao Ito, Hisakazu Yasuda, Yutaka Takabatake, Yasuro Sugishita, Yasumi Uchida, and Katsuhiko Ozeki* 95

Pulmonary Stenosis and Right Ventricular Pressure. *E. R. Trethewie* 113

Histological Studies on the Conduction System in 14 Cases of Right Bundle Branch Block Associated with Left Axis Deviation. *Masaya Sugiura, Ryozo Okada, Keisuke Hiraoka, and Shinichiro Ohkawa* 121

On the Mechanism of Epinephrine-Induced Pulmonary Edema. *M. Worthen, B. Placik, B. Argano, D. M. MacCanon, and A. A. Luisada* 133

Epinephrine-Induced Pulmonary Edema in Crosscirculated Animals. *M. Worthen, B. Argano, W. Siwadlowski, D. W. Bruce, D. M. MacCanon, and A. A. Luisada* 142

Effects of Diet on Blood Pressure in Experimental Renal Hypertensive Rat. *Hideo Ueda, Junichi Iwai, and Hisakazu Yasuda* 149
Sympathetic Nerve Activity During Hypertension Produced by Vertebral Embolism. *Yasumi Uchida, Kazuaki Kamisaka, and Hideo Ueda* 161
Depletion of the Renal Medullary Osmotic Gradient Following Hemorrhagic Hypotension in Hydropenic Rabbits. *Chikara Aizawa, Nishio Honda, and Yawara Yoshitoshi* 177

Number 3, May

Precordial-Intracardiac Phonocardiographic Correlative Study of Ventricular Septal Defect. *Tsuguya Sakamoto, Zen'ichiro Uozumi, Nobuyoshi Kawai, Sheng Yu Chang, and Hideo Ueda* 185
A Clinicopathological Study on the Subendocardial Infarction in the Aged. *Masaya Sugiura, Ryozo Okada, and Hiraku Iizuka* 203
Adenine Nucleotides of Myocardium from Rats Treated with Isoproterenol and/or Mg- or K-Deficiency. *Eizou Hattori, Kuniko Yatsuki, Tadashi Miyazaki, Teizo Sata, and Motoomi Nakamura* 218
Responses of the Cardiac Sympathetic Receptors to Various Substances. *Yasumi Uchida, Kazuaki Kamisaka, and Hideo Ueda*..... 225
Centrally Mediated Vasopressor Effect of Angiotensin II in Man. *Hideo Ueda, Yasumi Uchida, Keiji Ueda, Tatsujiro Gondaira, and Soichi Katayama* 243
Quantitative Determination of Renal Vascular Changes Related to Age and Hypertension. *Takenori Yamaguchi, Teruo Omae, and Shibanosuke Katsuki* .. 248
Acid-soluble Nucleotides Analysis of Bovine Coronary Artery and Aorta. *Tadashi Miyazaki and Motoomi Nakamura* 259
The Initial 0.04 Second Polar Vector of the QRS Loop as an Aid in the Detection of a Myocardial Infarction. *Dino A. Belletti and Alan F. Lyon* 267

Number 4, July

Clinical Observation of 52 Cases of Aortitis Syndrome. *Hideo Ueda, Shigenori Morooka, Iwao Ito, Hisomu Yamaguchi, Tadanao Takeda, and Yoshimi Saito* ... 277
The Short-Term Effects of Chondroitin Sulfates A and C on Coronary Atherosclerotic Subjects: With Reference to Its Anti-Thrombogenic Activities. *Koji Nakazawa, Katsumi Murata, Kenjiro Izuka, and Yoshio Oshima*..... 289
Clinical Evaluations of a Combined Application of Amiloride (MK-870) and Thiazide. *Shozo Koshikawa and Takuo Sasaoka*..... 297
Studies of Pulmonary Blood Volume in Man. Effect of Amyl Nitrite. *Nobuharu Akatsuka* 307
Sympathetic Activity in Cerebral Embolism. *Hideo Ueda, Yasumi Uchida, and Katsuhiko Ozeki* 318
Renal Factor Responsible for Acute Vascular Lesions in Experimental Renovascular Hypertension. *Hiroshi Yamaguchi, Jun Fujii, Hiroshi Kurihara, Masao Ikeda, and Kiku Nakao* 328

Constant Infusion of Hypertonic Saline in the Dog. II. Compartmental Analysis with Radioactive Sodium. *Takashi Kinouchi, Kazumichi Nakamura, Teizo Ito, Masahito Nagasaka, Masao Takahashi, Yoshitaka Araki, and Yawara Yoshitoshi* 335
Selection of Characteristics of Vectorcardiograms for Differential Diagnosis by Use of Adaline. *Toyomi Sano, Fumio Suzuki, and Michiyoshi Yajima* 343
IRBBB Pattern after Incising a Subdivision of the Right Bundle Branch. *Hitoshi Hishida* 350
Case Reports
Unusually Marked Sinus Arrhythmia as a Complication of Acute Diaphragmatic Myocardial Infarction. *Edward K. Chung and Edwin J. Morgan* 363
Complete Heart Block with Stokes Adams Attack from Transient Ventricular Fibrillation. *Alberto Fano and Lawrence Gould* 369
Emergency Surgical Treatment of Valvular Endocarditis. *Margherita G. Giuliani, Lawrence Gould, and Mohammad Zahir* 372

Number 5, September

Interatrial Septal Murmurs in Secundum Type Atrial Septal Defect. Intracardiac Phonocardiographic and Hemodynamic Study. *Tsuguya Sakamoto, Zen'ichiro Uozumi, Sheng Yu Chang, and Hideo Ueda* 379
Morphological and Histochemical Observations on Right Ventricular Outflow Tract of Tetralogy of Fallot. With a Brief Reference to Hemodynamic Viewpoint (I). *Isao Sakashita, Eiichiro Aoki, Tetsunosuke Matsukawa, and Ken-ichi Asano* 395
Digitalis-Induced Cardiac Arrhythmias: A Report of 180 Cases. *Edward K. Chung* 409
Constant Infusion of Hypertonic Saline in the Dog. III. Effects of Physiologic Saline Preloading and of Aldosterone Thereon. *Masahito Nagasaka, Kazumichi Nakamura, Takashi Kinouchi, Teizo Ito, Masao Takahashi, and Yawara Yoshitoshi* 428
Free Water Excretion and Washout of Renal Medullary Urea by Prostaglandin E_1. *Kurakazu Shimizu, Takeshi Kurosawa, Teiryo Maeda, and Yawara Yoshitoshi* 437
The ABC Electrocardiogram in Atrial Septal Defect. *E. R. Trethewie* 456
Special Note: Benign Investigation of Essential Hypertension. *Myron Prinzmetal* 465
Case Reports:
The Pitfalls of the Brachial Arterial Pressure Curve in the Evaluation of Valvular Aortic Stenosis. *Margherita G. Giuliani and Lawrence Gould* ... 467
Bilateral Bundle Branch Block in an Asymptomatic Patient. *Naiayan Shetty and Lawrence Gould* 474
Successful Resection of an Ascending Aortic Aneurysm under Cardiopulmonary Bypass Associated with Carotid and Coronary Perfusion. *Kenichi Asano, Yoshifumi Sakurai, Takao Irisawa, and Shigetaka Kasuya* 478

Number 6, November

Immunoserological Studies on Myocardial Infarction and Postmyocardial Infarction Syndrome. *Kuniaki Itoh, Hisashi Ohkuni, Eiichi Kimura, and Yoshitami Kimura* 485
Kininogen and Kinin Activity During Local Ischemia in Man. *Yasumi Uchida and Hideo Ueda* 503
Time Course of Left Ventricular Pressure-Volume Relationship under Various Enddiastolic Volume. *Hiroyuki Suga* 509
Spatial Magnitude Electrocardiogram in Normals and Myocardial Infarctions: Clinical Usefulness of Spatial Magnifude ECG in the Diagnosis of Old Myocardial Infarctions. *Hiroyoshi Mori, Tokurō Nagayama, Isamu Takeshita, and Tomiko Hirahashi* 516
Ventricular Fibrillation Initiated by Low Sodium and Potassium Solution. I. Experiment in Isolated Frog Heart. *Katsuro Shimomura, Akio Kuroiwa, Kenichi Harumi, and Satoru Murao* 535
Case Reports:
Surgical Correction of Common Atrium with Anomalously Connected Persistent Left Superior Vena Cava. Report of Two Cases. *Ken-ichi Asano, Yoshifumi Sakurai, and Hideo Matsuzawa* 545
Surgical Treatment of Ascending Aortic Aneurysms by Means of Cardiopulmonary Bypass. *Ken-ichi Asano, Masahiko Washio, Shoji Eguchi, Yoshifumi Sakurai, Isao Sakashita, Takao Irisawa, Eiichiro Aoki, Masanori Terashima, Yoshimi Takeuchi, Hideo Matsuzawa, Tetsunosuke Matsukawa, Tatsuhiko Hirono, and Shigetaka Kasuya* 552
Congenital Intrasplenic Arteriovenous Fistula Associated with Two Splenic Arterial Aneurysms. *Yusuke Tada, Akira Ueno, and Yasuyuki Awane* 561

Vol. 11, 1970

Number 1, January

PAGE

Editorial: The Future of Cardiology in Asia. *Mariano M. Alimurung* 1

Pathohistological Studies on the Conduction System in 8 Cases of Complete Left Bundle Branch Block. *Masaya Sugiura, Ryozo Okada, Shinichiro Ohkawa, and Hiroyuki Shimada* 5

Phentolamine: Use in Congestive Heart Failure. *Lawrence Gould, Mohammad Zahir, Mahmood Shariff, and Marguerite Giuliani* 17

Myocardial Involvement in Benign Duchenne Type of Progressive Muscular Dystrophy. *Keiji Ueda, Ryozo Okada, Hiroshi Matsuo, Kenichi Harumi, Hisakazu Yasuda, Hiroshi Tsuyuki, and Hideo Ueda* 26

Studies on Deoxyribonucleic Acid Content and Cell Count of Human Heart Muscle. *Toshiaki Morishita, Rikuro Sasaki, and Shoichi Yamagata* 36

Servocontrolled Computation of Instantaneous Aortic Blood Flow from Aortic Blood Pressure. *Hiroyuki Suga and Osamu Okai* 45

The Effect of Carotid Sinus Stimulation on Intracellular Potentials of the Heart. *Myron Prinzmetal, Tetsuro Fujino, Yuji Hashimoto, Akinori Hayashi, Kazuhiko Hori, and James M. Baines* 57

Physiological Identification of Variation Sources of Transthoracic Electrical Impedance during Breath Holding. *Yasunobu Hukushima* 74

The Experimental Study of Normal Atrial T Wave (Ta) in Electrocardiograms. *Hiroshi Hayashi* 91

Case Reports:

Unusual Form of Atrioventricular Nodal Bigeminy. *Edward K. Chung* .. 104

Acquired Obstruction of the Right Ventricular Outflow Tract in Tetralogy of Fallot after Blalock-Taussig Anastomosis. Report of Two Cases Successfully Treated with Total Correction. *Akira Mizuno, Fumio Sato, Tsuguo Hasegawa, Masakazu Tsuzuki, Akira Furuse, Takashi Kotoda, and Masahiro Saigusa* 113

Number 2, March

Increased Plasma Renin Activity after Peritoneal Dialysis. *Jugoro Takeuchi, Masao Kurosaki, Toshihiko Kondo, Gakuji Nomura, and Akira Shinoda* 121

Experimental and Clinical Studies on "Aorta Banding" for Severe Cyanotic Heart Disease. *Junzo Iida and Eitetsu Lin* 130

Phentolamine: Use in Pulmonary Edema. Preliminary Report. *Lawrence Gould, Mohammad Zahir, Mahmood Shariff, and Marguerite Giuliani* 141

Variations of Transthoracic Electrical Impedance in Relation with Hemodynamic Changes of Pulmonary Circulation. *Shiro Kira, Yasunobu Hukushima, Satoshi Kitamura, Kiku Nakao, Kenji Kawakami, Akira Watanabe, and Masamitsu Oshima* 149

Inotropic Effect of Carotid Occlusion in Intact Anesthetized Dog. Effects of Dextran Infusion and Subsequent Carotid Occlusion on Ventricular Function. *Kikuo Machida and Elliot Rapaport* 160
A Simplified Sucrose-Gap Method for Recording from Bullfrog Cardiac Muscle. *Tsunetaka Matoba, Shoichi Minota, and Kyozo Koketsu* 172
New Technique for the Creation of an Atrial Septal Defect. *Masayoshi Yokoyama* 177
The Electrocardiographic Leads for Telemetering as Evaluated from View Point of the Transfer Impedance Vector. *Yoshihisa Nagata* 183
Case Reports:
A New Electrocardiographic Evidence of Pulmonary Embolism. *Istemi Nalbantgil and Ömer Yigitbasi* 195
Apexcardiogram and Phonocardiogram in the Diagnosis of Left Atrial Myxoma. Report of a Case. *Kunitake Hashiba, Akio Ono, Shuzo Matsuo, Masato Yoshioka, Kiyoshi Mori, Chifuyu Fujiwara, Katsusuke Yano, and Reiko Oshibuchi* 202

Number 3, May

The Relation of Left Parasternal Impulse and Right Ventricular Systolic Pressure. A Kinetocardiographic and Apexcardiographic Study. *Yoshinori Tanabe, Sanya Sakamoto, Tadashi Kobayashi, Toshiyuki Hayashi, Kosuke Fujita, Naoki Miyake, Kazunori Yamada, and Keimei Mashimo* 213
Automated Diagnosis of Arrhythmias by Small Scale Digital Computer. *Yoshihiko Watanabe* 223
A Consideration on the Mechanism of Development of the Attack of the Variant Form of Angina Pectoris. *Naoto Hanazono, Shoshi Shimoyama, and Yoshihiro Ando* 243
Experimental Studies on the Production of Pulmonary Infarction. Especially from Coagulative and Fibrinolytic Studies. *Hiroshi Hasegawa, Hironobu Kakizaki, Naoyoshi Watanabe, Nobuo Watanabe, Terukuni Kawai, and Makoto Murao* 258
Mechanism of Inotropic Action of Catecholamines and Ouabain in Cardiac Muscle in Relation to Changes of Action Potential. *Toyomi Sano, Fumio Suzuki, and Sadayuki Sato* 269
Effects of Calcium on the Electrocardiogram. *Myron Prinzmetal, Mitsuyoshi Nakashima, Hiroshi Ohishi, Emir Ozkan, Jiro Wakayama, and James M. Baines* .. 291
Case Report:
A Case of Ventricular Return Extrasystoles with Two Consecutive Reentry Sweeps to the Atrium. *Yasuki Sakamoto, Kazumasa Hiejima, Shigeru Tsuchiya, and Toyomi Sano* 301

Number 4, July

Redistribution of Intrarenal Blood Flow in the Patients with Chronic Renal Disease. *Jugoro Takeuchi, Tohru Inasaka, Isao Ishikawa, Shuichiro Sakai, and Akira Takada* 309

Correlation between Cardiac Output and Electrocardiogram at Rest and after Exercise in Ischemic Heart Disease. *Noboru Kimura, Fumihiko Utsu, Yuhki Nakayama, Hiromi Tashiro, Hironori Toshima, Fumiji Katayama, Tsukasa Fukami, Ryotaro Tanaka, and Hirotaka Takii* 325

A Phonocardiographic Study of Right Bundle Branch Block, with Special Reference to the Second Heart Sound. *Masahiko Okuni and Alexander S. Nadas* 334

The Application of Catheter-type Semiconductor Radiation Detector (CASRAD) to the Pulmonary Function Studies. *Masashi Mori, Shigeo Koike, Masahiro Iio, Toru Shiraishi, Hajime Morinari, Yasuhito Sasaki, and Hideo Ueda* 345

Effect of Withdrawal of Dietary Sodium in Hypertensive and Normotensive Rats. *Akio Ebihara, B. L. Martz, and Arthur Grollman* 365

Time Course of Left Ventricular Pressure-Volume Relationship under Various Extents of Aortic Occlusion. *Hiroyuki Suga* 373

The Effects of Propranolol on the Electrophysiology of the Heart. *Myron Prinzmetal, Yuji Hashimoto, Akinori Hayashi, Kazuhiko Hori, Mitsuyoshi Nakashima, Hiroshi Ohishi, Jiro Wakayama, and James M. Baines* 379

The Effects of Chlorpromazine on the Electrical and Mechanical Activities of the Isolated Guinea Pig Heart. *Makoto Arita and Sunao Imanishi* 391

Further Study on Exercise Vectorcardiogram with Frank's Lead. Spatial ST, T Changes Produced by Exercise in Health and Disease. *Masahiro Murayama, Kenichi Harumi, Mutsuo Yamamoto, Kinnojo Iguchi, Chia-Maou Chen, Satoru Murao, and Hideo Ueda* 400

Case Report:

Neonatal Pacemaking: Special Reference to Blood Gases and Acid-Base Status. *Yoshiaki Tsuchida, Toshio Mitsui, Takeshi Inoue, Masanobu Hogaki, Akira Furuse, and Masahiro Saigusa* 417

Number 5, September

The Relationship of the Pattern of Hypertension to Biochemical Findings in Patients with Pheochromocytoma. *Tatsuo Sato, Kaoru Yoshinaga, and Vincent DeQuattro* 423

Pyridinolcarbamate Treatment of Atherosclerosis Obliterans Analysed by Toe Plethysmography. *Takeshi Motomiya, Toshiyuki Atsumi, Noriko Isokane, Sekiya Yamashita, Tadahiro Sano, Tadao Ishioka, and Takio Shimamoto* 433

Changes in Platelet Adhesiveness, Blood Coagulation and Fibrinolysis Before and After the Development of Myocardial Infarction. Investigation in 3 Cases. *Mototaka Murakami, Tamotsu Matsuda, Tetsuo Nishio, Miki Hiramaru, Shintaro Manmi, and Masako Takase* 450

Histological Studies on the Conduction System in 8 Cases of A-V Conduction Disturbances. *Masaya Sugiura, Hiraku Iizuka, Shinichiro Ohkawa, and Ryozo Okada* 460

Changes in Pulsatile Coronary Blood Flow Induced by Coronary Vasodilators. *Yoshiro Nakamura, Hideki Nagoshi, Fumio Takei, Bernward Schölkens, and Hiroshi Sasamoto* 470

Effects of Propranolol and Epinephrine on the Electrophysiology of the Heart. *Myron Prinzmetal, Yuji Hashimoto, Akinori Hayashi, Kazuhiko Hori, Mitsuyoshi Nakashima, Tetsuro Fujino, and James M. Baines* 478
The Influence of the Inhomogeneities of Electrical Conductivity within the Torso on the Electrocardiogram as Evaluated from the View Point of the Transfer Impedance Vector. *Yoshihisa Nagata* 489
Report of the U.S.-Japan Seminar on Control of Renin Secretion. *M. Donald Blaufox and Franklin D. Nash* 506
Special Article: Proposed Method for the Diagnosis of Myocardial Infarction. *Myron Prinzmetal* 512

Number 6, November

A New Stereostethoscope Devised for Both Monaural and Binaural Auscultation. *Hiroshi Yamamoto and Kikuo Arakawa* 515
Alcoholic Heart Disease. The Hemodynamic Effects of Digitalis on Exercise. *Lawrence Gould, Mohammad Zahir, Mahmood Shariff, Ramiro DeGuia, and Mary DiLieto* 521
Constant Infusion of Hypertonic Saline in the Dog. IV. Effect of Acute Aortic Constriction on Sodium Excretion. *Kazumichi Nakamura, Takashi Kinouchi, Teizo Ito, Masahito Nagasaka, Masao Takahashi, and Yawara Yoshitoshi* 533
Constant Infusion of Hypertonic Saline in the Dog. V. The Relative Importance of Plasma Na Concentration and GFR as the Determinants of Renal Na Excretion. *Masahito Nagasaka, Kazumichi Nakamura, Takashi Kinouchi, Teizo Ito, Masao Takahashi, and Yawara Yoshitoshi* 541
Afferent Discharges in the Left Cardiac Sympathetic Nerve Induced by Asphyxia in the Cat. *Fumio Takenaka, Katsuhide Nishi, and Matao Sakanashi* 550
Respiratory Variation in the Atrioventricular Conduction Time on Dogs. *Toshiaki Kiriyama, Naoto Endo, Masakazu Ochiai, Hiroshi Kunishige, Yoshiaki Hishimoto, Shinobu Sugaya, Isao Niki, and Susumu Marumoto* 559
Case Reports:
Labile T Wave. *Toshio Akiyama* 573
Partial Absence of the Right Ventricular Muscle in an Aged. *Masaya Sugiura, Terumi Hayashi, and Kunihiro Ueno* 582

Vol. 12, 1971

Number 1, January

PAGE

Further Immunological Studies of Aortitis Syndrome. *Hideo Ueda, Yoshimi Saito, Iwao Ito, Hisomu Yamaguchi, Tadanao Takeda, and Shigenori Morooka* 1

Relationship between a Glycoprotein Acting as Lipoprotein Lipase Inhibitor and Arteriosclerosis. *Masaru Ishii* 22

Familial Cardiomyopathy. Immunological Studies and Review of Literatures on Autopsied Cases in Japan. *Kikuo Machida, Kinnojo Iguchi, Yoshimi Saito, Yasuro Sugishita, Masahiro Murayama, Masashi Mori, Hisomu Yamaguchi, Iwao Ito, and Hideo Ueda* 40

Myocardial Distribution of Blood Flow in the Dog, Studied by the Labeled Microsphere. Part I. Method. *Yasuro Sugishita, Shigekoto Kaihara, Hisakazu Yasuda, Masahiro Iio, Satoru Murao, and Hideo Ueda* 50

Myocardial Distribution of Blood Flow in the Dog, Studied by the Labeled Microsphere. Part II. Heterogeneity of Myocardial Blood Flow in Left Ventricle Induced by Isoproterenol Injection. *Yasuro Sugishita, Shigekoto Kaihara, Hisakazu Yasuda, Masahiro Iio, Satoru Murao, and Hideo Ueda* 60

Cardiovascular Reactivity in Hypertensive Rats. *Fumio Shibayama, Susumu Mizogami, and Hirofumi Sokabe* 68

Release of Pressor Substances from Infarcted Kidneys in Rats. I. Effect of Chronic Administration of Hydralazine. *Teruo Omae and Kenjiro Tanaka* .. 79

Release of Pressor Substances from Infarcted Kidneys in Rats. II. No Protective Action of Infarcted Kidneys against Hemorrhagic Shock. *Kenjiro Tanaka and Teruo Omae* 84

Effect of Ouabain on Calcium Ion Distribution in Cardiac Muscle on Electron Microscopic Level. *Shin-ichi Shiina and Vinci Mizuhira* 90

Case Reports:

Levocardia with Anomalous Venous Drainage. A Case with Successful Surgical Correction. *Kunito Iwabuchi and Katuhiro Niitu* 96

A Case of Syphilitic Aneurysm of the Aortic Sinus and Aortic Regurgitation. *Shin-ichiro Ohkawa, Masaya Sugiura, Hiroyuki Shimada, and Ryozo Okada* 105

Number 2, March

Ruptured Aneurysm of the Sinus of Valsalva and Ventricular Septal Defect Associated with Aortic Regurgitation. *Tsuguo Hasegawa, Akira Mizuno, Fumio Sato, Masakazu Tsuzuki, Akira Furuse, Takashi Kotoda, and Masahiro Saigusa* 111

Primary Cardiomyopathy. Clinical Spectrum of Adult Japanese Patients. *Tadashi Koide, Satoru Murao, Iwao Ito, Kenichi Harumi, Hisakazu Yasuda, Tsuguya Sakamoto, Zenichiro Uozumi, Yasuro Sugishita, Kikuo Machida, Shigenori Morooka, and Hideo Ueda* 123

Congestive Heart Failure Due to Left-to-Right Shunts. Clinical Features and Hemodynamic Studies. *Hung-chi Lue, Chiung-lin Chen, Chiung-ming Chen, and Huoyao Wei* 138
Left Ventricular Time-varying Pressure / Volume Ratio in Systole as an Index of Myocardial Inotropism. *Hiroyuki Suga* 153
Complete Intraventricular Cardiac Bypass. *Akira Kamiya, Tatsuo Togawa, and Kozo Suma* 161
Effect of Ganglionic Blockade on the Responses of Coronary Blood Flow to Cardiac Sympathetic Stimulation in the Dog. *Fumio Takenaka and Takafumi Ishihara* 169
Increased Amino Acid Transport in Experimentally Hypertrophied Rat Heart. *Tadashi Koide and Katsuhiko Ozeki* 177
Post-extrasystolic ST, T Changes in the Exercise Vectorcardiogram with Frank's Lead. *Masahiro Murayama, Kenichi Harumi, Chia-Maou Chen, and Satoru Murao* .. 185
Case Reports:
A Case of Atrial Flutter Associated with Complete Heart Block. A Histological Study of the Conduction System. *Masaya Sugiura, Terumi Hayashi, and Hiroyuki Shimada* 191
Surgical Correction of Left Superior Vena Cava Draining to Left Atrium Associated with Superior Vena Cava Syndrome. *Kozo Suma, Minoru Tsunemoto, Teruhiko Noguchi, Yoshinobu Ota, Munehiro Shimada, Masahiro Oshima, and Masuyoshi Naganuma* 198

Number 3, May

Morphological Comparison of Infundibular Pulmonary Stenosis and Tetralogy of Fallot. *Isao Sakashita, Tetsunosuke Matsukawa, Takeshi Ando, and Ken-ichi Asano* 205
Increased Catecholamine Excretion during Normotensive Phase in Paroxysmal Type of Pheochromocytoma. *Tatsuo Sato, Iwao Ono, Yukio Miura, and Kaoru Yoshinaga* 214
Left Ventricular Function in Experimental Pulmonary Embolism. *Kikuo Machida and Elliot Rapaport* 221
Two Types of Renal Mechanoreceptors. *Yasumi Uchida, Kazuaki Kamisaka, and Hideo Ueda* 233
Effect of Alcohol on Normal Rat's Heart. *Seizo Yamashita* 242
Further Experimental Studies on the Production of Pulmonary Infarction. Especially from Coagulative and Fibrinolytic Studies. *Hiroshi Hasegawa, Naoyoshi Watanabe, Nobuo Watanabe, Hironobu Kakizaki, Hajime Murata, and Makoto Murao* 251
Aortic Root Balloon Pumping (A.R.B.P.). Experimental Study and Theoretical Rationale. *Yongshi Chyong, Isamu Miura, Bassir Ramez, Shigeru Miura, Nobuyuki Kabei, and Shigeru Sakakibara* 263
Observations on Several Experimental Models of Hypertension in Mice. *Akio Ebihara and B. L. Martz* 275
Histological Confirmation of Bypass Tracts for Atrioventricular Conduction Originating from the Right Atrium. *Toyomi Sano, Fumio Suzuki, and Hiromichi Tsuchihashi* 281

Transmembrane Potential and Contraction of Human Heart in Relation to Potassium and Ouabain. *Kailash Prasad, Shailini Singh, and John C. Callaghan* 290
Case Reports:
Three Cases of Idiopathic Cardiomegaly in the Aged, with Special References to the Morphological Specificity and to the Conduction System. *Shin-ichiro Ohkawa, Masaya Sugiura, Tateo Iizuka, Hiroyuki Shimada, and Ryozo Okada* 305
Right Atrial Myxoma. Unusual Post-operative Complications. *Edward K. Chung and H. Michael Dean* 316

Number 4, July

Relationships between Heart Weight, DNA Content, Cell Count and Thickness of Muscle Fibers in Human Heart Muscle. *Toshiaki Morishita, Rikuro Sasaki, Shizuka Ichikawa, Hirotsugu Yamagiwa, and Shoichi Yamagata* 325
Treatment of Atherosclerosis Obliterans with Pyridinolcarbamate. *Toshiyuki Atsumi, Takeshi Motomiya, Noriko Isokane, and Takio Shimamoto* 335
Responses of Renal Mechanoreceptors to Vasopressor Substances. *Hideo Ueda, Yasumi Uchida, and Kazuaki Kamisaka* 347
Effect of Alcohol on Thiamine Deficient Cardiac Lesions. *Seizo Yamashita* 354
Effects of Cardiac Nerve Stimulation on Ventricular Arrhythmias after Coronary Occlusion. *Tsuneaki Sugimoto, Kiyoshi Sato, and Jugoro Takeuchi* 368
The Metabolic Mechanism of Cerebral Blood Flow Autoregulation in Dogs. *Masatoshi Fujishima* 376
Effects of Left Atrial Pressure and Myocardial Contractility on Left Ventricular Volumes. *Akira Kamiya and Tatsuo Togawa* 383
Effect of Arteriovenous Fistula on the Cardiovascular Dynamics. *Jiro Nakano* .. 392
Clinical Note:
A Reappraisal of Ventriculophasic Sinus Arrhythmia. *Edward K. Chung* .. 401
Case Report:
Familial Bilateral Pheochromocytoma with Medullary Carcinoma of the Thyroid. The Second Kindred of Familial Pheochromocytoma in Japan. *Tatsuo Sato, Masahide Seino, Osamu Kitahara, Iwao Ono, Yukio Miura, Keishi Abe, Kaoru Yoshinaga, Atsuo Sugita, and Hiroki Watanabe* 405

Number 5, September

Compartmental Analysis of Sodium Dynamics in Non-Edematous, Edematous and Uremic Patients. *Takashi Kinouchi* 415
Problems in the Clinical Application of Revised Jones Diagnostic Criteria for Rheumatic Fever. *Masahiko Okuni* 436
Serious Congenital Heart Disease in the Neonatal Period. Frequency in a Children's Hospital. *Norio Matsuo, Masahiro Oshima, and Masuyoshi Naganuma* .. 442
A Clinicopathological Study on Relationship of the Focal Hyperplasia of Adrenal Cortex to Hypertension and Arteriosclerosis in the Aged. *Keisuke Hiraoka, Hiroyuki Shimada, Ryozo Okada, and Masaya Sugiura* 450

Relation of Blood Pressure and Serum Total Cholesterol to Severity of Atherosclerotic Lesions in Aorta, Coronary and Cerebral Arteries. *Kazuhiko Murata, Fujio Terasawa, Saichi Hosoda, Masao Ikeda, Masuji Seki* 460
Effect of Constricting Carotid Arteries on Cerebral Blood Flow and on Cerebrospinal Fluid pH, Lactate and Pyruvate in Dogs. *Masatoshi Fujishima*..... 467
Relationship between Thiamine Deficient Cardiac Lesions and Myocardial and Blood Pyruvic Acid Contents. *Seizo Yamashita* 474
Measurement of Aortic Compliance in Vivo. *Juro Iriuchijima, Akiyoshi Kumazawa, and Kenji Kawakami* 486
Case Reports:
Artificial Pacemaker-Induced True vs. Pseudo-Electrical Alternans. *Dong-Kyu Chung and Edward K. Chung* 494
A Case of Patent Ductus Arteriosus in a 74-Year-Old Woman. *Shin-ichiro Ohkawa, Keisuke Hiraoka, Hiroyuki Shimada, and Masaya Sugiura* 500

Number 6, November

Results of Mitral Valve Replacement, with Special Reference to the Functional Tricuspid Insufficiency. *Ken-ichi Asano, Masahiko Washio, and Shoji Eguchi*.. 507
Effect of Bromelain on Clinical Laboratory Tests after Oral Administration. *R. M. Heinicke, T. Ito, L. McCarthy, and M. Yokoyama* 517
Prognosis of Hypertension in Population. *Fusao Akiyama* 528
Effects of Nitrites on Arterial Collateral Vessels of Dogs. *Juro Iriuchijima*..... 536
Determination of the Active State by the Graphical, Experimental and Instantaneous Methods in the Frog Ventricle. *Hidenobu Mashima and Hiroki Kushima* 545
Evaluation of the Use of Heated Cross-Thermocouples for Assessments of Regional Myocardial Blood Flow. *Yasumi Uchida and Hideo Ueda* 562
Instrumentation:
Quantitative Characterisation of Heart Rhythm Disturbances by Means of "Andros-R ", A Logical Rhythm Analyser. *Ch. Nachev, I. Popiliev, G. Astardjian, C. Radev, and C. Gelinov* 575
Case Report:
Loeffler's Parietal Fibroplastic Endocarditis with Blood Eosinophilia. Report of a Case Diagnosed Antemortem. *Nobuhiko Tajima, Hiromu Hamamoto, Takayuki Kanie, Yoshiaki Hayashi, and Eiichi Kimura* 581

Vol. 13, 1972

Number 1, January

PAGE

Calibrated Low Frequency Acceleration Vibrocardiography. Its Hemodynamic Determinants and Clinical Application. *Tadashi Matsuzaki*.... 1

Clinical and Pathological Studies of Five Autopsied Cases of Aortitis Syndrome. Part I. Findings of the Aorta and Its Branches, Peripheral Arteries and Pulmonary Arteries. *Yoshimi Saito, Kiyoichi Hirota, Iwao Ito, Hisomu Yamaguchi, Tadanao Takeda, Shigenori Morooka, and Hideo Ueda*..... 20

The Relation of Blood Pressure and Degree of Coronary Atherosclerosis to Myocardial Lesions and Cardiac Hypertrophy. *Kazuhiko Murata, Fujio Terasawa, Morio Kuramochi, Masao Ikeda, and Masuji Seki*..... 34

The Study on Phospholipid Structure in Arterial Walls. *Yasuhiko Homma, Haruo Nakamura, and Yuichiro Goto* 43

Pyridinolcarbamate in the Treatment of Ischemic Heart Diseases. A Double Blind Study. *Santiago V. Guzman* 53

Transmembrane Potential, Contraction and ATPase Activity of Human Heart in Relation to Ouabain. *Kailash Prasad* 59

Depressed Na-K-ATPase Activity in the Failing Rabbit Heart. *Yoshio Yazaki and Jun Fujii* 73

Significance of the Sino-Atrial Node on Mechanism of Occurrence of Atrial Fibrillation. *Kohei Azuma, Hideo Shinmura, Kimiaki Shimizu, and Hisao Iwane* 84

Case Report

Blood Flow Velocity in a Patient with Takayasu's Arteritis. *Shuzo Matsuo and Alberto Benchimol* 99

Number 2, March

Clinical and Pathological Studies of Five Autopsied Cases of Aortitis Syndrome. Part II. Pathological Findings of the Heart, Coronary Artery and Aortic Valve with Reference to Prognosis of Aortitis Syndrome. *Yoshimi Saito, Kiyoichi Hirota, Iwao Ito, Hisomu Yamaguchi, Tadanao Takeda, Shigenori Morooka, and Hideo Ueda* 107

Population Survey on Cerebrovascular and Cardiovascular Diseases. The Ten Years Experience in the Farming Village of Tanushimaru and the Fishing Village of Ushibuka. *Noboru Kimura, Hironori Toshima, Yuhki Nakayama, Takanobu Mizuguchi, Kazushige Takayama, Mitsuhiro Yoshinaga, Tsukasa Fukami, Hiromi Tashiro, Fumizi Katayama, Ken Abe, Tadashi Arima, Yasushi Yokota, Eiji Minagawa, Ryotaro Tanaka, Toshinori Akiyoshi, Kuninori Soejima, Kensuke Yamada, Akihide Mizunoe, Kazunori Nakamura, Fumio Oshima, Kiyoshi Tanaka, Kenjiro Akasu, Taketoshi Niizaki, Hideo Ikeda, Eiji Nakamichi, Masato Ageta, Yoshiro Miike, Tetsuro Inoue, Takashi Nakagawa, Seiki Nanbu, Terutoshi Tanioka, Susumu Shimada, and Terunori Fukumoto* 118

Antihypertensive Effect of 4(-2'-Nitrophenyl)-2,6-Dimethyl-1, 4-Dihydropyridine-3, 5-Dicarbonic Acid Dimethylester (Nifedipine, Bay-a 1040), a New Coronary Dilator. *Mototaka Murakami, Eiji Murakami, Noboru Takekoshi, Masayuki Tsuchiya, Takeo Kin, Tamehisa Onoe, Nobuo Takeuchi, Toshiro Funatsu, Shigeki Hara, Shōzo Ishise, Junichiro Mifune, and Masahiro Maeda* 128

Studies on the Carotid Body and the Carotid Sinus. Effects on the Heart by Electrical Stimulation of the Carotid Sinus Wall. *Kouichi Itoh* 136

The Inhomognous Movement of the Left Ventricle Induced by Coronary Artery Occlusion. *Yoshiro Nakamura, Hideki Nagoshi, Fumio Takei, Noritaka Matsumura, Shigehiko Hattori, and Hiroshi Sasamoto* 150

Peripheral Right Coronary Artery Pressure Distal to the Ligation: Effect of Augmented Left Circumflex Coronary Artery Pressure. *Masayoshi Yokoyama, Michio Nogi, and Kazuko Yokoyama* 159

Electron Microscopic Studies on Isoproterenol-Induced Myocardial Lesion in Rats. *Fusao Kutsuna* 168

Experimental Studies on the Production of Pulmonary Infarction (III). Especially from Coagulative and Fibrinolytic Studies. *Hiroshi Hasegawa, Nobuo Watanabe, Naoyoshi Watanabe, Hironobu Kakizaki, Hajime Murata, and Makoto Murao* 176

Number 3, May

QT Duration and Plasma Electrolytes (Ca, Na, and K) in Uremic Patients. *Masahito Nagasaka, Hiroshi Yokosuka, Takeshi Yamanaka, Tomohide Sato, Kazumichi Nakamura, Takashi Kinouchi, Kazumasa Nagase, Kurakazu Shimizu, Katsutaka Seta, Yawara Yoshitoshi, and Hideo Miyashita* 187

Serum Electrolyte Changes during Extracorporeal Circulation. *A. Yüksel Bozer, Gürler Iliçin, Ali Apikoğlu, Aydin Karamehmetoğlu, and Argun Saylam* .. 195

Follow-up Observation of Aortitis Syndrome. *Shigenori Morooka, Iwao Ito, Hisomu Yamaguchi, Tadanao Takeda, and Yoshimi Saito* 201

Renal Transplantation Study of Infarcted Kidney as Carriers of a Hypertensive Factor in the Rat. *Kazuki Kawabe, John P. Merrill, and Donald E. Oken* 214

Influence of Inotropic Alteration on the Severity of Myocardial Ischemia after Experimental Coronary Occlusion. *Tan Watanabe, Fujio Shintani, Longtai Fu, Junichi Fujii, Hiroshi Watanabe, and Kazuzo Kato* 222

The Effect of Ventricular Pacing Rates on the Left Ventricular Volumes. *Akira Kamiya and Tatsuo Togawa* 232

Collateral Blood Flow through the Ischemic Myocardium in the Dogs. *Yasumi Uchida and Hideo Ueda* 241

Experimental Studies Concerning the Blood Flow Direction in the Anomalous Left Coronary Artery Arising from the Pulmonary Artery. *Masayoshi Yokoyama, Michio Nogi, Kazuko Yokoyama, and Shigeru Sakakibara* 250

Action Potentials of Bullfrog's Ventricular Muscles in the Sodium-Free Hydrazine Solution. *Tsunetaka Matoba, Shoichi Minota, and Kyozo Koketsu* 258

Special Article:

Glucagon: A New Agent for the Treatment of Low Cardiac Output

Syndromes. *Richard J. Kones* 266

Case Report:

Cardiovascular Features in a Case of Ehlers-Danlos Syndrome. *Fabio Magrini, Cesare Fiorentini, Alvise Polese, Luisa Gregorini, and Maurizio Guazzi* 272

Number 4, July

On the Causes of the Changes of the Second Heart Sound in Left Bundle Branch Block. *Aldo A. Luisada, Sudarshan Kumar, M.B.B.S., M.R.C.P., F.R.C.P. (C) and Maurice J. Pouget* 281

All-Night Polygraphic Studies of Nocturnal Angina Pectoris. *Satoru Murao, Kenichi Harumi, Soichi Katayama, Saburo Mashima, Katsuro Shimomura, Masahiro Murayama, Hiroshi Matsuo, Hideo Yamamoto, Ryoko Kato, and Chia-Maou Chen* 295

Major and Minor Anomalies in Japanese Children with Down's Syndrome. *Norio Matsuo, Masahiro Oshima, Masuyoshi Naganuma, Koichi Shimizu, Ryozo Okada, and Donald R. Sperling* 307

Effect of Rubidium on Cardiac Function. *K. Prasad and K. K. Midha* 317

Nucleic Acid Metabolism and Depression of Hexosemonophosphate Pathway in Experimental Cardiac Hypertrophy. *Shinsaku Matsumoto and Norman Krasnow* 325

High Plasma Renin Activity and Hypokalemia in Rabbits with Chronic Renovascular Hypertension. *Jun Fujii, Yoshio Yazaki, Morio Kuramochi, and Akira Seki* 340

Effect of Bethanechol, Methacholine and Carbachol on AV Conduction of the Dog Heart. *Shigetoshi Chiba, Katsumi Kubota, and Koroku Hashimoto* 347

Classification of Angiopathy of the Limbs 354

Case Reports:

Atrial Reciprocal Rhythm Following DC Conversion of Artial Flutter. *Kazumasa Hiejima, Fumio Suzuki, Hideki Kudo, Shigeru Tsuchiya, Yasuki Sakamoto, Ko-ichi Taniguchi, and Toyomi Sano* 362

Cardiomyopathy with Hereditary Cerebellar Ataxia. Report of an Autopsied Case. *Hiromitsu Tanaka, Tatsuru Niimura, Tomoyoshi Kashima, Nobuhiro Uemura, Takuya Kanehisa, Kooji Kawaike, Hiroyuki Hatanaka, Kiyohiro Sakae, and Nobuyoshi Kato* 369

Number 5, September

Unusual Diastolic Heart Beat in Pericardial Effusion. *Tsuguya Sakamoto, Shigeyoshi Ookubo, Junichi Yoshikawa, Kiyoshi Inoue, Umeno Ito, and Terumi Hayashi* 379

The Ultrasound Cardiogram of the Tricuspid Valve in Healthy Subjects. *Yasuharu Nimura, Onkyo Wada, Shigeki Mochizuki, Hirohide Matsuo, Kazuko Aoki, Hiromu Kimura, Tomomi Izumi, Kanemasa Kato, and Hiroshi Abe* 394

QRS Waves of the Spatial Velocity Electrocardiogram in Atrial Septal Defect. *Hiroyoshi Mori, Kouichi Mikawa, Toshiharu Niki, Takashi Nagao, Satoru Matsumo, Tomoo Nii, Teiichi Oda, and Hideto Masaki* 407

Cardiac Abnormalities in Chronic Alcoholism. An Evidence Suggesting Association of Myocardial Abnormality with Chronic Alcoholism in 107 Japanese Patients Admitted to a Psychiatric Ward. *Tadashi Koide, Kikuo Machida, Atsuo Nakanishi, Katsuhiko Ozeki, Saburo Mashima, and Hiroaki Kono* 418

Reactivity of Norepinephrine Receptors in the Cardiovascular System of Hypertensive Rats. *Susumu Mizogami, Masami Suzuki, and Hirofumi Sokabe* .. 428

Coronary Sinus Rhythm Induced by Selective Use of Catecholamine in the *in Situ* Dog Heart. *Shigetoshi Chiba and Koroku Hashimoto* 438

The Changes of Left and Right Ventricular Volumes Induced by Propranolol and Subsequent Carotid Occlusion. *Kikuo Machida* 445

Case Reports:

Two Aged Cases of Mitral Insufficiency Due to Spontaneous Rupture of Chordae Tendineae. *Kunihiro Ueno, Hiraku Iizuka, Shin-ichiro Ohkawa, and Masaya Sugiura* 457

Successful Removal of a Foreign Body from the Caval Vein by Use of Endo-Myocardial Bioptome. *Akira Kurita, Masakuni Kanazawa, Takayuki Kanie, Eiichi Kimura, Royu Nakayama, and Tasuku Shoji* 464

Number 6, November

Cerebral Arteriovenous Malformation as a Cause of Cardiac Hypertrophy in Adults. *Masatoshi Fujishima, Kenjiro Tanaka, and Teruo Omae* 471

Portable Electro-Phonocardiograph Using Magnetic Tape Recorder Equipped with Patient's Voice Print. *Chuichi Sato, Michiyo Hirano, and Tsuguya Sakamoto* 478

Peripartal Cardiomyopathy in Japan. A Critical Reappraisal of the Concept. *Tadashi Koide, Yoshimi Saito, Tsuguya Sakamoto, and Satoru Murao* 488

Effect of Pentaerythritol-Tetranitrate on Blood Flow through the Ischemic and Non-Ischemic Myocardium. *Yasumi Uchida, Hideo Ueda, Tooru Hanai, and Minoru Takahashi* 502

Failure of Dipyridamole (Persantin) in Reducing the Infarct Size Following Experimental Coronary Occlusion. *Tan Watanabe, Fujio Shintani, Longtai Fu, Kazuzo Kato, and Shintaro Koyama* 512

Nature of His Potential in His Electrogram. *Toyomi Sano, Masatsugu Nakai, and Fumio Suzuki* 521

Special Article:

New Concept on Atherogenesis and Treatment of Atherosclerotic Diseases. *Takio Shimamoto* 537

Case Reports:

Tetralogy of Fallot with Left Ventricular Hypertrophy. *Masayoshi Yokoyama, Souji Konno, and Shigeru Sakakibara* 563

Migration of a Bullet from the Inferior Vena Cava to the Right Pulmonary Artery: Case Report. *Argun Saylam, A. Yüksel Bozer, and Yılmaz Kadioğlu* 572

Vol. 14, 1973

Number 1, January

Hemodynamic Factors Conditioning the Hypotensive Response to Phentolamine. Limitations of the Test in the Screening of Pheochromocytoma. *Maurizio Guazzi, Cesare Fiorentini, Alvise Polese, and Fabio Magrini* 1

A Clinical Trial with Pyridinolcarbamate in the Treatment of Patients with Obstructive Diseases of the Peripheral Arteries. *A. Zelikovsky, I. Urca, M. Shaklai, and A. de Vries* 12

A Clinicopathological Study on the Syphilitic Aortic Regurgitation in the Aged. *Keisuke Hiraoka, Shinichiro Ohkawa, and Masaya Sugiura* 22

Isoproterenol-Induced Non-Uniform Blood Flow through Ischemic and Non-Ischemic Myocardium in the Dog. *Yasumi Uchida and Hideo Ueda* 32

Effect of Sodium Intake on Hypertensive Vascular Lesions in Rabbits. *Jun Fujii, Morio Kuramochi, Akira Seki, and Masao Ikeda* 45

Effects of Isoproterenol, dl-Propranolol and d-Propranolol on the A-V Transmission and the A-V Nodal Transmembrance Action Potential. *Shuhuang Jen (Shokoh Nin)* 53

Conduction Block from Purkinje Fiber to Ventricular Muscle under Abnormal Conditions. *Akimitsu Kamiyama, Yasutake Saeki, and Toyomi Sano* 71

Case Reports

Aneurysm of the Membranous Ventricular Septum Associated with a Small Defect in aWoman, Aged Seventy-Eight. *Tamehisa Onoe, Nobuo Takeuchi, Takeo Kin, Masayuki Tsuchiya, Noboru Takekoshi, Mitsuhiko Kuroda, Eiji Murakami, and Mototaka Murakami* 80

An Aged Case with Ventricular Septal Defect of the Persistent Common Atrioventricular Canal Type. With Special References to Its Spontaneous Closure and a Histological Study of the Conduction System. *Masaya Sugiura, Shinichiro Ohkawa, and Ryozo Okada* 88

Number 2, March

Propranolol and Practolol in the Treatment of Spontaneous Angina Pectoris. *Maurizio Guazzi, Alvise Polese, Fabio Magrini, and Cesare Fiorentini* 97

Puerperal Cardiomyopathy. *H. V. Srinivas and J. A. Antani* 104

Seven Cases of Hypertension Due to Segmental Renal Ischemia. *Keishi Abe,*

Tetsuo Saito, Yoichi Otsuka, Haruki Aoyagi, Nobuo Irokawa, Seiji Miyazaki, Masahide Seino, Iwao Ono, Tatsuo Sato, and Kaoru Yoshinaga 110

Nutritional Circulation in the Heart. IV. Effect of Calcium Chloride and Potassium Chloride on Myocardial Hemodynamics and Clearance of ^{86}Rubidium. *Atul R. Laddu, Pitambar Somani, and Harold F. Hardman* 126

Central Modulation of Baroreceptor Reflex by Angiotensin. *Koshiro Fukiyama* 135

Effects of Saline Infusion on Prostaglandin-like Materials in Renal Venous Blood and Medulla of Canine Kidney. *Kurakazu Shimizu, Manabu Yamamoto, and Yawara Yoshitoshi* 140

Effect of Maximal Work Load on Cardiac Function. *Tsuneaki Sugimoto, James L. Allison, and Arthur C. Guyton* 146

The Spontaneously Hypertensive Rat (8). Proceedings of VIII Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat. 154

Case Report

Right Coronary Artery to Left Ventricle Fistula. The Sixth Case in the Literature and Discussion. *Yoshihisa Okuda, Takakazu Tsuneda, Akira Morishima, Shinsaku Matsumoto, Yoshio Ito, and Masakazu Tsuzuki* 184

Number 3, May

Myocardial Shortening Velocity as an Index for the Assessment of Myocardial Contractility. *Haruo Tomoda and Hiroshi Sasamoto* 193

Cardiomyopathy in Myotonic Dystrophy. A Light and Electron Microscopic Study of the Myocardium. *Nobuyuki Tanaka, Hiromitsu Tanaka, Motohiko Takeda, Tatsuru Niimura, Takuya Kanehisa, and Shin-ichi Terashi* 202

Systemic Hypertension and Polycythemia in Tetralogy of Fallot. *Isao Sakashita, Tetsunosuke Matsukawa, Shigetaka Kasuya, Takeshi Ando, and Ken-ichi Asano* 213

Hemodynamic Characteristics of the Centrally Mediated Pressor Activities of Angiotensin. *Kiyoshi Inoue, Harold Smulyan, and Robert H. Eich* 226

Enhancement of the Inotropic Action of Glucagon by Small Concentration of Angiotensin. *Kiyoshi Inoue, Harold Smulyan, Edgardo Mucha, and Robert H. Eich* 239

Effect of Hydrazine on Aconitine-Induced Atrial Tachycardia in the Rabbit. *Tsunetaka Matoba* 249

Mechanism of Positive Inotropic Actions of Hydrazinium Ions on Bullfrog Heart Muscles. *Tsunetaka Matoba* 257

Cardiac Output and Total Peripheral Resistance in Spontaneously Hypertensive Rats. *Juro Iriuchijima* 267

Origin of "A-V Nodal" Rhythm. *Kazumasa Hiejima, Fumio Suzuki, and Toyomi Sano* 273

Special Article

Are Corticosteroids in Large Doses Beneficial in Cardiogenic Shock? *Richard J. Kones* 281

Case Report

Atrio-Ventricular Dissociation with Accrochage. *Toshio Akiyama* 286

Number 4, July

Clinical Manifestations of Prolapsing Mitral Leaflet Syndrome. *J. A. Antani and H.V. Srinivas* 291

Revival of Isolated Hearts Stopped with Alcohol and Glucocorticoids by Nicotine and Acetylcholine. *C. L. Pathak* 296

The Rapid Estimation of the Area under the Thermo-Dilution Curve. *Kohji Tamura, Yutaka Arai, and Hiroshi Murooka* 306

The Effect of Glyceryl Trinitrate (Nitroglycerin) on the Coronary Hemodynamics in Man. *Kohji Tamura, Teiji Honda, Norio Muto, and Shogo Bannai* .. 314

A Pocket Electrocardiograph Carried by Patient for Observation of Various Cardiac Attacks. *Eiichi Kimura, Hiroshi Kishida, Genichi Mabuchi, Sadato Hatta, Takashi Sakai, and Kimiyoshi Takahashi* 326

Experimental Studies on the Production of Pulmonary Infarction (IV). Effects of UK, Heparin, t-AMCHA or Ellagic Acid. *Hiroshi Hasegawa, Nobuo Watanabe, Naoyoshi Watanabe, Hironobu Kakizaki, Hajime Murata, and Makoto Murao* 335

Sympathetic Discharge Rate in Spontaneously Hypertensive Rats. *Juro Iriuchijima* 350

Relationship between Heart Rate and Ouabain Toxicity in the Dog Heart-Lung Preparation. *Prasanta K. Lahiri and Atul R. Laddu* 357

Effect of Hydrazine on Bullfrog Heart Muscles in the Excess Potassium Solution. *Tsunetaka Matoba* 366

Case Report

Two Cases of Atrial Septal Defect in the Aged. *Masayuki Tsuchiya, Noboru Takekoshi, Eiji Murakami, Ryoyu Takeda, Gu Tsumura, and Tomoichi Nishino* .. 373

Number 5, September

Results of Surgical Treatment of Ventricular Septal Defect Associated with Pulmonary Hypertension under the Age of Two. *Hideto Masaki, Yasuo Takeda, Hideki Hanano, and Masaya Nishimura* 385

Oral Phentolamine in Angina Pectoris. *Lawrence Gould, C. V. Reddy, and Robert F. Gomprecht* 393

Electrophysiologic Effects of Phenothiazines on Human Atrial Fibers. *Makoto Arita and Borys Surawicz* 398

On the Unitary Nature of Cardiac Vibrations. *Aldo A. Luisada, Larry P. Feigen, and Kiyoshi Mori* 406

The Bradycardia-Tachycardia Syndrome. Treatment with Cardiac Drugs and Adrenal Corticosteroid. *Junichi Fujii, Nobumitsu Takahashi, and Kazuzo Kato* 414

Lack of Significant Central Component in β-Adrenergic Chronotropic Effect in Vagotomized Rats. *Akira Ito and Saul M. Schanberg* 432

Renin Content in Subcellular Fractions of Normal Rat Kidney Extract. *Kaoru Onoyama, Michiko Hara, Kenjiro Tanaka, and Teruo Omae* 440

Contrastive Profiles in Two Types of Renovascular Hypertension in Rabbits. *Jun Fujii, Akira Seki, and Morio Kuramochi* 445

Effect of Cesium on the Properties of Cardiac Muscle. *K. Prasad and K. K. Midha* 454

Case Report

A Case of Congenital Complete Atrioventricular Block Diagnosed before Delivery. Special Reference to Its Prognosis and Operative Indication. *H. Y. Lo, M. Oshima, K. Kobayashi, H. Hoshina, M. Suzuki, K. Honda, and Y. Abe* 467

Number 6, November

Heritable Q-T Prolongation without Deafness: The Romano-Ward Syndrome. *Naoto Hanazono, Yoshihiro Ando, Mihoe Ohnishi, Hiromu Oda, Noriji Yuhara, Takashi Nishio, Hisaichi Ishida, Ayako Takeuchi, and Kazunari Kohashi* 479

Hemodynamic Evaluation of Ischemic Heart Disease. *Haruo Tomoda, Shigeo Hinohara, Kazuhiko Katayama, Kiyoshi Hosono, and Hiroshi Sasamoto* 494

Scoring System to Assess Severity of Congenital Heart Disease during the First Year of Life. *Norio Matsuo, Masahiro Oshima, Masuyoshi Naganuma, Minoru Tsunemoto, Teruhiko Noguchi, Yoshinori Ohta, and Donald R. Sperling* 503

An Electrocardiographic Study on the Electrical Axis of Right Bundle Branch Block in the Aged. *Masaya Sugiura, Keisuke Hiraoka, and Shinichiro Ohkawa* .. 510

Response of Plasma Aldosterone to Postural Change, Diuretica, Angiotensin II, Sodium Restriction or Loading and Prostaglandin. *Teizo Ito, Hirosi Hidaka, Tatuo Kato, and Yawara Yoshitoshi* 518

The Coronary Blood Flow Effects Caused by the Carotid Sinus Reflex and the Exogenous Catecholamine. *Kouichi Itoh, Masayuki Koshino, Takashi Sasaki, Genyu Kuriyama, Akinori Hayashi, and Nagao Kajiwara* 531

Studies on the Carotid Body and the Carotid Sinus. Circulatory Effects of the Carotid Chemoreflex. *Takashi Sasaki*..... 539

Clinical Note

Metastatic and Paraneoplastic Cardiomyopathy. *Eduardo Valdes*..... 548

Case Reports

A Case Report of Syphilitic Aortic Insufficiency Treated by Simultaneous Prosthetic Valve Replacement, Aortoplasty and Reversed Aorto-Right Coronary Bypass Procedure. *Isao Sakashita, Ken-ichi Asano, Eiichiro Aoki, Yoshihiko Yamazaki, and Masanori Terashima* 554

Indirect Pulmonary Artery Pulse. Diagnostic Significance in Transposition of Great Vessels. *Jyunichi Yoshikawa, Tsunenori Kawashima, Chujiro Tanaka, Kotaro Furukawa, Seiki Kawai, Kazuhide Takeuchi, Takane Owaki, and Kumeo Tanaka* 563

Vol. 15, 1974

Number 1, January

Ventriculoatrial Conduction in Complete Atrioventricular Block Due to AH Block. *Hiromitsu Tanaka, Hiroshi Katanazako, Nobuhiro Uemura, Yoshifumi Toyama, Takuya Kanehisa, and Kenzi Amatatsu* 1

Amyl Nitrite Test Using Double Microphones for Differentiation of Systolic Murmurs in the Elderly. *Takeshi Makino and Klaus Holldack* 16

Coronary Artery Perfusion Scanning with ^{131}I-MAA Injected Directly into the Coronary Artery of Congenital Coronary Anomalies. *Masahiro Endo, Katsunobu Miyata, Nobuo Kitamura, Toshio Yamazaki, Atuyoshi Takao, and Soji Konno* 28

Non-Invasive Measurement of Subclavian Arterial Blood Flow as a Parameter of Cardiac Output by the Doppler Ultrasonic Flowmeter. *Takayuki Nakatsuka, Mayumi Koike, Tetsuo Hayashi, Kazuko Muraoka, and Shozo Yoshimura* 37

Application of Medical Engineering for Exercise Tests and Management on Ischemic Heart Disease. Check-Alarm-Training System. *Tsuneo Koro, Rokay Kamyar, Akira Akaike, Takashi Ito, Toshikatsu Sada, Yoshio Ito, Tamon Mizoguchi, and Kiyoshi Takeuchi* 47

Antagonism of Cardiac Arrhythmias by dl-l-(2-Acetyl-4-buyramidophenoxy)-2-hydroxy-3-isopropylaminopropane (M & 17,803A), a New Beta Adrenoreceptor Blocking Agent. *Atul R. Laddu* 61

Cardiovascular Effects of dl-l-(2-Acetyl-4-butyramidophenoxy)-2-hydroxy-3-isopropylaminopropane (M & B 17,803A), a New Cardioselective Beta Adrenoreceptor Blocking Agent. *Atul R. Laddu* 72

Bradykinin-Induced Excitation of Afferent Cardiac Sympathetic Nerve Fibers. *Yasumi Uchida and Satoru Murao* 84

Case Reports

A Case of Lupus Erythematodes with Arrhythmias. A Complete Morphological Study of the Conduction System. *Kouichi Itoh, Noboru Yokoyama, Jun Hashida, Nagao Kajiwara, and Ryozo Okada* 92

An Autopsy Case of Isolated Myocarditis Probably Associated with Infectious Mononucleosis and Disseminated Cytomegalic Inclusion Disease. *Fumitomo Koizumi, Kunihiko Wakaki, and Tetsuo Kuzuoka* 99

Number 2, March

A Histological Study on the Conduction System in 16 Cases of Right Bundle Branch Block Associated with Right Axis Deviation. *Masaya Sugiura, Keisuke Hiraoka, and Shinichiro Ohkawa* 113

Cardiohemodynamic Effects of Nitroglycerin and Several Vasodilators. *Masaru Kokubun, Norio Taira, and Koroku Hashimoto* 126

Prevention of Acetylcholine-Induced Atrial Fibrillation by Electric Pacing. *Shigetoshi Chiba and Koroku Hashimoto* 145
Nitroglycerin-Induced Suppression of Excitation of Afferent Cardiac Sympathetic Nerves During Myocardial Ischemia. *Yasumi Uchida and Satoru Murao* 154
Effects of Alpha and Beta Blockers on Hemodynamics of SHR. *Yoshinobu Numao and Juro Iriuchijima* 166
The Spontaneously Hypertensive Rat (9). Proceedings of IX Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat 173
Case Report
Angina Pectoris Induced by Intravenous Administration of 50% Glucose. *Shinsaku Matsumoto, Ineko Tawara, and Yoshihiro Taneichi* 218

Number 3, May

Anti-Heart Antibodies in Chronic Cor Pulmonale. *Toru Yamamoto, Fumitaka Kubo, and Junichi Mise* 223
The Spread of Lung Cancer to the Heart, Pericardium and Great Vessels. *Wilson I.B. Onuigbo* 234
Variations of the Timing of Deflections in the His Bundle Recordings. *Hiroshi Matsuo, Chia-Maou Chen, Iwao Sata, Ryoko Kato, Hideo Yamamoto, Katsuro Shimomura, Saburo Mashima, Kenichi Harumi, and Satoru Murao* 239
Evaluation of Concept of Longitudinal Dissociation of His Bundle. *Toyomi Sano, Tohru Sawanobori, and Akimitsu Kamiyama* 248
Studies on the Energy Metabolism of Erythrocytes during Artificial Heart Pumping. *Kenkichi Koiso, Tetsuzo Agishi, Masaaki Nakazono, Jorge Urzua, and Yukihiko Nose* 262
Renin Release and Renal Sympathetic Nerve Activity Following Vertebral Artery Embolism. *Hideo Ueda, Atsushi Sakamoto, Akio Ebihara, and Yasumi Uchida* 271
Effect of Propranolol on Excitation of Afferent Sympathetic Nerve Fibers during Myocardial Ischemia. *Yasumi Uchida and Satoru Murao* 280
Effect of Adrenergic Activation on Collateral Coronary Blood Flow. *Alexander Juhász-Nagy, Mathias Szentiványi, and George Grósz* 289
The Relation of Pericardial Pressure to Chronotropic Response of Isolated Frog Hearts. *C. L. Pathak* 299
Negative Chronotropic Response to Norepinephrine. *Shigetoshi Chiba, Matthew N. Levy, and Harrison Zieske* 308
Case Report
An Aged Case of Trifascicular Block with Special Reference to a Histological Study of the Conduction System. *Shinichiro Ohkawa, Masaya Sugiura, and Ryozo Okada* 314

Number 4, July

Vectorcardiographic Diagnosis of Combined Ventricular Hypertrophy in Adult Patients. *Tadayuki Hiroki* 323

The Incidence of Myocardial Abnormalities in Man Related to the Level of Ethanol Consumption. A Proposal of a Diagnostic Criterion of Alcoholic Cardiomyopathy. *Tadashi Koide and Katsuhiko Ozeki* 337
New Polygraph for Selecting the Arbitrary Cardiac Phases. *Fumio Kamei* 349
Echocardiogram of the Pulmonary Valve. *Tsuguya Sakamoto, Mokuo Matsuhisa, Terumi Hayashi, and Hirofumi Ichiyasu* 360
A Study on Timed Intracellular Localization and Distribution of Tritiated Digitoxin and Proscillaridin A in the Myocardial Cells by Electron Microscopic Autoradiography. *Tomohide Sato* 374
New Conduction Pathways from the Left Atrium to the Right Atrium and to the Ventricle Along the Anterior and Posterior Portions of the Left A-V Ring. *Fumio Suzuki, Hiromichi Tsuchihashi, and Toyomi Sano* 385
Effect of Clonidine on Sympathetic Discharge Rate of Spontaneously Hypertensive Rats. *Juro Iriuchijima* 401
Measurement of Intramyocardial Phasic Blood Flow Using Impedance Plethysmography. *Muneyuki Horikawa* 407
Special Article
The Renal Basis of Essential Hypertension. *David B. Gordon* 419
Case Report
A Case with Extraordinary Arteriovenous Shunt Occupying the Left Pleural Cavity and with Systemic-Pulmonary Arteriovenous Shunt. *Nobuharu Akatsuka, Nobuyoshi Koide, Tadao Morito, and Tadayuki Maehara* 435

Number 5, September

Long-Term Effect of Corticosteroids on Cardiac Function. *Nobuharu Akatsuka, Tetsu Yamaguchi, and Mitsuo Matsuda* 443
Influence of the β-Adrenergic Blocking Drug Kö 1366 on Haemodynamics in Healthy Volunteers and Patients with Ischaemic Heart Disease. *Mitsuo Miyahara, Yukiyasu Fujise, Shigeo Osanai, and Takehito Takada* 455
Magnetorheography. Nonbleeding Measurement of Blood Flow in Man. *Osamu Okai, Tatsuo Togawa, and Masamitsu Oshima* 469
ATPase Activity and Ca^{2+} Interaction of Myofibrils and Sarcoplasmic Reticulum Isolated from the Hearts of Spontaneously Hypertensive Rats. *Kyuzo Aoki, Nobuko Ikeda, Kanae Yamashita, and Ken Hotta* 475
A Case Report of 17 Days Survival with an Implanted Artificial Heart in a Calf. *Masaaki Nakazono, Kenkichi Koiso, Takashi Komai, Tetsuzo Agishi, Jorge Urzua, Raymond Kiraly, Helen Kembic, Richard Surovy, Charles Carse, and Yukihiko Nose* 485
Reinin Content in Subcellular Fractions of Kidney Extract of Renovascular Hypertensive Rats. *Kaoru Onoyama, Kenjiro Tanaka, and Teruo Omae* 498
Experimental Production of Ventricular Complex Simulating A, B, and C Types of WPW Syndrome. *Hideo Ueda, Kenichi Harumi, Saburo Mashima, Akio Kuroiwa, Chuichi Sato, Mutsuo Yamamoto, Kinnojo Iguchi, and Satoru Murao* 503
Special Article
Cerebral Atherosclerosis of Japanese. *Motoomi Nakamura, Shinichiro Torii, Hiroshi Yamamoto, Yutaka Kikuchi, and Kuniko Yatsuki*..... 517

Case Reports

A Case of Congenital Coronary Artery Fistula Involving Bilateral Coronary Artery Branches. *Tadashi Koide, Yasuro Sugishita, Katsuhiko Ozeki, Kazuaki Kamisaka, Masahiro Murayama, and Tsuguya Sakamoto* 524

A Case of Primary Rhabdomyosarcoma, Replacing the Atrioventricular Node. *Teruhiko Toyo-oka, Katsumi Murata, and Shoji Matsuya* 532

Number 6, November

A New Method for Measurement of Right Ventricular Residual Ratio Using ^{131}I-MAA. *Nariaki Kanemoto, Haruo Tomoda, Schunnosuke Handa, Takeyoshi Kunieda, Takanori Ogino, Toshio Sekimoto, and Kazuhiko Katayama* 543

Arterial Embolism. An Analysis of 115 Surgical Procedures. *Argun Saylam, Erkmen Böke, and A. Yüksel Bozer* 554

Sequential Change in the Difference of Potential Distribution between a Normal Subject and Simulated Torso Model. *Hideaki Toyoshima, Satoru Sugiyama, Masatoshi Wada, Junichi Sugenoya, Junji Toyama, and Kazuo Yamada* .. 560

Effects of Isoproterenol, Propranolol and Artificial Pacing on Hemodynamics and Energy Liberation of the Infarcted Heart in Dogs. *Yoshiharu Morita, Taro Ishiyama, Nozomu Tsukamoto, and Yuichi Yamamura* 579

Atrial Excitation Sequence during Ectopic Atrial Beats in the Rabbit. *Atsushi Ito* 593

Effects of Phentolamine on the SA Node of the Dog Heart *In Situ*. *Shigetoshi Chiba, Hiroshi Ono, and Kazuhiko Iwatsuki* 610

Effect of Removing the Clipped Kidney on Renovascular Hypertension in Rabbits. *Jun Fujii, Yoshio Yazaki, Akira Seki, and Morio Kuramochi* 615

Case Report

Fetal Cardiac Failure Resulting from Endocardial Fibroelastosis. *Hiroshige Muraki, Masabumi Iwama, Masaki Mori, Takeshi Kozaki, and Toru Sato* .. 623

Author Index 633

Subject Index 637

Vol. 16, 1975

Number 1, January

Echocardiographic Diagnosis of Endocardial Cushion Defects. *Junichi Yoshikawa, Takane Owaki, Hiroshi Kato, Yasuhiko Tomita, Kunizo Baba, and Kumeo Tanaka* 1

A Method for Quantitative Detection of Tricuspid Regurgitation with Double Injection—Single Sampling Dye-Dilution Technique. *Kai Tsuiki, Kozui Miyazawa, Kinji Ishikawa, and Ryo Katori* 11

Blood Flow Velocity in the Carotid Artery as a Measure of Myocardial Contractility. *Kinji Ishikawa, Hilton Buggs, Radha Sarma, Harald Tillmanns, Jean-Marie Fauvel, James H. Getzen, John L. Johnson, and Richard J. Bing* 22

Sympathetic Nervous Activity in Renal and DOC Hypertensive Rats. *Juro Iriuchijima, Susumu Mizogami, and Hirofumi Sokabe* 36

Renal Hemodynamics and Medullary Osmolal Gradient in Ischemic Acute Renal Failure in Rabbits. *Hiroshi Nihei, Nishio Honda, Keiji Suzuki, Mitsumasa Nagase, and Yawara Yoshitoshi* 44

Effects of Radiopaque Material on Coronary Vascular Reserve. *Hajime Yamazaki, Shojiro Aya, Muneyuki Horikawa, Noritaka Matsumura, and Yoshiro Nakamura* 57

Left and Right Ventricular Volumes in A-V Block, and Their Changes Induced by the Infusion of Isoproterenol. *Kikuo Machida* 65

Special Article

Hyperreactive Arterial Endothelial Cells in Atherogenesis and Cyclic AMP Phosphodiesterase Inhibitor in Prevention and Treatment of Atherosclerotic Disorders. *Takio Shimamoto* 76

Case Report

Aneurysmectomy for Symptomatic Supraventricular Tachycardia Associated with Ventricular Aneurysm. *Akira Takeshita and Ernest O. Theilen* .. 98

Number 2, March

Echocardiogram and Phonocardiogram Related to the Movement of the Pulmonary Valve. *Tsuguya Sakamoto, Mokuo Matsuhisa, Terumi Hayashi, and Hirofumi Ichiyasu* 107

Comparison of a Semi-Automated Sphygmomanometer with the Clinical Sphygmomanometer. *Muhammad Ilyas, Masood Anwar Peracha, and Inayatur Rahman* 118

Hemodynamic and Clinical Significances of Atrial Fibrillation, Pulmonary Vascular Resistance and Left Ventricular Function in Rheumatic Mitral Stenosis. *Tadashi Koide, Atsuo Nakanishi, Iwao Ito, Hisakazu Yasuda, Yutaka Takabatake, Keiji Ueda, Yasuro Sugishita, Yasumi Uchida, Katsuhiko Ozeki, Kikuo*

Machida, Shigenori Morooka, Katsuhiko Nakajima, and Masaaki Kakihana.... 122

Effect of Apomorphine on the Canine SA Node. *Shigetoshi Chiba, Hiroshi Ono, and Kazuhiko Iwatsuki* 143

Effect of Serotonin Depletion on the Central Regulation of the Carotid Sinus Reflex in Rats. *Akira Ito and Saul M. Schanberg* 148

Rb^{86} Uptake of Various Organs of the Spontaneously Hypertensive Rats (A Preliminary Note). *Motoomi Nakamura, Akio Kuroiwa, Osamu Nakagaki, Hitonobu Tomoike, Yoshiaki Nose, and Takaya Fukuyama*..... 156

Non-Uniform Myocardial Blood Flow Caused by Stellate Ganglion Stimulation. *Yasumi Uchida and Hideo Ueda* 162

Cardiac Hypertrophy in Spontaneously Hypertensive Rats. *Hitoshi Tanijiri*.. 174

Special Article

A Proposal of New Pediatric Electrocardiographic Criteria for Ventricular Hypertrophy. Report of Expert Committee of Pediatric Electrocardiogram, Division of Pediatric Cardiology, Japan Pediatric Society. *Masahiko Okuni, Yukio Izumi, Sanzi Kusakawa, Masuhide Miyao, Chuzo Mori, Takeshi Mori, Teiichi Oda, Hiroshi Onoki, Zenshiro Onouchi, Mitsuru Osano, Masahiro Oshima, Atsuyoshi Takao, Jun-ichi Tsuda, Toyoshige Yamanouchi, and Masayoshi Yanagisawa* 189

Case Reports

A Case of a Traumatic Systemic-Pulmonary Arteriovenous Fistula. *Tadanori Saito, Mitsuo Matsuda, Tetsu Yamaguchi, Tadashi Matsuzaki, Shinya Nakagawa, and Nobuharu Akatsuka* 196

Pseudo-Wolff-Parkinson-White Syndrome Observed in a Patient with Lutembacher's Syndrome. *Kazutoshi Ishizawa, Tsunetaro Sakurai, Masao Nagai, Kunihiko Hirose, Akira Wakabayashi, Michio Yokota, Hisaaki Koie, and Yorinori Higasa* 204

A Case of the Omphalocele. The Discussion about the Frequent Combination of the Cardiac Malformation, and the Observation at the Early Non-Cyanotic Period of Fallot's Tetralogy. *Zenshiro Onouchi, Takuji Ootsuka, Eisuke Otabe, Hiroaki Sasagawa, Yo Takada, and Masakatsu Goto* .. 211

Number 3, May

Left Ventricular Asynergy in Mitral Valve Diseases. A Cineangiographic Study. *Tadashi Koide, Atsuo Nakanishi, Iwao Ito, Hisakazu Yasuda, Yutaka Takabatake, Keiji Ueda, Yasuro Sugishita, Yasumi Uchida, Katsuhiko Ozeki, Kikuo Machida, Shigenori Morooka, Katsuhiko Nakajima, and Masaaki Kakihana* 221

Clinical Manifestations of Papillary Muscle Dysfunction in Ehlers Danlos Syndrome. *J. A. Antani, H. V. Srinivas, and A. Shivashankar* 235

A Nonlinear Regression Model as Applied to the Comparison of Axis-Angles of Electrocardiographic Systems. *Tak Y. Lee and Yoshio Watanabe* 243

Effect of Increasing Age on Hemodynamics of Spontaneously Hypertensive

Rats. *Juro Iriuchijima, Yoshinobu Numao, and Hiroyuki Suga* 257

Sustained Decrease in Coronary Blood Flow and Excitation of Cardiac Sensory Fibers Following Sympathetic Stimulation. *Yasumi Uchida and Satoru Murao* 265

Cardiovascular Effects of Dopamine after Experimental Coronary Occlusion in the Dog. *Shozo Takeuchi* 280

The Spontaneously Hypertensive Rat (10). Proceedings of X Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat 293

Case Report

Two Cases of Pulmonary Hypertension with Raynaud's Phenomenon. Primary Pulmonary Hypertension and Systemic Lupus Erythematosus. *Nariaki Kanemoto, Nobuyuki Gonda, Masataka Katsu, and Junya Fukuda*.... 354

Number 4, July

The Effect of Dipyridamole on the Coronary Hemodynamics in Man. *Kohji Tamura, Teizi Honda, Norio Muto, and Shozo Bannai* 361

Echocardiographic Classification of Hypertensive Heart Disease. A Correlative Study with Clinical Features. *Hironori Toshima, Yoshinori Koga, Haruki Yoshioka, Toshinori Akiyoshi, and Noboru Kimura* 377

Ultrasonic Diagnosis of Ventricular Aneurysm. *Junichi Yoshikawa, Takane Owaki, Hiroshi Kato, and Kumeo Tanaka* 394

Effect of Pressor Agents on Blood Pressure, Plasma Renin Activity and Plasma Aldosterone Concentration in Essential Hypertension. *Yoshitaka Yamamoto* 404

Effects of Ethyl Adenosine-5′-Carboxylate on the Heart and Coronary Circulation. *Shoichi Imai, Takeshi Otorii, Keisuke Takeda, Yumi Katano, and Daijiro Horii* 421

Relationships of Left Ventricular Systolic Time Intervals with Hemodynamic Variables in Intact and Failing Hearts. *Tsuneaki Sugimoto, Tohru Inasaka, Lotfy L. Basta, and Jugoro Takeuchi* 433

Hypertension-Inducing Potency and Renin Content of Variously Treated Kidney Extract. *Jin Yamamoto, Katsuya Ohnishi, Jun Kira, Nobuya Konishi, Kaname Yamatori, Masato Matsunaga, and Koichi Ogino* 446

Cyclic Fluctuations in Coronary Blood Pressure and Flow Induced by Coronary Artery Constriction. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao* 454

Committee Report

The Incidence of Myocardial Intarction in Hospitalized Patients and the Risk Factors of Myocardial Infarction 465

Case Report

A Family of Holt-Oram Syndrome. *Morio Ito, Tadashi Misawa, Masanori*

Fujino, Sukenobu Ito, Teruo Fukumoto, Takehiko Fujino, Isamu Fukushima, and Hiroto Mashiba 480

Number 5, September

Changes of Cardiac Performance in Renal Failure. *Tadao Uraoka, Tsuneaki Sugimoto, Tohru Inasaka, Kensuke Kaseno, Kunihiko Hirasawa, Shunsuke Kitagawa, and Jugoro Takeuchi*..... 489

An Unusual Pattern of the Mitral Echocardiogram Observed in Cases of Congestive Cardiomyopathy and Other Myocardial Diseases. *Yasuharu Nimura, Seiki Nagata, Masayuki Matsumoto, Shintaro Beppu, Masahiko Tamai, Yoshio Yamada, Hirohide Matsuo, Hiroshi Sakakibara, and Hiroshi Abe*..... 500

A Study on the Rehabilitation of Ischemic Heart Disease Patients. The Heart Rate, β-Receptor Blocking Agents and Strength-Duration Relationship of Exercise. *G. A. Rokay Kamyar*..... 512

A Clinicopathological Study on the Heart Diseases in the Aged. The Morphological Classification of the 1,000 Consecutive Autopsy Cases. *Masaya Sugiura, Keisuke Hiraoka, Shinichiro Ohkawa, and Hiroyuki Shimada*..... 526

Multiclinical Open Studies on the Effect of β-Methyldigoxin on Congestive Heart Failure with Atrial Fibrillation. *Yoshio Ito, Kiyoshi Seki, and Eiichi Kimura* 538

Excitation of Afferent Cardiac Sympathetic Nerve Fibers Induced by Vagal Stimulation. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao*..... 548

Experimental Evaluation of Some Controversial Points Regarding the A-V Conduction Disturbances in the Clinical His Bundle Electrogram. *Kazumasa Hiejima and Fumio Suzuki*..... 564

Slowered Turnover of Norepinephrine in the Brain Associated with an Acute Elevation in Blood Pressure of Rats. *Akira Ito, Kenjiro Tanaka, and Teruo Omae* 575

Maximal Rate of the Left Ventricular Pressure Fall (Peak Negative dP/dt) in Early Stage of Myocardial Ischemia Following Experimental Coronary Occlusion. *Tan Watanabe, Fujio Shintani, Long-Tai Fu, and Kazuzo Kato*.. 583

Effects of Beta Blockers on Cardiac Function and Myocardial Oxygen Consumption in the Isolated Supported Heart Preparation of the Dog. *Seiji Kumakura and Takeshi Oshima*..... 592

Case Reports

Calcified Left Ventricular Aneurysm and Non-Atherosclerotic Myocardial Infarction in a Child. *Iraj Aryanpur, Farrokh Raafat, Mohammad Ameli, Mansour Tafazoli, and Rashid A. Massumi*..... 603

QT Prolongation and Syncopal Attacks. A Case of the Romano-Ward Syndrome. *Naoto Hanazono and Ryotaro Tanaka*..... 610

Wenckebach Periods Associated with High Grade Second Degree (2: 1 and 3: 1) A-V Block. *Koichi Izumi, Teizo Ito, and Satoshi Ohta*..... 620

Number 6, November

Correlation between Pulmonary Vascular Resistance and Pulmonary Arterial Diastolic Pressure in Congenital Heart Diseases with Left to Right Shunt. *Sunao Honda, Hiroshi Sunagawa, Hakaru Tasaki, Mizuo Hirose, and Junichiro Fukushige* 629

Persistent Atrial Standstill Due to Atrial Inexcitability. An Electrophysiological and Histological Study. *Hiromitsu Tanaka, Yoshihiko Atsuchi, Nobuyuki Tanaka, Seiji Nishi, Takuya Kanehisa, Sadao Tanaka, and Akira Taira* 639

Brain Circulation in Cerebral Transient Ischemic Attacks. *Masatoshi Fujishima, Kenjiro Tanaka, Koshiro Fukiyama, and Teruo Omae* 654

Blood Zinc Levels in Patients with Arteriosclerosis Obliterans, Thromboangiitis Obliterans and Takayasu's Disease. *Toshiyuki Atsumi and Fujio Numano* 664

Glucose Tolerance, Serum Insulin and Lipid Abnormalities in Patients with Coronary Heart Disease. *Shuji Inoue, Meisei Ohta, Tetsuji Iizuka, and Satoru Murao* 670

Study of Posterior Left Atrial Wall Motion by Echocardiography and Its Clinical Application. *Junichi Yoshikawa, Hiroshi Kato, Takane Owaki, and Kumeo Tanaka* 683

Magnetorheography; Calculation of Blood Flow from Surface Induced Potentials. *Osamu Okai and Masamitsu Oshima* 694

Effects of Verapamil on the Blood-Perfused, Isolated Atrium Preparation of the Dog Heart. *Shigetoshi Chiba* 709

Hemodynamics of Spontaneously Hypertensive Rats in Conscious State. *Yoshinobu Numao, Hiroyuki Suga, and Juro Iriuchijima* 719

Correlation of the Electrophysiological and Mechanical Changes in the Dog Heart during Digitalis Administration, and the Effect of Potassium on It. *Hideto Watanabe, Tsuneaki Sugimoto, and Jugoro Takeuchi* 731

Case Reports

Pheochromocytoma with Renal Artery Stenosis and High Plasma Renin Activity. *Miyuki Ishibashi, Akiteru Takeuchi, Shinji Yokoyama, Tohru Yamaji, Tsuneto Tsuchimochi, Toshiyuki Tanaka, Hiroshi Kurihara, and Masao Ikeda* 741

Rheumatic Valvulitis and Constrictive Pericarditis. Report of Case. *Iraj Aryanpur, Farrokh Raafat, and Fereydoun Zangeneh* 749

Vol. 17, 1976

Number 1, January

Elevated Plasma Renin Activity in Aortitis Syndrome. *Keishi Abe, Seiji Miyazaki, Takashi Kusaka, Nobuo Irokawa, Haruki Aoyagi, Yoichi Otsuka, Tetsuo Saito, and Kaoru Yoshinaga* 1

Hemodynamics of Hyperthyroidism. The Effects of Autonomic Nervous Blocking and Anti-Thyroid Drug Treatment. *Toshiro Funatsu* 12

A Clinicopathological Study on the Electrical Axis of the Heart in 1,000 Autopsy Cases. *Masaya Sugiura, Shinichiro Ohkawa, Keisuke Hiraoka, Iwao Kuwajima, and Keiji Ueda* 25

A Clinical Study of the Effect of Coenzyme Q on Congestive Heart Failure. *Taro Ishiyama, Yoshiharu Morita, Seiichi Toyama, Toru Yamagami, Nozomu Tsukamoto, Noboru Wada, Masaaki Ohkubo, and Yuichi Yamamura* 32

Prinzmetal's Angina Pectoris with Normal Coronary Arteriograms. *Naoto Hanazono, Hiromu Oda, Hisaichi Ishida, Tadashi Hata, Yoshio Katsube, Yuuhiko Yano, and Yoo Mizugaki* 43

Antiarrhythmic Effect of Hypertonic Sodium Bicarbonate and Sodium Chloride in Ouabain-Induced Arrhythmias. *Jami G. Shakibi, Iraj Aryanpur, Mansoureh Paydar, Fatemeh Reyhani, and Bijan Siassi* 54

Perinephritis Hypertension in Monkeys. I. An Increase of Plasma Renin Activity Associated with Increased Permeability of Retinal Vessels and Angionecrosis. *Toyoaki Okabayashi, Motoomi Nakamura, Akinobu Sumiyoshi, Yoshisuke Oka, Koshiro Fukiyama, and Hiroshi Ikui* 61

Differences in Chronotropic and Inotropic Responses of Canine Atrial Muscle and SA Node Pacemaker Activity to Adenosine and ACh. *Shigetoshi Chiba* 73

Hemodynamics of Experimentally Hypertensive Rats in Conscious and Anesthetized States. *Juro Iriuchijima, Yoshinobu Numao, and Hiroyuki Suga* 80

Effects of Allopurinol on Tissue Oxygen Tension of the Ischemic Myocardium. *Akira Furuse, Hiroshi Inoue, Akira Mizuno, and Masahiro Saigusa* 88

Effects of Pyridinolcarbamate on the Cardiovascular System of the Anesthetized Dog after Bilateral Cervical Vagotomy. *David Grandison, Robert S. Shepard, and Raymond L. Henry* 97

Echocardiographic Recognition of the Cardiac Mural Tumor. *Hitonobu Tomoike, Kenji Kawaguchi, Akira Takeshita, Tuneo Hirata, and Motoomi Nakamura* 106

An Autopsied Case of Eisenmenger Syndrome Complicated by Recurrent Thromboembolic Phenomena in Postpartal Period. *Yasunobu Nonaka, Masashi Mori, Yasuro Sugishita, Masao Ishii, Tadashi Koide, and Satoru Murao* .. 114

A Case of Acute Anterolateral Infarction Complicated with "Left Posterior Hemiblock" *Satoshi Ogawa, Mitsuru Kimura, Michio Okada, Takanori Ogino, and Kazuhiko Katayama* 123

Number 2, March

A 4-Year Survival Rate after Cardiac Pacing in A-V Block in the Heart Institute of Japan. *Masayoshi Yokoyama, Masahiro Endo, Moriei Sekiguchi, and Motokazu Hori* 133

The Significance of T-Loop Change in Frank's Lead Exercise Electrocardiography. *Masahiro Murayama, Kenichi Harumi, and Satoru Murao* 139

Genesis of the Third Heart Sound. Phonoechocardiographic Studies. *Tsuguya Sakamoto, Hirofumi Ichiyasu, Terumi Hayashi, Hitoshi Kawaratani, Keiko Amano, and Yoshiyuki Hada* 150

Echocardiography and Angiocardiography for Detection of Left Atrial Thrombus. *Akira Furuse, Akira Mizuno, Hiroshi Inoue, Naoki Furuta, Masahiro Saigusa, and Yukio Harada* 163

P Waves in Acute Myocardial Infarction. *Nariaki Kanemoto, Tetsushi Akizuki, Satoshi Ogawa, Fumitaka Oosuzu, and Yoshiro Nakamura* 172

The Construction Method of the QRS Loop in Myocardial Infarction. *Seiichi Toyama and Keiko Suzuki* 180

Influence of Heart Rate and Age on Q-Korotkoff Sound Intervals. *Kazuhiko Murata, Yoshiyuki Yoshitake, Noboru Baba, Hideaki Suga, Osamu Yamane, and Ryoichi Shigiya* 190

Correlative Changes in Total Vascular Capacity and Resistance in Carotid Sinus Reflex. *Hiroyuki Suga, Yoshinobu Numao, and Juro Iriuchijima* 196

Potassium-Induced Changes in the Electromechanical and ATPase Activity of Guinea Pig Heart. *Kailash Prasad* 211

Sympathetic Influence on Ventricular Compliance. *Bernell Coleman, Marva C. Worthen, Donald M. McCanon, John E. Kallal, and Aldo A. Luisada* 222

Pathological Studies of the Animals Replaced Totally with the Artificial Heart. Part I. Concerning Lungs, Natural Heart, and Brain. *Isamu Mano, Iwao Fujimasa, Kou Imachi, Tsuyoshi Nishisaka, Hisashi Ohmichi, Junichi Mori, Norishige Iwai, Kazuhiko Atsumi, Yasuhisa Sakurai, and Isamu Kino* 233

Spontaneous Electrical Activity Induced by Depolarizing Currents in Canine Ventricular Myocardium. A Preliminary Note. *Makoto Arita, Tetsunori Saikawa, and Yasuo Nagamoto* 246

Malignant Hypertension and Microangiopathic Hemolytic Anemia. *Yoichi Otsuka, Keishi Abe, Yukiko Sato, Tetsuo Saito, Nobuo Irokawa, Masamichi Ohtaki, Masatsugu Mikami, Takao Saito, Takashi Furuyama, and Kaoru Yoshinaga* 258

A Case of Aortic Atresia Associated with Right Aortic Arch. *Kazuo Abe, Nobuyoshi Ishikawa, and Yasuo Murakami* 265

A Case of Tumor Embolism of the Coronary Artery, Resulting in Myocardial Infarction and Cardiac Rupture. *Keisuke Hiraoka, Shinichiro Ohkawa, Keiji Ueda, Masaya Sugiura, and Hiroyuki Shimada* 269

Number 3, May

Echocardiographic Study on Hypertrophic Cardiomyopathy. *Hironori Toshima, Yoshinori Koga, Shunpo Uemura, Juzabu Zinnouchi, Noboru Kimura and Shigeo Nakakura* 275

Sinus Node Recovery Time and Abnormal Postpacing Phase in the Aged Patients with Sick Sinus Syndrome. *Takao Okimoto, Keiji Ueda, Chizuko Kamata, Hiromi Yoshida, Shin-ichiro Ohkawa, Keisuke Hiraoka, Iwao Kuwajima, Masaya Sugiura, Mototaka Murakami, and Hiroshi Matsuo* 290

True and False Left Anterior Hemiblock. Vectorcardiographic Study. *Seiichi Toyama, and Keiko Suzuki* 302

The Phase of Supernormal Excitation in Relation to the Strength of Subthreshold Stimuli. *Masayoshi Yokoyama* 315

Pathological Studies of the Animals Replaced Totally with the Artificial Heart. Part II. Concerning Liver, Gastrointestinal Tract, Kidney, and General Discussion. *Isamu Mano, Iwao Fujimasa, Kou Imachi, Tsuyoshi Nishisaka, Hisashi Ohmichi, Junichi Mori, Norishige Iwai, Kazuhiko Atsumi, Yasuhisa Sakurai, and Isamu Kino* 326

The Spontaneously Hypertensive Rat (11). Proceedings of XI Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat (SHR), September 27, 1975, Tokyo 338

Non-Infected False Aneurysm of the Ascending Aorta Eight Years After Aortic Valve Surgery. *Isao Sakashita, Yoshimi Takeuchi, Shin-ichi Otani, Shinei Kudo, Masahiko Washio, and Ken-ichi Asano* 422

Functionally Atrialized Parchment-Like Right Ventricle with Extensive Myocardial Fibrosis of Left Ventricle. *Kazuhiko Murata, Hideyo Matsuo, Yoshiyuki Yoshitake, Yoshiharu Ishizawa, Ryoichi Shigiya, and Koichi Okamoto* .. 428

Number 4, July

An Experience in Clinical Application of Real-Time Two-Dimensional Echocardiography. *Haruo Tomoda, Shinya Okabe, Shimei Kawada, Akira Shohtsu, and Hiroshi Sasamato* 437

Serum Dopamine-β-Hydroxylase in Cardiovascular Diseases. *Kouichi Ogawa, Noboru Yamazaki, and Tsutomu Watanabe* 445

Syphilis and Its Cardiovascular Complications in the Elderly. *Hiroshi Shibata, Toshihisa Matsuzaki, Keiko Shichida, Keisuke Hiraoka, and Masaya Sugiura* .. 452

Vectorcardiographic Findings in Friedreich's Ataxia. *C.S.So, P. Kolb, and H. Blömer* 459

Echocardiographic Measurement of Aortic Root Diameter. *Kotaro Furukawa, Junichi Yoshikawa, Kumeo Tanaka, Chujiro Tanaka, Seiki Kawai, Kazuhide Takeuchi, and Kenzo Shiota* 465

Severity of Coronary Sclerosis in the Aged. A Pathological Study in 968 Consecutive Autopsy Cases. *Masaya Sugiura, Keisuke Hiraoka, and Shinichiro Ohkawa* 471

Hypotensive Action and Increased Plasma Renin Activity by Ca^{2+} Antagonist (Nifedipine) in Hypertensive Patients. *Kyuzo Aoki, Tadashi Yoshida, Setsuko Kato, Kazuhiro Tazumi, Iwao Sato, Kiyoharu Takikawa, and Ken Hotta* 479
Influence of α- and β-Sympathetic Blockade on Hypoxic Sensitivity of the Coronaries. *Alexander Juhász-Nagy and Rudolph Urbanics* 485
Phasic Coronary Blood Flow Patterns as Related to the Balance between Oxygen Demand and Supply in the Myocardium. *Fujio Shintani, Tan Watanabe, and Kazuzo Kato* 491
Absence of Blocking Effect of Quinidine on Responses to Norepinephrine in the Isolated Dog Atrium. *Shigetoshi Chiba* 506
Reduction of the Hypoxia-Induced Depression in the Intracellular Electrical Activity of the Ventricular Muscle Fibers of the Rabbit Fed on Food Containing Crataegutt®. *Tomio Kanno, Toshihiro Suga, and Masao Yamamoto* .. 512
Renin and Nervous System. *Hideo Ueda* 521
Positive Feedback Hypothesis on Development of Essential Hypertension. *Hiroyuki Suga* 527
Coronary Artery Fistula Draining into Left Ventricle. Case Report and Review. *Hiroshige Muraki, Masao Sakai, and Zen'ichiro Uozumi* 531
Changes in P-R Interval Immediately Before, During, and After Acute Myocardial Infarction. *H.B. Calleja and Emmanuel T. Gatchalian* 540

Number 5, September

Effect of Steroid Hormone on Rheumatic Carditis. *Masahiko Okuni and Satoshi Fujikawa* 545
Some Problems in Long-Term Prevention of Streptococcal Infection Among Children With Rheumatic Heart Disease in Taiwan. *Hung-Chi Lue, Chiung-Lin Chen, and Huoyao Wei* 550
Outcomes of Children with Rheumatic Fever Not Diagnosed by Revised (1965) Jones Criteria. *Hung-Chi Lue, Chiung-Lin Chen, and Huoyao Wei* 560
Mitral Valve Replacement in Children and Adolescents with Rheumatic Heart Disease. *Stanley John, Susil Munsi, I. P. Sukumar, and George Cherian* 570
Antihyaluronidase Level in Children with Rheumatic Fever and Other Streptococcal Infection. *Nobuo Watanabe* 580
Group A Streptococcal Infections as Related to Rheumatic Fever. *Seiichi Kawakita, Tsune Takeuchi, Yoshio Uemura, Toyohiko Onishi, Koichi Sato, Hideo Nagami, Taketoshi Watanabe, and Tetsujiro Watanabe* 592
Effect of Diltiazem, a New Anti-Ca^{++} Agent, on Left Ventricular Function in Patients with and without Angina Pectoris. A Study Using Ultrasonic Analogue Conversion System. *Yasushi Uchida* 599
Giant T Wave Inversion as a Manifestation of Asymmetrical Apical Hypertrophy (AAH) of the Left Ventricle. Echocardiographic and Ultrasonocardiotomographic Study. *Tsuguya Sakamoto, Chuwa Tei, Masahiro Murayama, Hirofumi Ichiyasu, Yoshiyuki Hada, Terumi Hayashi, and Keiko Amano* 611
Detection of the Site and Extent of the Left Ventricular Asynergy in Myocardial Infarction by Echocardiography and B-Scan Imaging. *Junichi Fujii, Hiroshi Watanabe, and Kazuzo Kato* 630

Blood Fibrinolytic Activity and Fibrinoid Necrosis of Small Arteries in the Rats Treated with Renal Cortical Extract. *Kaoru Onoyama, Hideo Oniki, Tanenao Eto, and Teruo Omae* 649

Effects of Temperature on Norepinephrine-Induced Sinus Acceleration and Overdrive Suppression in the Isolated Dog Atrium. *Shigetoshi Chiba, Tony W. Simmons, and Matthew N. Levy* 656

Principle of Adaptation of Heart Size to Volume Load. A Theoretical Approach. *Hiroyuki Suga* 663

A Case of Rhabdomyoma in Infancy. *Hakaru Tasaki, Junichiro Fukushige, Sunao Honda, Ikuho Jinnai, Tasuo Takeda, and Hideo Masaki* 669

Aorticopulmonary Fistula. A Case of Successful Repair with Review of Literature Since 1943. *Isao Sakashita, Tadao Yokosawa, Chikara Suzuki, Masahiko Washio, and Ken-ichi Asano* 676

Atrial Dissociation. *Nobuharu Akatsuka, Toshiko Maekawa, and Masayasu Hiraoka* 685

Number 6, November

Differential Diagnosis of Pulmonic Stenosis by Means of Intracardiac Phonocardiography. *Tadashi Kambe, Tadayuki Kato, Norio Hibi, Yoichi Fukui, Takemi Arakawa, Kinya Nishimura, Hiroshi Tatematsu, Arata Miwa, Hisao Tada, and Nobuo Sakamoto* 691

Comparison of Pressure in Lesser Circulation with Left Ventricular Filling Pressure in Patients with Ischemic Heart Disease. *Pavel Jebavý, Jaromír Ressl, Juraj Fabián, and Růžena Jandová* 706

Tachycardia- and Bradycardia-Dependent Left Bundle Branch Block Associated with First Degree A-V Block. A Study Using His Bundle Electrogram During Carotid Sinus Compression. *Hiromitsu Tanaka, Kohji Nuruki, Yoshifumi Toyama, Hiromitsu Sasaki, and Takuya Kanehisa* 717

Simplified Vectorcardiographic Method for Assessment of Pulmonary Arterial Pressure in Children with Chronic Rheumatic Mitral Valve Disease. *Jami G. Shakibi, Iraj Aryanpur, Mansoureh Paydar, Ali Yazdanyar, and Bijan Siassi* 727

A Clinicopathological Study on the Sick Sinus Syndrome. *Masaya Sugiura, Shinichiro Ohkawa, Keisuke Hiraoka, Takao Okimoto, Keiji Ueda, Hiroyuki Shimada, Hiroshi Matsuo, and Ayako Toku* 731

Coronary Blood Flow and Lactate Metabolism during Isometric Handgrip Exercise in Heart Disease. *Ryo Katori, Kozui Miyazawa, Shigeaki Ikeda, Kunio Shirato, Itaru Muraguchi, and Takeo Hayashi* 742

Electrocardiographic Changes in Rats after Inhalation of Dichlorotetrafluoroethane, Arcton 114, $C_2Cl_2F_4$. *Zijad Durakovic, Luka Stilinovic, and Ivan Bakran, Jr.* 753

The Prolongation of QRS-Duration Resulting from Delayed Recovery of Ventricular Excitability. A New Mechanism for Intraventricular Conduction Disturbance. A Preliminary Note. *Yasuo Nagamoto, Makoto Arita, and Tetsunori Saikawa* 760

Role of the Kidney in the Development and Maintenance of Hypertension Caused by Renal Segmental Infarction in the Rat. *Kazuki Kawabe, Kumiko Shiono, Susumu Mizogami, and Hirofumi Sokabe* 768

A Case of Diffuse Endomyocardial Fibrosis of the Right Ventricle with Persistent Pericardial Effusion. *Sukenobu Ito, Morio Ito, Takehiko Fujino, Teruo Fukumoto, Syozo Kanaya, Hideo Yasuda, Atushi Sasaki, and Hiroto Mashiba*.... 774

Hemopericardium, Anticoagulation, and an Endocardial Pacemaker. A Case Report with Description of New Auscultatory and Radiographic Signs. *Takeshi Motomiya, Joseph Lindsay, Robert H. Patterson, and George A. Kelser, Jr.* 784

Successful Replacement of a Thrombosed Björk-Shiley Mitral Valve Prosthesis. *Itsuo Kato, Nobuyuki Kaihotsu, Tomonori Sugimoto, Yuzo Koide, Yoshikazu Sakaki, and Kazuyoshi Kurokami* 791

Echocardiographic Diagnosis of Prolapsing Right Atrial Myxoma. *Yoshihiko Atsuchi, Yasuo Nagai, Kenji Nakamura, Yukio Komatsu, Yoshiaki Osamura, Minoru Shibuya, and Koshichiro Hirosawa* 798

Vol. 18, 1977

Number 1, January

Sex and Age Differences of Normal P Loops in the Frank Lead Vectorcardiogram. *Mitsuhiro Yokota, Yoshitake Ishibe, Kazunobu Yamauchi, Hidehiko Tanimura, Yoshihiko Watanabe, Iwao Sotobata, and Shoji Yasui* 1

Echocardiogram Before and After Subtotal Thyroidectomy for Hyperthyroidism. *Kuniaki Otsuka, Takashi Yanaga, Shuzo Kudo, and Akito Noguchi* 17

Effects of Beta-Adrenergic Blocking Agents on the Blood Pressure, Plasma Renin Activity and Hemodynamics of Hypertensive Patients. *Masato Matsunaga, Akira Hara, Koichi Ogino, Seiichiro Motohara, Muneyasu Saito, Jin Yamamoto, and Chun Ho Pak* 24

Reappraisal of Jugular Phlebogram in the Diagnosis of Tricuspid Regurgitation. Relationship between Echocardiographic Interventricular Septal Motion and Jugular Phlebogram. *Junichi Yoshikawa, Kumeo Tanaka, Takane Owaki, and Hiroshi Kato* 31

Continuous Assessment of Left Ventricular Volume by Ultrasonic Analogue Conversion System. *Yasumi Uchida, Kiyoshi Inoue, Tadashi Koide, Yutaka Takabatake, and Akihito Kato* 43

A Clinicopathological Study on Cardiac Lesions in 64 Cases of Disseminated Intravascular Coagulation. *Masaya Sugiura, Keisuke Hiraoka, Shinichiro Ohkawa, Keiji Ueda, Tamotsu Matsuda, and Mototake Murakami* 57

Instantaneous Assessments of Left Ventricular Dimensions by Ultrasonic Analogue Conversion System. I. An Experimental Study. *Yasumi Uchida, Kiyoshi Inoue, and Nobuo Yoshimoto* 70

On the Function of the Aortic Valve and the Mechanism of the First and Second Sounds. *Aldo A. Luisada, Bernell Coleman, Don Wallick, and Pachalla K. Bhat* 81

Effects of Coronary Vasodilators on Large and Small Coronary Arteries of Dogs. *Keisuke Takeda, Yoshito Nakagawa, Yumi Katano, and Shoich Imai* 92

The Effect of Glucose Infusion on Myocardial Performance during Acute Hypoxia. *Gerald B.H. Lewis, and Kailash Prasad* 102

Responses of Plasma Renin to Sodium Load in Two Types of Experimental Renal Hypertension. *Jun Fujii, Akira Seki, Morio Kuramochi, and Toshiyuki Tanaka* 112

Cardiohemodynamic Effects of SK&F 24260, D 600, Diltiazem, Dilazep, and Trimetazidine in the Dog. *Yutaka Imai, Norio Himori, and Norio Taira* 120

Effects of ATP on Rb^{68} Clearance of the Various Organs in Rat. *Mikio Fujii, and Motoomi Nakamura* 132

Echocardiographic Detection of Pulmonic Valve Vegetation. *Yoshihiko Atsuchi, Kenji Nakamura, Yasuo Nagai, Yukio Komatsu, and Koshichiro Hirosawa* .. 138

Number 2, March

A Study on Sinoatrial Conduction in the Aged. *Keiji Ueda, Chizuko Kamata, Hiroshi Matsuo, Shinichiro Ohkawa, Takao Okimoto, and Masaya Sugiura*.... 143
A Clinicopathological Study on Mitral Ring Calcification. *Masaya Sugiura, Shuji Uchiyama, Kenji Kuwako, Shinichiro Ohkawa, Keisuke Hiraoka, and Keiji Ueda*..... 154
Prolongation of Q-I Interval in Atrial Septal Defect. *Morio Ito, Takehiko Fujino, Sukenobu Ito, Teruo Fukumoto, Shozo Kanaya, Hideo Yasuda, Motoharu Tetsuo, and Hiroto Mashiba* 164
Observer Variations in the Diagnosis of Stroke. WHO Collaborative Study on the Control of Stroke in the Community. *Shuichi Hatano*..... 171
A Clinicopathological Study on the Papillary Muscle Dysfunction. *Masaya Sugiura, Shinichiro Ohkawa, Chizuko Kamata, and Keiji Ueda*..... 178
Acute Reversible Myocardial Infarction after Blood Transfusion in the Aged. *Kizuku Kuramoto, Satoru Matsushita, and Mototaka Murakami*..... 191
A Method for the Estimation of Peak Serum LDH Activity Based on a Single Post-Peak Level after Acute Myocardial Infarction. *Masatsugu Hori, Sugao Fukui, Yoshihiro Nishimoto, Michitoshi Inoue, Hiroshi Abe, Takazo Minamino, Kazuhisa Kodama, and Nobuhisa Ohgitani*..... 202
Effects of Salmon Calcitonin on SA Nodal Pacemaker Activity and Contractility in Isolated, Blood-Perfused Atrial and Papillary Muscle Preparations of Dogs. *Shigetoshi Chiba and Norio Himori*..... 214
Positive Chronotropic and Negative Inotropic Actions of Vasopressin in Isolated Blood-Perfused Canine Atrium. *Shigetoshi Chiba*..... 221
Modified Magnetorheography. Measurement of Cardiac Output by a Catheter and an Externally Applied High Magnetic Field. *Osamu Okai and Motokazu Hori*..... 225
Electrophysiologic Effects of Diltiazem, a New Slow Channel Inhibitor, on Canine Cardiac Fibers. *Tetsunori Saikawa, Yasuo Nagamoto, and Makoto Arita*..... 235
Studies on the Coronary Circulation by a Simulation Method. *Muneyuki Horikawa, Masao Chino, Masando Takahashi, and Hideki Nagoshi*..... 246
Prolongation of Ventricular Action Potential Due to Sympathetic Stimulation. *Masahiro Murayama, Kenichi Harumi, Saburo Mashima, Katsuro Shimomura, and Satoru Murao*..... 259
Echocardiographic Demonstration of Anomalous Septum in Cor Triatriatum. *Yoshihiko Atsuchi, Yasuo Nagai, Yukio Komatsu, Kenji Nakamura, and Koshichiro Hirosawa*..... 266
Left Atrial Infarction with Saddle Embolism. *Hisayoshi Fujiwara, Hiroshi Saimyoji, Chuichi Kawai, Fumitada Hazama, and Hideyuki Haebara*..... 272

Number 3, May

A Controlled, Double-Blind Study of dl-Alpha-Tocopheryl Nicotinate (Juvela-

Nicotinate®) for Treatment of Symptoms in Hypertension and Cerebral Arteriosclerosis. *Kohzoh Iino, Ken Abe, Sumito Kariya, Hiroyuki Kimura, Tadashi Kusaba, Ryoji Kusunoki, Junichi Saku, Kuninori Soejima, Shigeo Nakakura, Isao Nakamura, Kazunori Nakamura, Yuhki Nakayama, Akimitsu Notomi, Masaakii Hamada, Tadashi Miyazaki, and Ichiroh Furukawa*..... 277

Electrophysiological and Histological Correlations in Two Cases of Complete Heart Block. *Shin-ichiro Ohkawa, Satoru Matsushita, Keiji Ueda, Hiroshi Matsuo, and Masaya Sugiura*..... 287

Echocardiogram of the Pulmonary Valve. Variability of the Pattern and the Related Technical Problems. *Yoshiyuki Hada, Tsuguya Sakamoto, Terumi Hayashi, Hirofumi Ichiyasu, Keiko Amano, Chuwa Tei, and Kazuaki Kato*..... 298

Effect of Postural Change on Plasma Renin Activity in Peripheral and Renal Veins in Hypertensive Patients with or without Renal Artery Stenosis. *Shinpei Morimoto, Kenzo Uchide, Ryoyu Takeda, and Takeshi Ueyama*..... 312

Observation on the Effect of Digitalis on Sinus Node Function by Recording of Twenty-four Hour Continuous Electrocardiogram. *Kuniaki Otsuka, and Takashi Yanaga*..... 322

Phono-, Echo-, and Electro-Cardiographic Correlation in the Wolff-Parkinson-White Syndrome, with Special Reference to the Split Pattern of Second Heart Sound. *Morio Ito, Takehiko Fujino, Shozo Kanaya, Sunao Imanishi, and Hiroto Mashiba*..... 329

Recording of the Fourth Heart Sound by the Signal Averaging Method. Preliminary Report. *Takashi Yanaga, Kuniaki Otsuka, Yoichi Hata, Nobutaka Kajimoto, Keiji Otsuka, Yoshiyuki Yoshitake, Masamitsu Yoshioka, and Fumihiro Ito*..... 340

Dopamine-β-Hydroxylase Activity After Acute Myocardial Infarction. *Kouichi Ogawa, Noboru Yamazaki, Yoshikazu Suzuki, and Hiromi Sassa*..... 348

A Correlative Study on the Changes of Cardiac Dynamics and Myocardial Energy Liberation in Blood-Let Dogs. *Yoshiharu Morita, Taro Ishiyama, YoshieHatanaka, Teiichi Ueno, Junichi Azuma, Takuji Tanimoto, Kyoko Ogura, Nozomu Tsukamoto, and Yuichi Yamamura*..... 357

Cardiac Function under Myocardial Ischemia. *Satoru Murao, Masaaki Kakihana, and Yasuro Sugishita*..... 366

Effects of Potassium Chloride on Isolated, Blood-Perfused Canine Atrial or Ventricular Muscle Preparations. *Shigetoshi Chiba*..... 379

Increase of Hematocrit in Experimental Renal Hypertension and Its Reversal. *Jun Fuji, Akira Seki, and Morio Kuramochi*..... 386

Effect of Propranolol on Blood Pressure and Plasma Renin Concentration in Renovascular Hypertensive Rats. *Chun Ho Pak, Masato Matsunaga, Jin Yamamoto, Jun Kira, Koichi Ogino, and Chuichi Kawai*..... 392

Pharmacologic Analysis of Stretch-Induced Sinus Acceleration of the Isolated Dog Atrium. *Shigetoshi Chiba*..... 398

Prognostic Profile of Fascicular Blocks in Myocardial Infarction. *Murlidhar S. Rao, and Jayant Antani*..... 406

International Cardiology. *J. F. Goodwin*..... 416

Number 4, July

Echocardiogram of Normal Pulmonary Valve. Physiological Data and Effect of Atrial Contraction on the Valve Motion. *Yoshiyuki Hada, Tsuguya Sakamoto, Terumi Hayashi, Hirofumi Ichiyasu, Keiko Amano, Chuwa Tei, and Kazuaki Kato* 421

Effects of Sustained Isometric Handgrip on Ventricular Systolic Time Intervals in Patients with Ischemic Heart Disease. Inotropic State of the Left Ventricle during Treatment with Perhexiline Maleate and with Propranolol. *Salvatore Caponnetto, Mario Iannetti, Carlo Pastorini, Maria Augusta Masperone, Paola Perugini, and Giovannangelo Oriani* 434

Precordial Mapping in Acute Myocardial Infarction. *R. B. Gulati, R. S. Wadia, R. A. Shaikh, P. M. Soares, and K. B. Grant* 447

Congenital Heart Disease in High School and College Students. *Hiroshi Shibata, Toshihisa Matsuzaki, Naoki Hayashi, Akira Morishima, and Toshihiko Seino* 457

Correlation between Areas of Ventricular Preexcitation and Types of WPW QRS Patterns by Means of Computer Simulation of Ventricular Activation Sequence. *Yoshihiro Koike* 462

Increased Permeability of Arteriolar Wall Caused by Renal Extract in Nephrectomized Rats. *Tanenao Eto, Hideo Oniki, Kaoru Onoyama, Teruo Omae, and Torao Yamamoto* 473

Clinical Evaluation on 5 Years' Experience of Automated Phonocardiographic Analysis. *Masashi Yokoi, Zen-ichiro Uozumi, Noboru Okamoto, Yoshiko Mizuno, Toru Iwatsuka, Haruo Takahashi, Yoshihiko Watanabe, and Shoji Yasui* 482

A Primary Role for Vasopressin in the Genesis of Essential Hypertensions. *W. J. Dempster* 491

The Spontaneously Hypertensive Rat (12). Proceedings of XII Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat (SHR), October 29, 30, 1976, Tochigi-ken 507

Number 5, September

The Study of the Third Heart Sound in Relation to the Left Ventricular Filling and Wall Movement by Echocardiography. *Keizo Furukawa, Tohru Matsuura, Naoto Endo, Masaru Tohara, Jun Asayama, Toshimitsu Watanabe, Haruo Matsukubo, and Hamao Ijichi* 611

Pulmonary Regurgitation Following Total Correction of Tetralogy of Fallot. *Akira Furuse, Akira Mizuno, Goki Shindo, Takaji Yamaguchi, and Masahiro Saigusa* 621

Optimal Size of Outflow Patch in Total Correction of Tetralogy of Fallot. *Akira Furuse, Akira Mizuno, Goki Shindo, Takaji Yamaguchi, and Masahiro Saigusa* 629

Systolic Time Intervals in Patients with Progressive Muscular Dystrophy of

the Duchenne Type. *Mitsuo Matsuda, Nobuharu Akatsuka, Tetsu Yamaguchi, Tadanori Saito, Hisako Takahashi, Kenichi Tomomatsu, Tsutomu Tamura, Tetsuo Furukawa, and Toshikazu Murakami* 638

Mechanism of Production of Midsystolic Click in a Prolapsed Mitral Valve. *Yoshio Terasawa, Motonao Tanaka, Kiyoshi Konno, Keiko Niita, Makoto Kashiwagi, Taiichiro Meguro, Hisaharu Hikichi, Satoru Watanabe, Hisanao Takeda, Toshiaki Ebina, Shigemi Kosaka, and Makoto Takamiya* 652

Correction of Distortions of Pressure Waves Obtained with Catheter-Manometer Systems. *Yoshiro Futamura* 664

Changes in Hemodynamics and Bradykinin Concentration in Coronary Sinus Blood in Experimental Coronary Artery Occlusion. *Keiichi Hashimoto, Masaru Hirose, Soichi Furukawa, Hirokazu Hayakawa, and Eiichi Kimura* 679

A Morphometric Study of the Aortomitral Valve Apparatus in the Embryonic and Adult Chicken Heart. Implications on the Developmental Hypotheses of the Transposition of the Great Arteries. *Jami G. Shakibi, F. Reyhani, Bijan Siassi, Iraj Aryanpur, M. Paydar, and A. Yazdanyar* 690

Analysis of the Heart Antigens. Homologous and Heterologous Anti-Heart Antibodies and Analysis of the Heart Specific Antigens. *Shinji Fukuta, Toru Yamamoto, Yoshio Kimura, Setsuko Iwamoto, and Junichi Mise* 696

Gel Electrophoretic Analysis of Structural Proteins of the Normal Canine and Human Hearts. *Takashi Katagiri* 705

Changes of Cardiac Structural Proteins in Myocardial Infarction. *Takashi Katagiri* 711

Peri-Ureteric Collateral Vessels in Rabbits with Experimental Renal Hypertension. *Jun Fujii, Akira Seki, and Toshiyuki Tanaka* 722

Behavior of Asynergic Ventricle. *Yoshiro Nakamura, Masando Takahashi, and Shigehiko Hattori* 729

Supperession of Repeatedly Occurring Ventricular Fibrillation with Nifedipine in Variant Form of Angina Pectoris. *Eiichi Kimura, Keiji Tanaka, Kyoichi Mizuno, Yuichiro Honda, and Hidehiro Hashimoto* 736

Number 6, November

Real Time Observation of the Echo Source of Systolic Hump in Hypertrophic Obstructive Cardiomyopathy with High Speed Ultrasono-Caediotomography. *Tadashi Kambe, Norio Hibi, Kinya Nishimura, Toshinori Sakakibara, Tadayuki Kato, Takemi Arakawa, Yoichi Fukui, Arata Miwa, Hisao Tada, Nobuo Sakamoto, and Kohzo Hisanaga* 743

Significance of Echocardiographic Evaluation on Surgery to Mitral Stenosis. *Toshihide Shu, Tsuneko Kasahara, Masao Kabasawa, Shigeo Kamata, Hironori Satoh, Kohji Tamura, Yoshihiko Yamazaki, Yoshitomo Satoh, and Kenichi Asano* .. 751

Clinical, Electrocardiographic, and Radiological Evaluation of Pulmonary Hypertension in Patients with Mitral Stenosis. *Zainul Abedin, P. S. Bidwai, and H. N. Khattri* 765

An Analysis of Wenckebach Periodicity during Atrial Pacing. *Michio Okada* .. 777

Clinical Study on the Acoustic Phenomena in Coronary Venous System with Intracardiac Phonocardiography. *Tadashi Kambe, Hisao Tada, Arata Miwa, Kinya Nishimura, Takemi Arakawa, Yoichi Fukui, Norio Hibi, Tadayuki Kato, Toshinori Sakakibara, Shohachi Suzuki, and Nobuo Sakamoto* 789

Clinical and Electrophysiologic Studies on the Wolff-Parkinson-White Syndrome in Aged Cases. *Keiji Ueda, Koei Kitano, Junichiro Mifune, Shinichiro Ohkawa, Masaya Sugiura, Chizuko Kamata, Hiroshi Matsuo, and Takao Okimoto* 798

Small Cardiac Lesions. Fibrosis of Papillary Muscles and Focal Cardiac Myocytolysis. *Arthur Steer, Teruyuki Nakashima, Taketsugu Kawashima, Kelvin K. Lee, Michael D. Danzig, Thomas L. Robertson, and Donald S. Dock* 812

Cardiovascular Function in Experimental Chronic Mitral Insufficiency in Dogs. *Kailash Prasad, Jagdish C. Khatter, and Baikunth Bharadwaj* 823

Effects of Selective Coronary Hypotension on Regional Myocardial Blood Flow of Dog Papillary Muscle. *Hitonobu Tomoike, Motoomi Nakamura, Yoshiaki Nose, and Akio Kuroiwa* 841

Membrane Current Changes Induced by Acetylstrophanthidin in Cardiac Purkinje Fibers. *Masayasu Hiraoka* 851

Activation of Electrogenic Na^+ Pump by Epinephrine in Bullfrog Atrium. *Takashi Akasu, Yhukou Ohta, and Kyozo Koketsu* 860

Importance of the Location of Myocardial Infarction and Ventricular Aneurysm on Left Ventricular Function. *Katsuo Ozawa* 867

The Plain Chest Film as an Unreliable Method to Determine Left Ventricular Size. *F. J. ten Cate, W. B. Vletter, M. B. van de Brand, and J. Roelandt* 878

Echocardiogram in Pulsus Paradoxus. Respiration Dependent Cyclic Changes in Mitral and Aortic Valve Motion: A Case Report. *Tsuguya Sakamoto, Chuwa Tei, Terumi Hayashi, Hirofumi Ichiyasu, Keiko Amano, Yoshiyuki Hada, and Tsuyoshi Serizawa* 883

Vol. 19, 1978

Number 1, January

Pathology of Chronic Rheumatic Mitral Valvulitis in Iran and Its Surgical Implications. *Iraj H. Nazarian, and Iraj Aryanpur* 1
Interpretation of the Body Surface Isopotential Maps of Patients with Right Bundle Branch Block. Determination of the Region of the Delayed Activation within the Right Ventricle. *Junichi Sugenoya* 12
Body Surface Isopotential Maps. Clinical Application to the Diagnosis of Myocardial Infarction. *Kazuo Yamada, Junji Toyama, Junichi Sugenoya, Masatoshi Wada, and Satoru Sugiyama* 28
Ultrasonic Features of Anomalous Origin of the Left Coronary Artery from the Pulmonary Artery. *Junichi Yoshikawa, Takane Owaki, Hiroshi Kato, Koji Yanagihara, Yoshihiro Takagi, and Fukumaru Okumachi* 46
Echocardiographic Features of Congenital Pulmonary Regurgitation. *Junichi Yoshikawa, Kiyoshi Yoshida, Takane Owaki, Hiroshi Kato, Koji Yanagihara, Yoshihiro Takagi, Fukumaru Okumachi, and Kunizo Baba* 58
Role of Autonomic and Non-Autonomic Circulatory Components in Borderline Hypertension in Young Men. *Senichi Tanaka, Akira Takeshita, Hitonobu Tomoike, and Motoomi Nakamura* 66
Clinical Evaluation of Left Ventricular Myocardial Stiffness. *Haruo Tomoda*... 74
Maximum Tolerable Afterload and Afterload Reserve for the Evaluation of Ventricular Performance. *Kozo Suma, and Takayuki Tsuji* 84
Sodium Excretion in Volume-Expanded Dogs. I. Comparison of the Effects of Physiological Saline and 5% Glucose Solution. *Masahito Nagasaka, Katsunori Honda, Takashi Kinouchi, and Kazumichi Nakamura*..... 94
Comparison of Myocardial and Adipose Tissue Lipase Activity in the Rat. *Satoshi Takeo, and Fumio Takenaka* 103
Effect of 2-Nicotinamidethyl Nitrate (SG 75) on Coronary Circulation. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao* 112
Comparative Regional and Subcellular Distributions of Histamine and Norepinephrine in the Hearts of Rats, Mice, Guinea Pigs, Rabbits, and Dogs. *Stewart C. Harvey* 125
Electrophysiologic Effects of Propranolol on the Human Heart. *K. Prasad, A. Kamiyama, and F. Inoue*..... 136
An Accelerated Hypertension with Neither Malignant Nephrosclerosis Nor Elevation of Plasma Renin Activity. *Munehito Ideishi, Masahide Takii, Tadayuki Hiroki, and Kikuo Arakawa*..... 151
False Inhibition of a Demand Pacemaker by Inactive Myocardial Electrodes. *Masayoshi Yokoyama, Motokazu Hori, Hisae Hayashi, and Yoshiaki Saito*..... 159
Quantitative Angiocardiographic Recognition of Atypical Form of Tetralogy of Fallot with Absent Pulmonic Valve. *Ali Yazdanyar, Mohammad H. Safavian, Iraj Nazarian, and Jami G. Shakibi* 167

Number 2, March

Ultrasono-cardiographic Diagnosis of the Prolapsed Mitral Valve. *Yoshio Terasawa, Motonao Tanaka, Shigemi Kosaka, Kiyoshi Konno, Keiko Nitta, Makoto Kashiwagi, Taiichiro Meguro, Hisaharu Hikichi, Satoru Watanabe, Hisanao Takeda, Toshiaki Ebina, and Makoto Takamiya*..... 175

Isometric Contraction and Relaxation Times of Right and Left Ventricles in Normal Subjects and in Patients with Right Ventricular Overloading Measured with Bidirectional Echocardiography. *Morio Ito, Takehiko Fujino, Emiko Kurata, Shozo Kanaya, Masanori Fujino, Sunao Imanishi, Hideo Yasuda, and Teruki Ueno*..... 193

Quantitative Relationship between Serum Ca and Inorganic Phosphate Concentrations in Uremic Patients. *Masahito Nagasaka, Katsunori Honda, and Takashi Kinouchi*..... 204

Effects of Kö 1366 on the Hemodynamics of the Normotensive and Hypertensive Elderly Subjects. *Fujio Terasawa, Takaomi Suzuki, Hon Ying Lie, Masuji Seki, and Masao Ikeda* 212

The Effects of Infusion of Calcium and Magnesium Ions on the Cardiovascular System in Man. *Kiyoo Mori* 226

Studies on a Dyslipoproteinemia in Hemodialysis Patients. *Youji Handa*..... 236

Noninvasive Assessment of Aorta-Coronary Sphenous Vein Bypass Graft Patency Using Thermocouple. *Yoshinori Tanimoto, Toshio Watanabe, Masahiro Endo, and Hisae Hayashi* 252

Effects of Cardioactive Substances on the Post-stimulation Potentiation of Contractility in the Isolated Dog Atrium. *Shigetoshi Chiba, Yasuyuki Furukawa, and Miyoharu Kobayashi* 263

Hydraulic and Hemodynamic Studies on the Blood Flow through the Cardiovascular System. *Hideomi Fujiwara, Koichi Taniguchi, Tomohiro Iizumi, Akihiro Niwa, Takashi Yamada, and Jugoro Takeuchi*..... 271

Prostaglandin E_2 and Epinephrine Participate in Cyclical Reduction of Coronary Blood Pressure and Flow. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao* 281

Intra-Aortic Oxygen Distribution during Veno-Arterial Bypass (VAB) without Oxygenation in Circulatory Assist. *Shinichi Takamoto, Ryozo Omoto, Yasuhiko Wanibuchi, Yuji Yokote, Sosuke Kimura, Shunei Kyo, Shoichi Furuta, Goro Ohya, Noriaki Ono, and Tskashi Kano* 297

Renovascular Hypertension Due to Buerger's Disease. *Tomoko Gomi, Takao Ikeda, and Mikio Yahara*..... 308

Number 3, May

The Relationship between Spaital Velocity and Magnitude Electrocardiograms. *Masaya Takeuchi, Naoki Hayashi, and Toshikatsu Sada* 315

Clinical Evaluation of a New Anticoagulant Therapy in Prosthetic Valve Replacement. *Isao Sakashita, Shinichi Ohtani, Chiharu Nakamura, and Masahiko Washio*..... 324

A 17-year Follow-up Study of a Family with Idiopathic Hypertrophic Cardiomyopathy and WPW Syndrome. *Shigenori Morooka, Akihito Kato, Satoru Murao, and Hirofumi Ohsuzu* 332
Association of Atrioventricular Valve Atresia with Single Ventricle, Truncus Arteriosus Communis and Transposition. A Basic Reorientation in the Apporoach to the Definition of Congenital Heart Defects. *Jami G. Shakibi, Iraj Aryanpur, Iraj Nazarian, and Bijan Siassi* 346
Aortoarteritis and Cardiomyopathy. A Heretofore Undescribed Association. *P. Chopra, V. Singhal, and N.C. Nayak* 358
The Effect of Penicillamine on Serum Digoxin Levels. *Bahram Moezzi, Vahab Fatourechi, Roholah Khozain, and Bahram Eslami*..... 366
Pathological Study of Myocardial Infaction and Coronary Atherosclerosis in Lung Cancer. *Hisayoshi Fujiwara, Chuichi Kawai, and Yoshihiro Hamashima* 371
Metabolic Effects of Glucose-Insulin-Potassium in the Ischemic Myocardium. *Takashi Haneda, William Ganz, Michael H. Burnam, and Joseph Katz*..... 376
A Preliminary Study in the Detection of Cardiac Disorders via Phase-Invariant Signature Algorithm of ECG. *K. Prasad, M. M. Gupta, and B. L. Graham* 383
Experimental Studies and Clinical Report on the Electrical Alternans of ST Segment during Myocardial Ischemia. *Mitsuyoshi Nakashima, Hisakuni Hashimoto, Mitsutaka Kanamaru, Teruo Nagaya, Makoto Hashizume, and Hiroshi Oishi* 396
Effects of Optical Isomers of Verapamil on SA Nodal Pacemaker Activity and Contractility of the Isolated Dog Heart. *Shigetoshi Chiba, Miyoharu Kobayashi, and Yasuyuki Furukawa*..... 409
Changes in Ventricular Recovery Properties During and After Temporary Coronary Artery Occlusion. *Kay Millar, Mary Jo Burgess, Kenichi Harumi, Masahiro Murayama, and J.A. Abildskov* 415
Renal-Adrenal Inter-Relationships. *W. J. Dempster* 426
A Case Showing Atrial Dissociation and Other Various Kinds of Arrhythmias. *Shigeru Kawagoe, Keiichi Hashimoto, Hirokazu Hayakawa, and Eiichi Kimura*... 434
Isolated Unilateral Absence of the Pulmonary Artery. Review of the World Literature and Guidelines for Surgical Repair. *Jami G. Shakibi, Houshang Rastan, Iraj Nazarian, Mansoureh Paydar, Iraj Aryanpour, and Bijan Siassi*..... 439

Number 4, July

A Study on the Effects of Nifedipine in Hypertensive Crises and Severe Hypertension. *Iwao Kuwajima, Keiji Ueda, Chizuko Kamata, Satoru Matsushita, Kizuku Kuramoto, Mototaka Murakami, and Yoshiyuki Hada* 455
Urinary Excretion of Catecholamines and Their Metabolites in Patients with Renovascular Hypertension. *Wodzimierz Januszewicz, and Bozenna Wocial* 568
Two Varieties of the Onset of Atrial Fibrillation Studied by Monophasic Action Potential Recording. *Simion Cotoi, Emilian Carasca, Constantin Georgescu, and Piroska Lázár* 479
Apex-Carotis Diagram as Related to Systolic and Diastolic Time Intervals in Mitral Valve Prolapse Syndrome. *Nikolai S. Kolev* 485
Electrographic Changes Associated with Cyclical Reduction of Coronary Blood

Flow. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao* 493
A Correlative Study on Electrophysiologic, Hemodynamic and Metabolic Changes of the Canine Heart in Experimental Pulmonary Embolism. *Yoshie Hatanaka, Taro Ishiyama, Yoshiharu Morita, Teiichi Ueno, Jun-ichi Azuma, Takuji Tanimoto, Kyoko Ogura, Nozomu Tsukamoto, and Yuichi Yamamura* 505
The Effect of Alcohol on Active and Passive Stiffness, and on Isometric Contractions of Glycerinated Heart Muscle in Rats. *Yukio Maruyama, Richard J. Bing, J.S.M. Sarma, and Ronald Weishaar* 513
Tissue Edema and Arterial Lesions Produced by Pure Submaxillary Gland Renin of Mouse. *Kaoru Onoyama, Teruo Omae, and Tadashi Inagami* 522
Constrictive Percarditis with Atrial Septal Defect in Children. *Kensuke Harada, Ichiro Seki, and Masahiko Okuni* 531
Three Cases of Sinoatrial Block Induced by Anticonvulsants. *Hiroshi Inoue, Kan Takayanagi, Keiji Ueda, Junichiro Mifune, Shinichiro Ohkawa, and Masaya Sugiura* 544
The Spontaneously Hypertensive Rat (13). Proceedings of XIII Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat (SHR). October 29, 30, 1977, Ehime-ken 552

Number 5, September

Controlled Trials of Cardiac Surgery. Responsibility of Journal Editors and Reviewers. *David H. Spodick* 675
Snoatrial Response to Premature Atrial Stimulation during Atrial Pacing in Aged Patients with and without Sinus Node Dysfunction. *Keiji Ueda, Kan Takayanagi, Hiroshi Matsuo, Takao Okimoto, Junichiro Mifune, Shinichiro Ohkawa, Chizuko Kamata, and Masaya Sugiura* 677
Precordial ST-Segment Changes and Serum Enzyme Levels in Acute Myocardial Infarction. *A. K. Abdullah, A.A. Mohsini, M. Ahmad, and M.A. Siddiqui* 687
Echocardiographic Evaluation of Left Ventricular Filling in Mitral Stenosis. Role of Atrial Contraction. *Tetsu Yamaguchi, Mitsuo Matsuda, Toru Umeda, and Kiyoshi Machii* 698
Effect of Amyl Nitrite Inhalation on the Abnoraml T Loop of Vectorcardiogram. *Toshiyuki Tanaka, Akira Seki, and Jun Fujii* 712
Dynamic Echoventriculography. Noninvasive Assessment of Effects of Nitroglycerin, Phenylephrine, Isoproterenol, and Propranolol on the Human Cardiovascular System. *Yuzo Hirota, Michihiro Suwa, Kenjiro Hori, and Tadasu Takatsu* 719
Correlation between Systolic Time Intervals and Roentgen Findings in Normal Subjects and Cardiopathic Patients. *Giuseppe Ferro, Massimo Chiariello, Bruno Trimarco, Franco Perticone, Lorenzo de Caprio, Bruno Ricciardelli, and Franco Rengo* 732
Role of Renin-Angiotensin System in the Controls of Blood Pressure and Aldosterone in Patients with Cirrhosis and Ascites. *Ikuo Saito, Takao Saruta, Toyohisa Eguchi, Ryuichi Nakamura, Kazuoki Kondo, Shigeru Iyori, and*

Eiichi Kato 741
An Observation of Thromboxane A_2 in Arterial Blood after Cholesterol Feeding in Rabbits. *Takio Shimamoto, Masahiko Kobayashi, Takeo Takahashi, Yoshimi Takashima, Mitsugu Sakamoto, and Shigenori Morooka*..... 748
The Effect of Thyroxine on (Na^+, K^+)-ATPase from the Heart and the Kidney of Rabbit. *Kazuyuki Shimada, and Yoshio Yazaki*..... 754
Hypotensive and Vascular Effects of Labetalol in the Normotensive Rat and Dog. *Keitaro Hashimoto, Toyozo Hashimoto, Hiromi Iizuka, Tokumasa Tsukada, Hiroto Matsuda, and Shoichi Imai* 762
Direct Recording of Cardiac Output- and Venous Return-Curves in the Dog Heart-Lung Preparation for a Graphical Analysis of the Effects of Cardioactive Drugs. *Naohisa Ishikawa, Kazumi Taki, Yasuo Hojo, Yasumichi Hagino, and Tatsuro Shigei*..... 775
Some Frontiers in Comparative Studies of the Renin-Angiotensin System. *Hirofumi Sokabe, Peter K.T. Pang, and Aubrey Gorbman*..... 783
Occurrence of the Renin-Angiotensin System in the Vertebrates. *Mizuho Ogawa, and Mikio Oguri*..... 791
Comparative Biochemistry of Renins and Angiotensins in the Vertebrates. *Terumi Nakajima, Mahesh C. Khosla, and Shumpei Sakakibara*..... 799
Physiological Evolution of the Renin-Angiotensin System. *Hiroko Nishimura*... 806
Congenital Aortic Regurgitation Observed in a Thalidomide-Deformed Child. *Joji Ando, Takeshi Kobayashi, Ryuya Sato, and Hisakazu Yasuda*..... 823

Nnmber 6, November

Surveillance and Follow-up of Patients with Implanted Cardiac Pacemaker by Telephone Transmission. *Takeo Sakurai, Shuichi Tokutsu, Osamu Nishimura, Yutaka Tagami, Motoyuki Takimoto, Hisao Ohta, Yoshiyuki Yamaoka, Kazuo Okada, Yoshio Suzuki, Hideki Yokoi, Katsumi Enomoto, Naniwa Okada, Hirotomi Tanaka, M.S., and Keiji Murakami* 829
A Study on the Irregularity of the Sequence of R-R Intervals in Chronic Atrial Fibrillation in Man Based on the Time Series Analysis and the Information Theory. *Etsu Hashida, Naohiro Yoshitani, and Takenobu Tasaki* 839
Sodium Metabolism in Essential Hypertension. Natriuretic Response to Acute Hypertonic Saline Load. *Shin-ichiro Kubo, Akinori Nishioka, and Tadasu Takatsu* 852
Effects of Beta-Adrenergic Blocking Drug Pindolol (LB46) on Cardiac Fibers in Relation to Its Membrane Effects. *Takeshi Shimizu, Nobuyuki Iwamura, Itsuo Kodama, Junji Toyama, and Kazuo Yamada*..... 865
Direct Positive Chronotropic and Inotropic Effects of Ouabain in the Isolated and Blood-Perfused Canine Atrium. *Shigetoshi Chiba, Yasuyuki Furukawa, and Miyoharu Kobayashi* 877
Influence on Blood Pressure of Renal Isografts between Spontaneously Hypertensive and Normotensive Rats, Utilizing the F_1 Hybrids. *Kazuki Kawabe, Takushi X. Watanabe, Kumiko Shiono, and Hirofumi Sokabe* 886
Increased Vascular Permeability of Developing Collateral Arteries after Femoral Artery Ligation in Rabbits. *Akira Seki, Toshiyuki Tanaka, Shoichi Tomono,*

and Jun Fujii 895
Effects of Anti-Anginal Agents on Cyclical Reductions of Coronary Blood Flow. *Yasumi Uchida, Nobuo Yoshimoto, and Satoru Murao* 904
Effect of Verapamil on the Transmural Energy Metabolism in the Isoproterenol-induced Myocardial Lesion. *Makie Higuchi, and Fumio Takenaka*... 913
Change of P-Q Intervals of the Electrocardiogram in the Rat Hearts Sensitized with the Killed Group A Streptococci. *Akimitsu Kamiyama, Tateo Iwaku, Ichiro Tadokoro, and Hideki Gotoh*..... 918
Comprarative Vasodilator Effects of Nitroprusside, Phentolamine, and Nitroglycerin on Hemodynamics, Regional Myocardial Function and Epicardial Electrogram in Dogs with Acute Myocardial Ischemia. *Daiji Saito, Minoru Ueda, Hidenori Yoshida, Yasuhiro Ogino, Nobuhiko Yoshioka, Shunichi Kusuhara, and Shoichi Haraoka*..... 926
Hemodynamic Effects of the Concomitant Use of Intra-Aortic Balloon Pumping and Venoarterial Bypass without Oxygenation in Cardiogenic Shock. *Shinichi Takamoto, Ryozo Omoto, Yasuhiko Wanibuchi, Yuji Yokote, Sosuke Kimura, Shunei Kyo, Shoichi Furuta, Goro Oya, Noriaki Ono, and Takashi Kano* 938
Primary Aldosteronism Aggravated during Peripartum Period. *Wataru Aoi, Yutaka Doi, Shinsuke Tasaki, Takao Mitsuoka, Shin Suzuki, and Kunitake Hashiba* 946
Ruptured Sinus of Valsalva Aneurysm into the Left Ventricle. *Shigeo Yoshida, Mitsuhiro Togashi, Akihiro Chida, and Mitsuo Miyahara*..... 954

Vol. 20, 1979

Number 1, January

The Echocardiogram after Pericardiectomy. *Bahram Eslami, David Roitman, Robert B. Karp, and L. Thomas Sheffield* 1
Surface Potential Distribution on the Human Thoracic Surface in Left Bundle Branch Block. *István Préda, István Bukosza, György Kozmann, Vsevolod V. Shakin, Adám Székely, and Zoltán Antalóczy* 7
Systolic Time Intervals in Progressive Muscular Dystrophy. *Shuzo Matsuo, Yasuhiko Oku, Reiko Oshibuchi, and Kunitake Hashiba* 23
Treatment of Acute Left-Sided Heart Failure with Intramuscular Injection of Chlorpromazine. *Junichiro Mifune, Kizuku Kuramoto, Keiji Ueda, Satoru Matsushita, Iwao Kuwajima, Makoto Sakai, Tsutomu Iwasaki, Hiroshi Inoue, Tatsuo Shinagawa, and Mototaka Murakami* 33
Morphological Findings in Ebstein's Anomaly. *Eduardo Otero Coto, Manuel Quero Jimenez, Phillip B. Deverall, and A. Camanas* 43
The Anatomic Correlate of Ventricular Dysfunction in Tetralogy of Fallot. *Jami G. Shakibi, Iraj Aryanpur, and Iraj Nazarian* 53
Importance of Heart Weight, Weights of Cardiac Ventricles and Left Ventricle Plus Septum / Right Ventricle Ratio in Assessing Cardiac Hypertrophy. *S.K. Dadgar, and S.P. Tyagi* 63
Inhibition of Constrictor Responses of Dog Coronary Artery by Atropine. A Possible Effectiveness of Atropine on Variant Form of Angina Pectoris. *Matao Sakanashi, Terutsugi Furukawa, and Yutaka Horio* 75
Effect of Diltiazem on Coronary Hemodynamics and Its Clinical Significance. *Yoshimasa Yabe, Hiroyuki Abe, Shozo Yoshimura, Akiji Tsuzuku, Motoharu Hasegawa, Yoshihiro Kashiwakura, Chikao Arai, Takeshi Kawasaki, and Masatake Abe* 83
Noninvasive Diagnosis of Pseudoaneurysm of the Left Ventricle. *Irfan Sabah, Junichi Yoshikawa, Hiroshi Kato, Takane Owaki, Koji Yanagihara, Fukumaru Okumachi, and Yoshihiro Takagi* 95

Number 2, March

The Estimation of Heart Weight from Routine Chest X-ray Films. *Koichi Nagasawa, Eiichi Kimura, and Chikio Hayashi* 105
Midventricular Obstruction. *Bahram Eslami, Iraj Aryanpur, Mohammad J. Tabaeezadeh, Massood Alipour, Iraj Nazarian, and Jami G. Shakibi* 117
Cross-sectional and M-mode Echocardiographic Study on Ventricular Septal Defect. *Norio Hibi, and Tadashi Kambe* 127
Electrophysiologic Study and Prognosis of Chronic Bifascicular Block. *Hiroshi Inoue, Keiji Ueda, Shin-ichiro Ohkawa, Chizuko Kamata, Jun-ichiro Mifune, Masaya Sugiura, and Hiroshi Matsuo* 141
Change in Plasma Renin Substrate Level after the Intravenous Furosemide Ad-

ministration. *Yoshihiro Kato, Masaharu Ikeda, Teruo Sakai, and Kikuo Arakawa* 153
The Effect of Phenoxybenzamine on the Pulmonary Vascular Bed in Surgically Corrected Ventricular Septal Defect Associated with Pulmonary Hypersion. *Kyoichi Ogawa, Tetsuo Yamamoto, Sakae Asada, Seizo Iwai, Akira Toriyama, Kazuhiko Horikoshi, Masahiro Yamaguchi, and Ken Kimura* 157
A Clinicopathological Study on 25 Cases of Complete Left Bundle Branch Block. *Masaya Sugiura, Keisuke Hiraoka, Shin-ichiro Ohkawa, Keiji Ueda, and Ayako Toku* 163
Concentration of Myocardial Cyclic AMP and Ventricular Fibrillation Induced by Aminophylline. *Masahiko Sugiura, Kouichi Ogawa, and Noboru Yamazaki* 177
Effects of Nerve Stimulation and Drugs on the Release of Histamine and Norepinephrine from the Isolated Heart. *Stewart C. Harvey* 183
The Effects of Angiotensin II and Indomethacin on the Pulmonary Arterial Prostaglandin E Levels and Pulmonary Circulation in Dogs. *Takayuki Ito, and Kouichi Ogawa* 195
Effect of Graded Coronary Constriction on the Flow Reserve in Regional Myocardium in Dog. *Shoichi Haraoka, Daiji Saito, Shozo Kusachi, Taiji Sogo, Nobuyuki Yamada, Osamu Nishiyama, and Koichiro Yasuhara* 207
Absence of Acute Cardiac Effect of Triiodothyronine in Isolated, Blood-perfused Canine Atrium. *Miyoharu Kobayashi, Yasuyuki Furukawa, and Shigetoshi Chiba* 219
Two Cases of Rubella Infection with Cardiac Involvement. *Toshifumi Fujimoto, Chigusa Katoh, Hirokazu Hayakawa, Mannosuke Yokota, and Eiichi Kimura*.... 227

Number 3, May

The Natural History of Rheumatic Fever and Rheumatic Heart Disease in the Orient. *Hung-Chi Lue, Chiung-Lin Chen, Huoyao Wei, Masahiko Okuni, Luis M. Mabilangan, Duangsuda Dharmasakti, and A. Hanafiah* 237
Hemodynamic Effects of Pentazocine in Acute Myocardial Infarction. *Gerd Rettig, Hans-Dieter Hufnagl, Gerd Fröhlig, Hermann Schieffer, and Ludwig Bette*.. 253
The Effect of Propranolol on Left Ventricular Function at Rest and during Exercise in Patients with Ischemic Heart Disease. *P. Jebavý, J. Ressl, and R. Jandová* 261
Electrophysiologic Effects of Lidocaine in Children. *Jami G. Shakibi, and Iraj Aryanpur* 271
Echo- and Phonocardiographic Studies in Patients with Lillehei-Kaster Aortic Valve Prostheses. *Suman Vardan, Robert Warner, Sakti Mookherjee, Mary Mead, and Anis I. Obeid* 277
Technique of Echographic Examination of Right Ventricular Wall Thickness from the Right Sternal Border. *Sonia Chang, Susan Roberts, John K. Chang, Martha Kleinberg, and Ramon Rodriquez-Torres* 289
Reflex Vasoconstriction to a Cold Stimulus for Non-Invasive Evaluation of Neurovascular Function in Man. *Yoshifusa Aizawa, Akira Shibata, Masa-*

ki Tajiri, and Yoshihei Hirasawa 301
The Evaluation of Plasma Dopamine β-Hydroxylase Activity in Essential and Secondary Hypertension. *Fumiko Iseki, Masato Kuchii, Ichiro Nishio, and Yoshiaki Masuyama* 307
Effects of Various Stimuli on Plasma Dopamine β-Hydroxylase Activity in Essential Hypertension with Respect to Aging and Hypertension Severity Index. *Fumiko Iseki, Masato Kuchii, Yasumasa Miyamoto, Toshiaki Tamaki, Ichiro Nishio, and Yoshiaki Masuyama* 321
The Fast Fourier Transform in the Analysis of the Normal Phonocardiogram. *C. Longhini, F. Portaluppi, E. Arslan, and F. Pedrielli* 333
Influence of Ouabain on the Force-frequency Relationship in Cardiac Muscle. *Pawan K. Singal, and Kailash Prasad* 341
Onion, Garlic, and Experimental Atherosclerosis. *G. S. Sainani, D. B. Desai, M. N. Natu, K. M. Katrodia, V. P. Valame, and P. G. Sainani* 351
Comparison of Ejection Fraction and Segmental Circumferential Fiber Shortening Velocity in the Anesthetized and Conscious Canine. *Michael M. Laks, Liz Greenless, and Daniel Garner* 359
The Effect of Angiotensin-Converting Enzyme Inhibition on Regional Blood Flow in Salt-Depleted and Salt-Loaded Normotensive Conscious Rats. *Keisuke Nishiyama, Tadanao Takeda, Yuji Nakamura, Masao Ishii, Hiroaki Matsuoka, Atsuo Goto, Kenjiro Kimura, Yasunobu Hirata, and Satoru Murao* 367
Primary Angiosarcoma of the Heart. *Kusum Angrish, S. C. Manchanda, S. K. Shankar, and P. Chopra* 375
Foreign Body in the Main Pulmoary Artery. An Unusual Complication of Pudenz-Shunt. *Yüksel Bozer, Nevzat Aygen, Ali Apikoglu, Emin Özdogan, and Kemal Benli* 381

Number 4, July

Incidence of Sudden Death among Patients with Premature Ventricular Contractions. An Epidemiological Study. *Franco Rengo, Bruno Trimarco, Massimo Chiariello, Giuseppe Morrone, Massimo Volpe, Bruno Ricciardelli, and Mario Petretta* 385
Pulmonary Hemodynamics in Primary Pulmonary Hypertension. *Nariaki Kanemoto and Hiroshi Sasamoto* 395
Ultrasonodiagnosis of Subclinical Heart Failure by Increasing Afterload with Angiotensin II. *Hisashi Kanaya and Kikuo Arakawa* 407
Presystolic Pulmonary Valve Opening in Constrictive Pericarditis. *Chujiro Tanaka, Masaki Nishimoto, Kazuhide Takeuchi, Kohtaro Fukukawa, Seiki Kawai, Hisao Oku, and Yoshiyasu Ikuno* 419
Pathological Studies in Experimental Candida Endocarditis. *Yousef Al-Doory, Leopoldo H. Paasch, Bernard C. Zook, and Robert Rhorer* 427
Familial Heart Block and Sick Sinus Syndrome of Adult Onset. Report of Two Families and Review of the Literature. *Toshiaki Kiriyama, Takaaki Mizutani, Keiichi Kakusui, Masaru Wada, Tsugio Isoda, Masashi Inoue, Tomoko Okabe, Shigemi Taniguchi, and Toshiro Kuribayashi* 441

Non-Invasive Determination of Left Ventricular Diastolic Compliance. *Teruo Fukumoto, and Hugo Kesteloot* 461
Glycyl-prolyl-p-nitroanilidase (GPN-Aase) Activity in Cardiovascular Diseases. *Kouichi Ogawa, and Toshiharu Nagatsu* 469
Changes of Ventricular Monophasic Action Potential Duration by Stellate Ganglion Stimulation in Dogs. *Tsunetaka Matoba, Hironori Toshima, Kinshi Nagae, and Seiichiro Yamazaki* 477
Coronary Collateral Circulation as an Important Factor to Modify the Ischemic Injury of the Myocardium in Coronary Ligated Dogs. *Tetsuo Mizutani, Yutaka Katada, Kishio Maekawa, Mitsuhiro Yokoyama, and Hisashi Fukuzaki* 485
Proximal His-Purkinje Conduction Defects Due to Peripheral Myocardial Ischemia and Infarction. *Benjamin J. Scherlag, Ronald R. Hope, and Ralph Lazzara* 495
Inhomogeneous Spread of Excitation in Canine Purkinje Fibers. *Takeshi Shimizu, Nobuyuki Iwamura, Junji Toyama, and Kazuo Yamada* 511
Effects of Indomethacin on Renal Hemodynamic Alterations Caused by Arterial and Ureteral Pressure Changes in Rabbits. *Chikara Aizawa, and Nishio Honda* 523
Electrophysiologic Effects of Pindolol on Atrioventricular Conduction in Canine Heart. *Takemi Arakawa, Tadashi Kambe, and Nobuo Sakamoto* 537
Effects of 2-Nicotinamidoetyl Nitrate (SG-75) on Dog Coronary Artery and Cat Papillary Muscle. *Matao Sakanashi, Haruo Araki, Yutaka Horio, and Fumio Takenaka* 549
Effects of Free Fatty Acids on Experimentally Infarcted Myocardium. *Hiroshi Hasegawa, Taro Ishiyama, Yoshiharu Morita, Yoshie Hatanaka, Teiichi Ueno, Junichi Azuma, Takuji Tanimoto, Kyoko Ogura, Nobuhisa Awata, Akihiko Sawamura, and Yuichi Yamamura* 557
Electrophysiological Studies in Two Patients with Dystrophia Myotonica and Atrioventricular Conduction Block. *D. E. Ward, A. J. Camm, and D. S. Tunstall Pedoe* 571

Number 5, September

Echocardiographic Evaluation of Right Ventricular Anterior Wall Motion in the Wolff-Parkinson-White Syndrome. *Michimaro Okumura, Iwao Sotobata, Shinobu Isomura, Teruo Kondo, Satoshi Okajima, Tomoyoshi Shino, Yoshihiro Koike, and Hitoshi Hishida* 577
Computer Analysis of Vectorcardiograms in Myocardial Infarction with Special Reference to Polar Vector and Planarity of the QRS and T Loops. *Kazunobu Yamauchi* 587
Antiarrhythmic Effects of L-Penbutolol and DL-Propranolol. Comparison of the Effects of These Two Drugs on Conductivity and Excitability in Canine Heart in Vivo. *Kazuo Yamada, Junji Toyama, Nobuo Niimi, Junichi Sugenoya, Miyoshi Ohno, and Satoru Sugiyama* 603
Beneficial Effect of Diltiazem, a New Antianginal Drug, on Angina Pectoris at

Rest. *Motoomi Nakamura, and Yasushi Koiwaya* 613
Some Observations on Serum Concentrations of Digitoxin and Digoxin. *Masana Takahashi, Toshikatsu Sada, Yoshihiro Taneichi, Fujiko Okabe, Yoshio Ito, and Akira Morishima* 623
Individual Renin-Aldosterone Responses of Clinically Healthy Young Japanese Men to Dietary Sodium and Posture. *Terukazu Kawasaki, Kenshi Kumamoto, Koshiro Fukiyama, Yasuhiro Noda, Shuichi Takishita, and Teruo Omae*.... 631
Lysosomal Hypothesis in Evolution of Myocardial Infarction. Subcellular Fractionation and Electron Microscopic Cytochemical Study. *Minoru Okuda, and Allan Lefer* 643
Protection of Chlorpromazine-Induced Arrhythmia by Flavin-Adenine-Dinucleotide in Canine Heart. *Satoru Sugiyama, and Takayuki Ozawa* 657
A Comparison of Enzyme Activity for Energy Production in the Myocardium and Conduction System. *Makie Higuchi, Katsuhide Nishi, and Fumio Takenaka* 667
Cross-Sectional Echocardiographic Findings of Left Ventricular Thrombi in a Ten-Year-Old Patient with Cardiomyopathy. *Sadayuki Suzuki, Masayoshi Yanagisawa, Sadayuki Yano, Kouichi Itoh, and Keisuke Kotohda*..... 675
The Spontaneously Hypertensive Rat (14). Proceedings of XIV Annual Scientific Meeting of the Council for the Spontaneously Hypertensive Rat (SHR), November 3–4, 1978, Kyoto 681

Number 6, November

Arrhythmias in Primary Pulmonary Hypertension. *Nariaki Kanemoto, and Hiroshi Sasamoto* 765
Renin Response to Upright Posture in Varying Sodium Balance in Normal Young Japanese Men. *Kenshi Kumamoto, Koshiro Fukiyama, Yasuhiro Noda, Terukazu Kawasaki, Shuichi Takishita, and Teruo Omae* 777
Electrophysiologic Effects of Verapamil in Children. *Jami G. Shakibi, Iraj Aryanpur Kashani, Mohammad Mehranpur, and Ali Yazdanyar* 789
Effect of Hypothermic Anoxic Arrest on Myocardial Contractility in the Isolated Blood-Perfused Canine Left Ventricular Muscle. *Hiroshi Shida, and Miyoharu Kobayashi* 803
Left Ventricular Function and Power Distribution during Ejection Period in Patients with Cardiac Diseases. *Shigenori Morooka, Yutaka Takabatake, Tadashi Koide, Masahiko Iizuka, Yasumi Uchida, Katsuhiko Ozeki, Masaaki Kakihana, Takashi Serizawa, Akihito Kato, Shugo Tanaka, and Satoru Murao*.. 813
Noninvasive Doppler Ultrasound Evaluation of Aortocoronary Bypass. *J. Fabián, Q. Vo, J. Vojaček, A. Grošpic, I. Přerovský, A. Belán, and L. Hejhal*.. 823
Histopathological Study on the Conduction System of Complete Right Bundle Branch Block. With Special References to Configuration of QRS Complex. *Keisuke Fukuda, Yasuro Nakata, Ryozo Okada, and Toshitaka Takagi* 831
Apparent Suppression of Ventricular Parasystole by Cardiac Pacing. *Akira Furuse, Goki Shindo, Haruo Makuuchi, Masahiro Saigusa, Hiroshi Matsuo, Kan*

Takayanagi, and Hiroshi Inoue 843
Estimation of Body Water and Salt Contents from Plasma Sodium, Protein Concentrations, and Hematocrit. *Toshiro Sato, Noriaki Ikeda, Masuo Shirataka, Hideo Miyahara, Harukazu Tsuruta, and Takao Wada* 853
Effects of Nitroglycerin, Adenosine, Noradrenaline, and Isoproterenol on the Myocardial Oxygen Tension. *Hiroto Matsuda* 867
Effects of 2-Nicotinamidoethyl Nitrate on the Cardiovascular System. *Yoshito Nakagawa, Keisuke Takeda, Yumi Katano, Tokumasa Tsukada, Toshikazu Kitagawa, Takeshi Otorii, and Shoichi Imai* 881
Cardiovascular Anomalies in Conjoined Thoracopagus Twins. *U. Sabherwal, R. Tandon, and P. Chopra* 897
A Case of Variant Angina with Normal Coronary Arteriogram Who Developed Acute Myocardial Infarction and Cerebral Embolism. *Joji Ando, Shinji Kimura, Takeshi Kobayashi, Yoshinori Tanabe, and Hisakazu Yasuda* 907

Supplement I

Proceedings of the Third International Symposium on the Spontaneously Hypertensive Rat and Related Studies (1978) 1-373

JAPANESE HEART JUORNAL

Twenty Year Subject Index

A

'a' wave, in normal pulmonary valve echogram 18: 421
ABC-ECG, 10: 113
in atrial septal defect 10: 456
of ventricular septal defect 9: 583
Abdomen, magnetic hergman from, in man 15: 469
Abdominal, angina 5: 561
murmurs, in renovascular hypertension 9: 142
phonocardiographic and arteriographic evaluation of 9: 142
Abercromibie's formula 11: 38
Aberrant conduction, in prolonged QRS-duration resulting from delayed recovery of ventricular excitability 17: 760
Abnormal, automaticity, in membrane current change induced by digitalis 18: 851
distribution of pulmonary blood flow, hemodynamics of 20
in patients with cardiac disorders 9: 20
muscle bundle in the left ventricle, in isolated levocardia 9: 603
precordial impulse, in ultrasonic diagnosis of ventricular aneurysm 16: 394
Q waves, transient 18: 191
Absence of inferior vena cava 9: 200
Acceleration vibrocardiography, calibrated low frequency, its hemodynamic determinants and clinical application 13: 1
Accessory, A-V conduction pathway, in rabbit heart 15: 385
lung, and cardiomegaly 4: 182
pathway, electrophysiologic study of, on WPW syndrome in aged cases 18: 498
Accrochage, atrioventricular dissociation with, a case report of 14: 286
Accumulation, of metabolites, in myocardium 18: 366
Acebutolol, a new beta-blocker, antagonism of cardiac arrhythmias by 15: 61
cardiovascular effect of 15: 72
Acetylcholine, 4: 466
constriction of coronary artery 20: 75
in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
in origin of "A-V nodal" rhythm 14: 273
incomplete and complete A-V block, induced by 12: 281
induced-fibrillation 9: 162
prevention of atrial fibrillation induced by, by electric pacing 15: 145
responses of canine atrial muscle and SA node pacemaker activity to 17: 73
revival of isolated heart stopped with alcohol and glucocorticoid by nicotine and 14: 296
Acetylsalicylic acid, in bradykinin-induced excitation of afferent cardiac sympathetic nerve fiber 15: 84
Acetylstrophanthidin, correlation of electro-physiological and mechanical changes in dog heart due to 16: 731
Acid and alkali treatment, renin-angiotensinogen reaction 9: 494
Acid-base status 11: 417
Acid mucopolysaccharides 9: 453, 11: 11
in cerebral atherosclerosis of Japanese 15: 521
in Japanese aortas 6: 20
Acid phosphatase 5: 400
Acid-receptor 5: 239
Acidosis, in acute hypoxia 18: 102
respiratory and metabolic hypoxia and, effect on heart 3: 34
Aconitine, 7: 505
atrial tachycardia in rabbit induced by, and effect of hydrazine 14: 249
for induction of atrial fibrillation in dog 13: 84
induced-fibrillation 9: 162
Acquired, cardiopathies, biplane cinefluorography in 9: 404
heat disease, vectorcardiographic diagnosis of combined ventricular hypertrophy due to, in adult patient 15: 323
pulmonary atresia 11: 113
pulmonary regurgitation 9: 420
ACTH, and blood pressure 4: 569
hypertensive effect in hypophysectomized rat 5: 64
Action potential, 11: 271, 11: 391, 11: 392, 11: 393
atrial, Purkinje-like, in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385

duration 19: 136
duration of, K-induced change of, of guinea pig heart 17: 211
effects of diltiazem on 18: 235
hypoxic 19: 383
in effect of hydrazine on bullfrog heart muscle in excess potassium solution 14: 366
in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
in prolonged QRS-duration resulting from delayed recovery of ventricular excitability 17: 760
membrane 11: 58, 11: 61, 11: 295, 11: 379, 11: 478
monophasic 1: 9r79
of bullfrog's ventricular muscle in sodium free hydraxine solution 13: 258
of human atrial fiber, electrophysiologic effect of phenothiazine on 14: 398
ordinary, and interaction potential 2: 487
rate of rise 11: 393
second derivative of, in nature of His potential in His electrogram 13: 521
transmembrane, and contraction of human papillary muscle, in relation to potassium and ouabain 12: 290
transmembrane, nodal, effect of isoproterenol and propranolol on 14: 53
Activation sequence, 19: 12
time 5: 350
Activator-activity, of the tissue 11: 259
Active factors, independent of intramyocardial tissue pressure 18: 246
Active state, determination of, by graphical, experimental and instantaneous methods in frog ventricle 12: 545
Actomyosin, effect of ouabain 3: 46
Acute, aortic constriction 11: 533
myocardial infarction, dopamine-β-hydroxylase activity after 18: 348
tolerance, in cardiovascular effect of dopamine after experimental coronary occlusion in dog 16: 280
A-D converter 11: 223
Adaline 5: 343
Adams-Stokes attack, in acute anterolateral myocardial infarct complicated with left posterior hemiblock 17: 123
seizure, in Wenckebach period associated with high grade second degree A-V block 16: 620
syndrome, in a case with cardiomyopathy and hereditary cerebellar ataxia 13: 369
primary pulmonary hypertension 20: 765
Adaptation, vascular, positive feedback hypothesis on development of 17: 527
Adaptive linear neuron 5: 343
Adenosine, and its phosphorylated derivatives 5: 226
as a coronary vasodilation 18: 92
effects of, on myocardial oxygen tension 20: 867
in effect of ethyl adenosine-5′-carboxylate on heart and coronary circulation 16: 421
responses of canine atrial muscle and SA node pacemaker activity to 17: 73
Adenosine triphosphatase, 2: 281
activity 8: 138
activity of, change in, 17: 211
and vitamin B_6 2: 282
ADH 5: 437
Ad fibers, 5: 241
afferent discharges, in the left cardiac sympathetic nerve 11: 550
Administration of heparin 11: 455
ADP, 4: 47, 5: 259
in study on energy metabolism of erythrocyte during artificial heart pumping 15: 262
Adrenal, cortex, 5: 11
electron microscopic study of, in spontaneously hypertensive rat 14: 160
focal hyperplasia (nodular, adenomatous, combined and adenoma) of, relationship to hypertension and arteriosclerosis in the aged 12: 450
Adrenal, corticosteroid, metabolism of, in spontaneously hypertensive rat 14: 162
enucleation, an experimental model of hypertension in mouse 12: 275
treatment of bradycardia-tachycardia syndrome with cardiac drug and 14: 414
Adrenal gland, 4: 123
and acute cardiac death 3: 450
and pressor response to brain stimulation
and hypertension 4: 426
hyperplasia 5: 11
Adrenal medullectomy, bilateral, of spontaneously hypertensive rat, hypertension persisted following 14: 179
Adrenalectomy, in hypertension-inducing potency and renin content of variously treated kidney extract 16: 446
Adrenaline, 3: 581
effect of, on bullfrog heart muscle in excess potassium solution 14: 366

in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
response of renal mechanoreceptor to 12: 347
Aderenergic, actions, alpha and beta, relations to monophasic action potential duration 20: 477
activation, effect of, on collateral coronary blood flow 15: 289
alpha-receptor, blocking action of atropine 15: 75
β-blocking agent, hemodynamic effect 7: 438
β-receptor blocking agent 19: 212
blockade, alpha and beta, effect on response of coronary blood flow to cardiac sympathetic stimulation 12: 169
in tetralogy of Fallot 7: 513
nerve impulses 5: 147
nervous system, in oral phentolamine in angina pectoris 14: 393
receptor, in effect of isoproterenol and propranolol on A-V transmission and A-V nodal transmembrane action potential 14: 53
Adrenergically-induced cardiac arrhythmia, and a new beta-blocker 15: 61
Adrenocortical adenoma 5: 11
Afferent Ad and C fibers, in sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following sympathetic stimulation 16: 265
Afferent cardiac sympathetic nerve, bradykinin-induced excitation of 15: 84
effect of propranolol on excitation of, during myocardial ischemia 15: 280
excitation of, induced by vagal stimulation 16: 548
nitroglycerin-induced suppression of excitation of, during myocardial ischemia 15: 154
Afferent impulse, of renal nerve, two types of 12: 333, 12: 347
originating from other parts than left ventricle 5: 74
originating from the left ventricle 5: 76
Afferent limb of QRS loop, in VCG of left anterior hemiblock 17: 302
Afterload, 19: 193
in myocardial shortening velocity as index for assessment of myocardial contractility 14: 193
A. G. ratio of serum protein, in population survey on cerebrovascular and cardiovascular diseases 13: 119
Ager gel diffusion test 5: 487
Age, cerebral circulation 2: 135
differences, of normal P loops 18: 1
influence of, on Q-Korotkoff sound interval 17: 190
Aging, and conduction system 11:5
effect of, on hemodynamics of spontaneously hypertensive rat 16: 257
heart 5: 20
in clinicopathological study on heart disease in the aged 16: 526
in degeneration of connective tissue of spontaneously ruptured chordae tendineae by aging process 13: 457
in histological study on conduction system 15: 113
AH block, complete AV block due to 15: 1
in a case report of complete heart block 18: 287
A-H interval, in bifascicular block 20: 141
Airway pressure, on pulmonary circulation 7: 369
Alcohol, depressant action of 11: 528
effect on heart muscle 19: 513
effect of, on normal rat's heart 12: 242
revival of isolated heart stopped with, by nictone and ac choline 14: 296
Alcoholic heart d ase 11: 521
Alcoholism, chronic, cardiac abnormality in 13: 418
Aldehyde treated bovine pericardium, blood contact surface of artificial heart made of
Aldosterone, 11: 365 [15: 485
and blood pressure 4: 565
concentration, plasma, effect of pressor agents on, in essential hypertension 16: 404
effects on renal sodium and potassium excretion 9: 3
in pathogenesis of heart failure 8: 252
in phenocrhomocytoma with renal artery stenosis and high plasma renin activity 16: 741
response of, to postural change, diuretica, angiotensin II, sodium restriction or loading and prostaglandin 14: 518
response to dietary sodium and posture 20: 631
urinary, and hypertension 3: 5
Aldosteronism, 19
Aldosteronism primary, aggravated during periphatum period 19: 946
in long-term effect of corticosteroid on cardiac function 15: 443
in response of plasma aldosterone to postural

change, diuretica, angiotensin II, sodium restriction or loading and prostaglandin 14: 518
secondary 9: 13, 19: 741
Alkaline phosphatase, in rheumatic heart disease 6: 12
All-night polygraphic study, of nocturnal angina pectoris 13: 295
Allopurinol, effect of, on tissue O_2 tension of ischemic myocardium 17: 88
Alpha adrenergic blockade, effect of ganglionic blockade on the response of coronary blood flow to cardiac sympathetic stimulation 12: 169
effect of, on coronary blood flow 14: 531
effect of, on hemodynamics of spontaneously hypertensive rat 15: 166
in effect of increasing age on hemodynamics of spontaneously hypertensive rat 16: 257
in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
influence of, on hypoxic sensitivity of coronaries 17: 485
Alpha-aminoisobutyric acid, myocardial uptake of in experimentally hypertrophied rat heart 12: 177
α-Lipoprotein 9: 184
α-Methyl dopa, antihypertensive mechanism 5: 273
effect on uptake and metabolism of CA^{2+} 5: 224
α-methyl-p-tyrosine, in slowered turnover of norepinephrine in brain associated with acute elevation in blood pressure of rat 16: 575
Alternans of repolarization phase 19: 396
Alternate normalization of QRS complex, in electrophysiologic study on WPW syndrome in aged cases 18: 798
Alternating Wenckebach, in Wenckebach period associated with high grade second degree A-V block 16: 620
Alveolar, cell, type I and II 9: 441
surface tension, on pulmonary circulation 7: 386
Amiloride 5: 297
Amino-acid, transport of, increased in experimentally hypertrophied rat heart 12: 177
Aminoguanidine, effects of, on release of histamine and norepinephrine from the heart 20: 183
Aminophyline, cardiohemodynamic effect of 15: 126
effect on left ventricular function 8: 121
in effect of ethyl adenosine-5′-carboxylate on heart and coronary circulation 16: 421
ventricular fibrillation induced by 20: 177
Ammonia, effect on myocardial metabolism 9: 368
Ammonium chloride, effect on heart 3: 40
AMP, 5: 47, 5: 259
in study on energy metabolism of erythrocyte during artificial heart pumping 15: 262
Amputation, in an analysis of 115 surgical procedures of arterial embolism 15: 554
Amyl nitrite, 9: 142, 5: 307
effect on the abnormal T loop 19: 712
effect on ventricular gradient 5: 341
Amyl nitrite test, 7: 5
using double microphones for differentiation of systolic murmurs in the elderly 15: 16
Amyloidosis, and endocardial change 2: 235
AN layer, in effect of isoproterenol and propranolol on A-V transmission and Z-V nodal transmembrane action potential 14: 53
Anaerobic glycolysis, in cerebral autoregulation in dog 12: 376, 12: 467
Analysis, of crude glycorotein by electrophoresis and immuno-electrophoresis 12: 26
Analog computer, analysis, in QRS waves of spatial velocity electrocardiogram in atrial septal defect 13: 407
in the study on spatial velocity electrocardiogram 9: 64
simulation 9: 281
Analog data acquisition unit 11: 224
Analogue converter, in effect of diltiazem on left ventricular function in patient with and without angina pectoris 17: 599
in ultrasonic analogue conversion system 18: 170
Ananase 12: 517
Anastomosis, arterio-arterial, in effect of nitrites on arterial collateral vessels in dog 12: 536
Anatomical localization of the components, in kidney 11: 321
Anderson and Ladefoged's formula 11: 313
Anemia, cardiac output in 2: 309
endocardial change in 2: 251
heart failure by 2: 279
hemolytic, microangiopathic, and malignant hypertension 17: 258
Aneurysm, abdominal 19: 151
acquired, syphilitic, unruptured, dissecting, or aortic sinus 12: 105
aortic surgical treatment 2: 119
calcified left ventricular, and non-atherosclero-

tic myocardial infarction in a child 16: 603
cerebral, experimentally induced 2: 345
congenital, of right coronary sinus of Valsalva, rupturing into left ventricle 1: 106
false, non-infected, of ascending aorta after aortic valve surgery 17: 422
formation, in aortitis syndrome 9: 88
in a case of syphilitic aortic insufficiency treated by simultaneous prosthetic valve replacement, aortoplasty and reversed aorto-right coronary bypass procedure 14: 554
in aortitis syndrome 9: 77
left ventiruclar, aneurysmectomy for symptomatic supraventricular tachycardia associated with 16: 98
multiple 5: 474
of aortic sinus of Valsalva 8: 487
of membranous ventiruclar septum 8: 309
of membranous ventricular septum associated with a small defect in an aged woman 14: 80
of pulmonary artery, congenital 2: 404
renal, in hypertension due to segmental renal ischemia 14: 110
ruptured, of sinus of Valsalva, hemodynamic-angiocardiographic-electrocardiographic-vectorcardiographic study of 12: 111
saccular, coarctation of aorta with 7: 608
Aneurysm ventricular, and endocardial change 2: 238
in real-time two-dimensional echocardiography 17: 437
location of, and left ventricular function 18: 867
ultrasonic diagnosis of 16: 394
Aneurysmectomy, for symptomatic supraventricular tachycardia associated with ventricular aneurysm 16: 98
in non-infected false aneurysm of ascending aorta after aortic valve surgery 17: 422
Angina pectoris, 11: 458
and myocardial infarction 6: 477
and coronary dilator 8: 219
at rest, effect of dilitiazem on 20: 613
diagnosis of 4: 313
during treatment with perhexiline maleate 18: 434
effect of diltiazem on left ventricular function in patient with and without 17: 599
in charge of PR interval at acute myocardial infarction 17: 540
induced angiona pectoris 4: 313
induced by intravenous administration of 50% glucose 15: 218
nocturnal, all-night polygraphic study of 18: 295
of effort 11: 325
oral phentolamine in 14: 393
pocket electrocardiograph carried by patient for observation of 14: 326
Prinzmetal's, with normal coronary arteriogram 17: 43
pyridinolcarbamate in the treatment of 13: 53
serum dopamine-β-hydroxylase in 17: 445
spontaneous, propranolol and practolol in treatment of 9: 359, 14: 97
variant form of 11: 243
variant form of, effect of atropine on 20: 75
Anginal attack, and myocardial infarction 6: 477
Anginal pain 11: 550
Anginin, and arterial occlusive disease 14: 12
clinical evaluation of the effect on ischemic heart diseases 9: 359
angiocardiogram, 11: 113
and echocardiographic measurement of aortic root diameter 17: 465
in pseudo-WPW syndrome observed in a patient with Lutembacher's syndrome 16: 204
Angiocardiography, 2: 277, 11: 202
for detection of left atrial thrombus 17: 163
in Fallot's tetralogy 9: 531
in plain chest film as unreliable method to determine left ventricular size 18: 531
in pseudoaneurysm of the left ventricle 20: 95
in right coronary artery to left ventricle fistula 14: 184
in ventricular septal defect with aortic regurgitation and ruptured aneurysm of sinus of Valsalva 12: 113
levocardia benous in, with anomalous venous drainage 12: 96
of aortic atresia associated with right aortic arch 17: 215
Angiography, in hypertension due to segmental renal ischemia 14: 110
in hyperthyroidism 9: 247
in obstructive disease of peripheral artery 14: 12
in pheochromocytoma with renal artery stenosis and high plasma renin activity 16: 741
Angionecrosis, in perinephritis hypertension in monkey 17: 61
Angiopathy, of limbs, classification of 13: 352

Angiosarcoma, primary, of left atrium, metastasized to brain 20: 375
Angiotensin, administration, effect of, on renal renin content and blood pressure in spontaneously hypertensive rat 14: 165
and catecholamine, interrelationship between 9: 13
antagonist 19: 151
central modulation of baroreceptor reflex by 14: 135
converting enzyme inhibitor (SQ 14,225), effect of, on regional blood flow 20: 367
enhancement of inotropic action of glucagon by small concentration of 14: 239
formation and destruction 6: 53
hemodynamic characteristics of centrally mediated pressor activity of 14: 226
in rat plasma 7: 69
response of renal mechanoreceptor to 12: 347
sensitive site, in renin and nervous system 17: 521
Angiotensin II, 5: 226, 5: 243
and analogue angiotensin 19: 741
cardiovascular reactivity to 12: 68
echocardiographic changes induced by, in detection of latent cardiac failure 20: 407
effect of, on blood pressure, plasma renin activity and plasma aldosterone concentration in essential hypertension 16: 404
effects of, on pulmonary arterial prostaglandine E and pulmonary circulation 20: 195
its action on arteriolar wall 18: 473
response of plasma aldosterone to 14: 518
Angiotensinase, block of 6: 418
determination of 6: 52
inhibition of 9: 494
in plasma and kidney 9: 494
Angiotensinogen, preparation of 6: 52
Angular, range 11: 401, 11: 410
vector, in vectorcardiography 7: 123
Animal model, for hypertension research, and spontaneously hypertensive rat 14: 182
Antischkow myocyte in myocardial tissue 9: 578
Annuloplasty of tricuspid valve in mitral valve diseases with functional tricuspid insufficiency 12: 507
Anomalous, inferior vena cava 8: 428
left coronary artery experimental study on blood flow direction in arising from pulmonary artery 13: 250
pulmonary vein 5: 82
pulmonary venous drainage associated with levocardia surgically corrected 12: 96
septum in cor triatriatum echocardiographic demonstration of 15: 266
systemic venous connection coronary sinus rhythm in 9: 200
Anomaly, cardiac major and minor in Japanese children with Down's syndrome 13: 307
non-cardiac associated with serious congenital heart diseases in the neonatal period 12: 442
Anoxia, conduction block from Purkinje fiber to ventricular muscle under 14: 71
metabolism of anoxic heart 2: 279
test, and ECG 4: 313
Anterior infarction, precordial mapping in 18: 447
Anti-anginal agents, effects on cyclical reduction of coronary blood flow 19: 904
nifedipine 18: 736
Anti-aorta antibody, 5: 277, 9: 573
in aortitis syndrome 8: 4, 12: 1
Antiarrhythmic action, of glucagon 13: 267
Antiarrhythmic agents, new 9: 161
mode of action of 9: 161
Antiarrhythmic drugs 11: 391
evaluation of effectiveness of, with logical rhythm analyser ("Andros-R") 12: 575
Antiarrhythmic effect, of hypertonic $NaHCO_3$ and NaCl 17: 54
Anti-atheroscleotic, agent, in new concept on atherogenesis and treatment of atherosclerotic diseases 13: 537
substance 11: 433
Anti-bradykinin preparation 9: 359
Antibody, anti-aorta antibody, in aortitis syndrome 12: 1
anti-heart antibody, in cardiomyopathy 12: 40
beta-streptococcal type-specific antibody, in cardiomyopathy 12: 40
fluorescent antibody, in aortitis syndrome 12: 1
streptococcal type-specific antibody, in aortitis syndrome 12: 1
Anti-Ca agent, diltiazem, effect of, on left ventricular function in patient with and without angina pectoris 17: 599
Anticoagulants, cerebroside 2: 354
circulating, in cardiomyopathy 12: 40
dextran sulfate 2: 287
Anticoagulant therapy, for myocardial infarction, 5: 549
in prosthetic valve replacement 19: 324

in successful replacement of thrombosed Björk-Shiley mitral valve prosthesis 17: 791
Anticoagulation, hemopericardium due to, in a case with endocardial pacemaker 17: 784
in an analysis of 115 surgical procedures of arterial embolism 15: 554
Anti-Gallavardin mechanism, in amyl nitrite test using double microphones for differentiation of systolic murmurs in the elderly 15: 16
Antigen, aorta antigen, in the media and adventitia in aortitis syndrome 12: 1
Anti-heart antibodies, homologous and heterologous 18: 696
in chronic cor pulmonale 15: 223
Anti-heart muscle antibody 5: 485
Antihyaluronidase level, in children with rheumatic fever and other streptococcal infections 17: 580
Anti-inflammatory action, of bromelain 12: 517
Antihypertensive drugs amount of, used for hypertension 3: 608
effect on blood pressure 3: 604
effect on various organs 3: 612
long term use of 3: 602
relationship between blood pressure and humoral factors in inhibition of hypertension with long-term administration of 18: 521
types of, used for hypertension 3: 607
Antihypertensive treatment, prolonged use 5: 399
Antioxidant, of fatty acid 8: 142
Antiplasmin 11: 450
Anti-protease activity, of bromelain 12: 517
Antiserum, against microsome fractions of renal cortex 9: 461
to human fibrin and human β-lipoprotein 5: 109, 5: 110
Anti-streptodornase 9: 110
Antistreptolysin O, 9: 10
titer, in group A streptococcal infection as related to rheumatic fever 17: 592
titer, in outcome of children with rheumatic fever not diagnosed by revised Jones criteria 17: 560
Anti-thrombin like activity 11: 259
Antithyroid drug, effect of, on hemodynamics in hyperthyroidism, 12 17: 12
Anxiety state 9: 321
Aorta, activity of lipoprotein lipase in 12: 22
acid mucopolysaccharide, cholesterol, minerals in Japanese 6: 20
and its branches in aortitis syndrome 13:20
anti-aorta antibody, in aortitis syndrome 12: 1
aorta antigen in the media and adventitia in aortitis syndrome 12: 1
aorta antigen in the media and adventitia in aortitis syndrome 12: 1
aorta banding 11: 130
arch of, right-sided, associated with aortic atresia 17: 265
ascending, non-infected false aneurysm of, after aortic valve surgery 17: 422
atheromatous and complicated lesions of, in relation to blood pressure and serum total cholesterol 12: 460
atherosclerotic index 6: 21
atresia of, associated with right aortic arch 17: 265
compliance of, in hemodynamics of experimentally hypertensive rat 17: 80
aorta constriction, lower thoracic 11: 130
fibrin deposition in 3: 563
hypoplasia of 9: 434
in blood flow velocity in carotid artery as a measure of myocardial contractility 16: 22
in hypercholesterolemia 4: 53
intra-aortic balloon pumping, for assistance of coronary circulation 12: 268
medionecrosis of, experimental study on 1: 408
occulusion of 3: 525
overriding of 11: 113
root diameter of, echocardiographic measurement of 17: 465
sclerosis of, and stimulation of diencephalon 6: 325
senile ectasia of 5: 59
smooth muscle of, effect of nitrite on 12: 486
Aortic arch, abnormality, in a case of Ehlers-Danlos syndrome 13: 272
interruption 8: 196
right, in aortic regurgitation with VSD 1: 113
Aortic arch syndrome, 2: 538, 4: 224
autopsy cases in Japan 2: 545
radiological aspect 7: 305
with hypertension due to unilateral renal lesion 3: 183
Aortic arteriosclerosis 9: 461
Aortic, blood flow 11: 47
blood pressure 11: 45, 11: 47
catheterization, vertebral and 10: 243
coarctation of 7: 608
compliance, in hemodynamics of spontaneously hypertensive rat in conscious state 16: 719
compliance in vivo, measurement of 12: 486

component of second sound 18:81
Aortic constriction, 19: 84, 11: 533, 11: 541
activity in failing rabbit heart 13: 73
in depressed Na-K-ATP-ase
in non-uniform myocardial blood flow caused by stellate ganglion stimulation 16: 162
left ventricular hypertrophy and heart failure induced by 9: 393
Aortic diastolic regurgitant murmur, point of maximum intensity of 9: 117
Aortic flow velocity, 18: 81
Aortic insufficiency (regurgitation), 10: 277, 10: 372
associated with ventricular septal defect 1: 113, 12: 111
bacterial, with musical and associated rumbling diastolic murmurs 1: 333
etiology of 9: 120
Hill's sign 3: 84
hypertensive 10: 20
in aortitis syndrome 8: 107, 9: 77, 9: 88, 13; 20
low-frequency vibrocardiography of 5: 3
phonocardiographic study 2: 2, 2: 421, 2: 423
polychondritis associated with 7: 188
syphilitic, treated by simultaneous prosthetic valve replacement, aorto-plasty and reversed aorto-right coronary bypass procedure 14: 554
vectorcardiographic study of 7: 271
with syphilitic aneurysm of aortic sinus 12: 105
Aortic occulusion 11: 202
Aortic pressure 18: 81
Aortic stenosis, surgical treatment of congenital valvular and subvalvular 9: 97
Aortic regurgitation: see Aortic insufficiency
Aortic ring dilation, in syphilitic aortic regurtitation in the aged 14: 22
Aortic root balloon pumping, for assistance of coronary circulation 12: 268
Aortic valve, and endocardial change 2: 224
closure of 18: 81
function of 18: 81
motion of, in pulsus paradoxus 18: 883
opeing of 18: 81
roentgenology of pulmonary complication in 298
stenosis, heart sounds of 2: 421
stenosis, heart sounds and murmurs of 3:299
stenosis, hemodynamics in 3: 300
surgery, non-infected false aneurysm of ascending aorta 17: 422
Aortic wall, study on lipids and fatty acids on 9: 34
uptake of C^{14}-cholesterol 9: 180
Aorticopulmonary fistura, a case report of 17: 676
Aortitis syndrome (Takayasu's arteritis), 9: 118, 9: 143, 9: 539, 9: 573, 10: 27, 10: 277
anti-aorta antibody in 8: 4, 12: 1
aorta antigen in 12: 1
aortic insufficiency in 8: 107, 9: 117
clinical and pathological studies of 9: 76
clinicopathological study of five autopsied cases of 13: 20, 13: 107
collagenase, in the immunological study of 12: 1
complement fixation test in 12: 1
elevated plasma renin activity in 17: 1
fluorescent antibody technique in 12: 1
follow-up observation of 13: 201
hemagglutination test in 12: 1
immunological studies 8: 4
immunoglobulin in 12: 1
in the elderly 17: 452
precipitation reaction in 12: 3
prognosis of 13: 107, 13: 201
quantitative assessment of obstruction 7: 3
renovascular hypertension 8: 209
serum creatinine phosphokinase in 12: 1
steroid therapy in 12: 1
streptococcal type-specific antibody in 12: 1
with aneurysm formation 9: 88
Aortoarteritis 19: 358
Aorto-coronary bypass procedure, reversed, syphilitic aortic insufficiency treated by simultaneous prosthetic valve replacement, aortoplasty and 14: 554
saphenous vein graft patency 19: 252
ultrasound evaluation 20: 823
Aortomitral valve apparatus, in embryonic and adult chicken heart 18: 690
Aortoplasty, syphilitic aortic insufficiency treated by simultaneous prosthetic valve replacement, reversed aorto-right coronary bypass procedure and 14: 554
Aorto-thoracic ratio, in syphilitic complications in the elderly 17: 452
Apexcardiogram, 9: 332, 11: 202
in unitary nature of cardiac vibration 14: 406
Apexcardiography, instrumental aspect 7: 536
Apex-carotis diagram 19: 485
Aplasia of kidney, and renovascular hypertension 5: 373
Apomorphine ,effect of, on canine SA node 16:

143
Apoplexy cerebral, experimental 4: 1
high incidence of, in Japan 3: 203
Apoplexy death rate, and food intake 3: 316
and nutrients intake 3: 316
and salt intake 3: 316
effect of hypotensive treatment on apoplexy 4: 69
Aprotinine, for prevention of increase in bradykinin after coronary ligation 18: 679
Araucanians, prevalance of coronary heart disease 3: 123
Arcton 114 (dichlorotetrafluoroethane), electrocardiographic changes in rat after inhalation of 17: 753
Arensburger, method of 11: 451
Arrhythmia, 5: 369, 11: 104, 11: 223
a case of lupus erythematodes with, and morphological study of conduction system 15: 92
aberrant ventricular conduction, analytical study of 2: 397
acontiine-induced 7: 505
and nervous stimulation 4: 356
atrial fibrillation 2: 397
AV block during intracardiac operation 2: 377
AV dissociation, in reticulosarcomatosis 5: 180
automatic rhythms 6: 144
by brain stem stimulation 3: 455
by ligation of septal artery 6: 259
Arrhythmia cardiac, and atrioventricular dissociation with accrochage 14: 286
antagonism of, by a new beta-blocker 15: 61
in acute myocardial infarction 12: 316
in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 347
Arrythmia, change in heart rate 3: 457
chaotic heart action 3: 193
complex A-V interference dissociation 3: 284
conduction disturbance 3: 457
delayed vagal activity 3: 471
secondary factors of 3: 467
double A-V nodal rhythm 5: 171
ectopic 3: 457
fibrillation, interaction potential 2: 487
in a case of primary rhabdomyosarcoma, replacing A-V node 15: 532
in a family of Holt-Oram syndrome 16: 480
in clinical manifestation of papillary muscle dysfunction in Ehlers-Danlos syndrome 16: 235
induced by digitalis, effect of potassium 5: 456
in electrophysiologic effect of phenothiazine on human atrial fiber 14: 398
in mitral valvular disease 2: 301
in myocardial infarction 5: 363, 18: 406
in primary pulmonary hypertension 20: 765
in prolapsing mitral leaflet syndrome 14: 291
in puerperal cardiomyopathy 14: 104
in rat after inhalation of dichlorotetrafluoroethane 17: 753
in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
in tetralogy of Fallot 20: 53
interference dissociation 2: 397
logical rhythm analyser ("Andros-R") for quantitative characterization of 12: 575
ouabain-induced, antiarrhythmic effect of hypertonic $NaHCO_3$ and NaCl in 17: 54
pocket electrocardiograph, carried by patient for observation of 14: 326
postoperative, in serum electrolyte changes during extracorporeal circulation 13: 195
reappraisal of ventriculophasic sinus arrhythmia 12: 401
reentrant, treated with verapamil 20: 789
related to artificial pacemaker 12: 494
ventricular extrasystole 3: 464
supraventricular arrhythmia 2: 397
ventricular, after coronary occlusion, effect of cardiac nerve stimulation on 12: 368
digitalis-induced 6: 165
ventricular fibrillation, metabolism of heart in 2: 279
ventricular tachycardia, metabolism of heart in 2: 279
Arterial, disease, in Japan 5: 199
embolism, an analysis of 115 surgical procedures of 15: 554
endothelial cell, hyperactive, in atherogenesis 16: 76
flow, in magnetorheography 16: 694
occlusive disease, and pyridinolcarbamate 14: 12
oxygen saturation, in Fallot's tetralogy 9: 531
peak-to-peak flow, in magnetorheography 15: 469
Arterial pressure, changes, effects of indomethacin on renal hemodynamic alterations caused by 20: 523
systemic, and local peripheral resistance 9: 487
Arterial pulse recording 11: 433

Arterial wall, study on phospholipid structure in 13: 43
Arteriography, and cerebral circulation of cerebrovascular diseases 5: 495
in aortitis syndrome 9: 80
of bronchial artery 3: 523
selective coronary, in a case of congenital coronary artery fistula involving bilateral coronary artery branches 15: 524
Arteriolar wall, its increased permeability caused by renal extract in nephrectomized rats 18: 473
Arteriole, coronary vascular lesion 9: 473
in experimental hypertension 9: 473
in hypercholesterolemia 9: 473
Arteriolosclerosis, intramural, of heart 3: 13
adrenalin-type of 6: 332
and acid mucopolysaccharide content 6: 28
and calcium 6: 30
and cholesterol 6: 29
and fatty acid peroxides 6: 128
and hexosamine 6: 25
and magnesium 6: 31
and metachromatic substances 6: 28
cerebral 8: 234
in the aged, relationship to focal adrenocortical hyperplasia 12: 450
intrarenal 7: 308
obliterans 11: 433
obliterans, blood zinc level in patient with 16: 664
pulmonary 6: 228
relationship between glycoprotein and arteriosclerosis 12: 22
treatment with pyridinolcarbamate 6: 408
Arteriosclerotic, aortic regurgitation 10: 20
heart disease 10: 4
lesion, in Prinzmetal's angina pectoris with normal coronary arteriogram 17: 43
Arteriovenous, anastomoses, in thyroid gland 9: 247
Arteriovenous fistula 19: 46
effect on cardiovascular dynamics 12: 392
systemic-pulmonary, traumatic, a case report of 16: 196
Arteriovenous, malformation, cerebral as a cause of cardiac hypertrophy in adults 13: 471
oxygen difference 11: 528
shunt, a case with extraordinary occupying pleural cavity and with systemic pulmonary arteriovenous shunt 15: 435
coronary 12: 50, 12: 65
Arteritis, experimental, in rabbits 9: 573
Artery, arterial collateral vessel and arterio-arterial anastomosis, effect of nitrites and arterial occlusion on 12: 536
blood gases, in emphysema 4: 526
occlusive diseases of 7: 87
peripheral, obstructive disease of, and pyridinolcarbamate 14: 12
Artery small, coronary vascular lesion 9: 473
in experimental hypertension 9: 473
in hypercholesterolemia 9: 473
Artery, sinus nodal, in negative chronotropic response to norepinephrine 15: 308
Artificial cardiac pacing, in persistent atrial standstill due to atrial inexcitability 16: 639
Artificial current dipole 11: 183, 11: 489
Artificial heart, ascites in pathological study of animal 17: 362
complete intraventricular cardiac bypass in dog 12: 161
implanted, a case report of 17 days survival with, in a calf 15: 485
pathological study of animal replaced with 17: 233, 17: 326
study on energy metabolism of erythrocyte during pumping of 15: 262
Artificial, pacemaker, true vs. pseudo-electrical alternans induced by 12: 494
pacing, effect of, on hemodynamics and energy liberation of infarcted heart in dog 15: 579
pneumothorax, in a case with extraordinary arteriovenous shunt occupying left pleural cavity and with systemic-pulmonary arteriovenous shunt 15: 435
Ascending aortic aneurysm 10: 552
Aschner's reflex, and ventricular gradient 5: 339
Ascites, in pathological study of animal replaced with artificial heart 17: 326
ASL-O, in rheumatic heart disease 6: 9
in rheumatic disease 6: 14
in revised Jones criteria for rheumatic fever 12: 436
Asphysia, in the cat 11: 550
Asplenia syndrome, in serious congenital heart diseases in the neonatal period 12: 442
Assisted circulation, aortic root balloon pumping for assistance of coronary circulation 12: 263
Asthma, bronchial electrocardiographic changes in 2: 524
Yokohama-asthma 2: 180
Asymmetric, apical hypertrophy, of left ventricle, giant T wave inversion in 17: 611

posterior wall hypertrophy, of left ventricle, in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
Asymmetric septal hypertrophy, echocardiographic study on 17: 275
in echocardiographic classification of hypertensive heart disease 16: 377
in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
Asynchronism, 10: 95
of cardiac contraction, cineangiographic observation during ventricular pacing 9: 295
of ventricular contraction 11: 26
Asynergic ventricle, behavior of 18: 729
Asynergy, of left ventricle, detection of, in myocardial infarction by echocardiography and B-scan imaging 17 630
Asystole, cardiac, in revival of isolated heart stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
Ataxia, hereditary cerebellar, with cardiomyopathy 13: 369
Atherogenesis, 8: 142, 9: 184
hyperactive arterial endothelial cell in 16: 76
new concept on, and treatment of atherosclerotic diseases 13: 537
Atheroma 9: 461
Atheromatosis, effect of magnesium and glycyrrhizin 7: 474
Atherosclerosis, and atherogenic diet 2: 281
and β-lipoprotein 5: 397
and protein metabolism 4: 39
and phospholipid structure of arterial wall 13: 43
and pyridinolcarbamate 13: 53
and vasospasm 2: 338
atheroma and pulmonary artery aneurysm 2: 404
cerebral, of Japanese 15: 517
cerebroside 2: 354
coronary, relation to blood pressure, myocardial lesions and cardiac hypertrophy 13: 34
coronary, pathology of 3: 19, 3: 423
degree of 2: 221
effect of onion and garlic in inhibition of 20: 351
effect of magnesium and cholesterol on 4: 53
hypercholesterolemia and 3: 126
experimental 9: 34
in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
obliterans 11: 433
obliterans, treatment of, with pyridinolcarbamate 6: 407, 12: 335
of cerebral arteries, 8: 553
pulmonary 2: 302
study on lipids and fatty acids in 9: 34
sulfated monosaccharides 2: 198, 2: 493
treatment of 2: 198, 2: 281, 2: 493
ATP, 4: 467, 4: 542, 10: 259
in study on energy metabolism of erythrocyte during artificial heart pumping 15: 262
its effects on Rb^{86} clearance 18: 132
ATP-ase activity, Na-K and Mg, depressed, in failing rabbit heart 13: 73
of human heart, in relation to ouabain 13: 59
of myofibril, and Ca^{2+} binding ability of sarcoplasmic reticulum isolated from heart of spontaneously hypertensive rat 15: 475
ATP-ase, membrane, of human heart muscle 12: 290
Atrial, arrhythmia 10: 369
contraction, its effect on pulmonary valve motion 18: 421
dissociation 19: 434
dissociation, a case report of 17: 685
excitation sequence, during ectopic atrial beat in rabbit 15: 593
fiber, human, electrophysiologic effect of phenothiazine on 14: 398
Atrial fibrillation, 7: 37, 19: 479
autocorrelation in 4: 233
hemodynamic and clinical significances of, in rheumatic mitral stenosis 16: 122
in significance of sino-atrial node on the mechanism of occurrence of 13: 84
induced by acetylcholine, prevention of, by electric pacing 15: 145
multiclinical open study on effect of β-methyl digoxin on congestive heart failure with 16: 538
of dog, induced by bethanechol, methacholine and carbachol 13: 347
onset and duration of, and significance of the presence of sino-atrial node 13: 85
R-R intervals in 19: 839
Atrial filling 19: 698
Atrial flutter, 19: 332, 19: 434
a case of lupus erythematodes 15: 92
atrial reciprocal rhythm following DC conversion of 13: 362
gradient activation 11: 91

histological study of a case with, associated with complete heart block 12: 191
Atrial, infarction, 11: 91, 18: 272
muscle, canine, inotropic response of, to adenosine and acetylcholine 17: 73
muscle strip 11: 174
myxoma, right, prolapsing, echocardiographic diagnosis of 17: 798
Atrial pacing, 9: 295
analysis of Wenckebach periodicity during 18: 777
rapid, in aged patient with sick sinus syndrome 17: 290
Atrial, premature beat 11: 91
pressure, left, effect on left ventricular volume 12: 383
rate 11: 417
reciprocal rhythm and tachycardia, following DC conversion of atrial flutter 13: 362
Atrial septal defect (ASD), 8: 569, 9: 134, 10: 379, 10: 456, 11: 177, 19: 193, 19: 531
in a family of Holt-Oram syndrome 16: 480
Q-I interval in 18: 164
QRS waves of spatial velocity electrocardiogram in 13: 407
sinus venosus type of 12: 96
size of 18: 164
two cases of, in the aged 14: 373
Atrial, sound, in hypertension 1: 213
standstill, persistent, due to atrial inexcitability 16: 639
T wave, normal 11: 91
tachyarrhythmia, in bradycardia-tachycardia syndrome 14: 414
tachycardia, in rabbit, induced by aconitine, effect of hydrazine on 14: 249
thrombus, left, echocardiography and angiocardiography for detection of 17: 163
thrombus, right, ball valve 4: 285
Atrialized right ventricle, parchment-like, with extensive myocardial fibrosis of left ventricle 17: 428
Atrioventricular block, a case of lupus erythematodes with 15: 92
advanced 3: 73
alternating right and left bundle-branch block with 3: 494
by ammonium chloride infusion 3: 40
complete 3: 73, 3: 81
complete and incomplete, induced by acetylcholine 12: 281
complete, congenital, diagnosed before delivery 14: 467
first degree of, after acute myocardial infarction 17: 540
first degree of tachycardia and bradycardia-dependent LBBB associated with 17: 717
4-year survival rate after cardiac pacing in 17: 133
high grade second degree, associated with Wenckebach period 16: 620
in analysis of Wenckebach periodicity during atrial pacing 18: 777
in effect of ventricular pacing rate on left ventricular volume 13: 232
left and right ventricular volumes in, and their changes induced by isoproterenol 16: 65
sinus node recovery time and abnormal post-pacing phase in 17 : 290
2: 1, in acute anterolateral myocardial infarction complicated with left posterior hemiblock 17: 123
Atrioventricular block, 10: 121, 11: 91
complete, in an aged case of trifascicular block with histological study of conduction system 15: 314
complete, ventriculoatrial conduction in 15: 1
due to myocardial ischemia 20: 495
familial 20: 441
in dystrophia myotonica 20: 571
in histological study on conduction system 15: 113
of dog heart, induced by bethanechol, methacholine and carbachol 13: 347
Atrioventricular bundle, 10: 121
bifurcation of, in an aged case of trifascicular block with histological study of
histological study of, in a case of atrial flutter associated with complete heart block 12: 191
Atrioventricular canal, 8: 620
in an aged case with ventricular septal defect of persistent common atrioventricular canal type 14: 88
Atrioventricular conduction, disturbance 10: 424, 11: 424
delay 3: 484
depressed by procainamide, and reciprocal rhythm 1: 275
disturbance, experimental evaluation of some controversial point regarding, in clinical His bundle electrogram 16: 564
effect of hypoxia and acidosis on 3: 34
effects of pindolol on 20: 537
inhibition on, by l-penbutolol and dl-pro-

pranolol 20: 603
histological confirmation of bypass tract for 12: 281
in advanced A-V block 3: 73
in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
of dog heart, effect of bethanechol, methacholine and carbachol on 13: 347
rate-dependent A-V conduction time, in A-V bypass tract of rabbit heart 12: 281
system 15: 314
time, respiratory variation in 11: 559
Atrioventricular dissociation, reappraisal of 9: 593
with accrochage, a case report of 14: 286
Atrioventricular junction, dual conduction pathways 3: 76
refractory period of 3: 73
Atrioventricular junctional rhythm, in ventriculoatrial conduction in complete atriventricular block 15: 1
Atrioventricular nodal, arrhythmia 10: 419
rhythm 9: 504
rhythm, origin of 14: 273
tachycardia 11: 104
Atrioventricular node, 10: 121, 19: 839
a case of primary rhabdomyosarcoma replacing 15: 532
accelerated conduction in 3: 500
artery, in coronary sinus rhythm induced by selective use of catecholamine in insitu dog heart 13: 438
in evaluation of concept of longitudinal dissociation of His bundle 15: 248
intracellular potentials in 3: 482
net work of, and A-V bypass tract of rabbit heart 12: 281
slow conduction velocity of, in nature of His potential in His electrogram 13: 521
transmission of activation 6: 80
atrioventricular nodal, bigeminy 11: 104
rhythm, digitalis-induced 9: 504
ring 6: 59
Atrioventricular pacemaker, sinus block with 10: 117
axilliary carotid and coronary perfusion 10: 478
Atrioventricular ring, left, in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
Atrioventricular, transmission of impulse and isoproterenol, dl-propranolol and d-propranolol 14: 53
Atrioventricular valve abnormality, in echocardiographic diagnosis of endocardial cushion defect 16: 1
Atrium, 11: 58
and endocardial change 2: 226
canine, isolated, absence of blocking effect of quinidine on response to norepinephrine (NE) in 17: 506
canine, isolated, effect of temperature on NE-induced sinus acceleration and overdrive suppression in 17: 656
in effects of potassium chloride on isolated, blood-perfused canine atrium 18: 379
in effects of salmon calcitonin on isolated canine atrium 18: 214
in positive chronotropic and negative inotropic actions of vasopressin in isolated blood-perfused canine atrium 18: 221
of bullfrog, activation of electrogenic Na– pump by epinephrine in 18: 860
right atrial myxoma, unusual post-operative complications 12: 316
right idiopathic enlargement of 3: 373
right, impulse origination and transmission 6: 71
specialized muscle fibres of, electrical events in 3: 357, 3: 476
septal defect 2: 377, 2: 408
Atropine, 11: 58, 11: 68
and labile T wave 11: 577
effect of, on atrioventricular block induced by cholinergic compound 13: 347
effect of, on coronary sinus rhythm induced by selective use of catecholamine in in-situ dog heart 13: 438
effect on arrhythmia in thiamine deficiency 3: 351
effect on coronary blood flow 5: 328
effect on ventricular gradient 5: 340
effectiveness of, on variant from of
in atrioventricular dissociation with accrochage 14: 286
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
in hemodynamics in hyperthyroidism 17: 12
responses of canine atrial muscle and SA node pacemaker activity to 17: 73
Atypical coarctation of the aorta, 10: 277
in aortitis syndrome 9: 88
Atypical Wenckebach period, during atrial pacing

18: 777
Au colloid, for determination of hepatic blood flow 17: 17
Auricle: see Atrium
Ausculation, 9: 142
of aortic diastolic murmur 9: 118
of arterial stenotic lesion 9: 539
of thyroid murmur 9: 247
Auscultatory area 10: 186
Austin Flint murmur, 5: 9, 10: 20
phonocardiography and pathoanatomy 6: 294
right-sided 9: 303
Autoimmunity, in rheumatic heart disease 4: 407
Automated, diagnosis of arrhythmias 11: 223
EEG diagnosis 11: 223
PCG analysis, clinical evaluation of 18: 482
Automatic, development machine 9: 404
diagnosis, of the electrocardiogram 10: 343
mechanism of production 6: 308
pulsemeter 4: 88
rhythm 6: 144
Automaticity, Abnormal in membrane current change induced by digitalis 18: 851
of SA node of guinea pig, effect of rubidium and potassium on 13: 317
of spontaneously beating right atrium, of guinea-pig, effect of cesium on 14: 454
ventricular, effects of diltiazem on 18: 235
Autonomic, analogue correlator 4: 233
function, in electrical stimulation of thalamus 1: 1
ganglion, and acute cardiac death 3: 451
nervous system, effect of blocking of, on hemodynamics in hyperthyroidism 17: 21
Autopsy 11: 36
Autoradiogram, of myocardium 6: 537
Autoradiography, electron microscopic, study on timed intracellular localization and distribution of tritiated digitoxin and proscillaridin A in myocardial cell by 15: 374
Autoregulation, in positive feedback hypothesis on development of essential hypertension 17: 537
of cerebral blood flow in dog, and lactic acidosis of cerebrospinal fluid 12: 467
of cerebral blood flow in dog, metabolic mechanism of 12: 376
of hepatic circulation 7: 168
of renal circulation 6: 243
renal circulatory 8: 32
AVSEP system, and pocket electrocardiograph carried by patient for observation of various cardiac attack 14: 326
Axis-angle, of electrocardiographic system, nonlinear regression model as applied to comparison of 16: 243
Axis deviation, in electrocardiographic study on electrical axis of right bundle branch block in the aged 14: 510
right, a histological study on conduction system of right bundle branch block associated with 15: 113
Azygos continuation, with anomalous inferior vena cava 12: 96

B

B-mode echocardiography, in echo source of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743
B-scan imaging (ultrasono-cardiography, ultrasono-cardiotomography), detection of left ventricular asynergy by 17: 630
Bachmann's bundle, 4: 333
in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
Back pressure, in vessels lumen 18: 246
Bacterial endocarditis, in right coronary artery to left ventricle fistula 14: 184
Baker's score, in cerebral atherosclerosis of Japanese 15: 518
Balloon pumping, intraaortic, for assistance of coronary circulation 12: 268
Ball valve thorombus, right atrial 4: 285
Balneotherapy, in hypertension 1: 361
Banding, of pulmonary artery, in surgical treatment of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
Barium sulfate, experimental pulmonary embolism induced by 12: 221
Baroreceptor reflex and sensitivity, central modu-

lation of, by angiotensin 14: 135
Baroreflex, of carotid sinus, effect of, on coronary blood flow 14: 531
Basal blood pressure 6: 290
Bay-a 1040, a new coronary dilator, antihypertensive effect of 13: 128
Bays, theorem of 4: 469
beat rate 11: 391
Beriberi heart, and thiamine 5: 150
Beta adrenergic, 11: 379
Beta adrenergic blockade, effect on response of coronary blood flow to cardiac sympathetic stimulation 12: 169
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
in hemodynamic characteristics of centrally mediated pressor activity of angiotensin 14: 226
Beta-adrenergic blocker, exect of, on cardiac function and myocardial oxygen consumption in isolated supported heart preparation of dog 16: 592
effect of, on hemodynamics of spontaneously hypertensive rat 15: 166
in study on rehabilitation of ischemic heart disease patient 16: 512
in treatment of spontaneous angina pectoris 14: 97
non-specific action of, in effect of isoproterenol and propranolol on A-V transmission and A-V transmission and A-V nodal transmembrane action potential 14: 53
Beta-adrenergic blocking agents, 10: 224
(dl-1-(2-acetyl-4-butyramidophenoxy)-2-hydroxy-3-isopropylamino-propane), antagonism of cardiac arrhythmias by 15: 61
(dl-1-(2-acetyl-4-butyramidophenoxy) 2-hydroxy-3-isopropylamino-propane), cardiovascular effect of 15: 72
effects of pinodolol on cardiac fibers 19: 865
inotropic state of left ventricle during treatment with 18: 434
their effects on hypertension 18: 24
Beta-adrenergic, blocking drug (Kö 1366), influence of, on hemodynamics in man 15: 455
Beta-adrenergic chronotropic effect, lack of significant central component of, in vagotomized rat 14: 432
Beta-adrenergic receptor, in effect of isoproterenol and propranolol on A-V transmission and A-V nodal transmembrane action potential 14: 53
in absence of blocking effect of quinidine on response to NE in dog atrium 17: 506
in renin and nervous system 17: 521
Beta-adrenergic stimulating and blocking action, in effect of isoproterenol and propranolol on A-V transmission and A-V nodal transmembrane action potential 14: 53
Beta-adrenergic system, its role in renovascular hypertensive rats 18: 392
Beta-glucuronidase, in evolution of myocardial infarction 20: 643
Beta-hydroxybutyrate dehydrogenase, hypertrophy in spontaneously hypertensive rat 16: 174
Beta-methyl digoxin, multiclinical open study on effect of, on congestive heart failure with atrial fibrillation 16: 538
Beta-receptor blockade, 11: 243
effect of, on coronary blood flow 14: 531
Bethanechol, effect of, on AV conduction of dog heart 13: 347
Better correction, in non-linear regression model as applied to comparison of axis-angle of electrocardiographic system 16: 243
Bicycle ergometer, in non-invasive measurement of subclavian arterial blood flow by Doppler ultrasonic flowmeter 15: 37
Bifascicular block, electrophysiologic study and prognosis of 20: 141
Bifurcation of AV bundle, in an aged case of trifascicular block with histological study of conduction system 15: 314
Bigeminy, atrioventricular, nodal 11: 104
ventricular, in artificial pacemaker-induced pseudo-electrical alternans 12: 494
Bilateral bundle branch block, 10: 121, 11: 460
in histological study on conduction system 15: 113
in persistent atrial standstill due to atrial inexcitability 16: 639
in the aged 14: 510
Biliary tract disease and coronary disturbance 3: 170
Binary logic system, applied for electrocardiographic interpretation machine 5: 212
Binodal disease, sinus node recovery time and abnormal postpacing phase in 17: 290
Bioassay 10: 504
Biochemical examination, effect of alcohol on thiamine deficient cardiac lesion 12: 355
Biochemical findings, in phenochromocytoma
Bioelectric change 11: 74 [11: 423
Biopsy, endomyocardial, in cardiomyopathy in

myotonic dystrophy 12: 202
endomyocardial, in Loeffler's parietal fibroplastic endocarditis 12: 581
renal, in tetralogy of Fallot with systemic hypertension and polycythemia 14: 213
Biplane cinefluorography, importance of, 404
in congenital and acquired cardiopathies 9: 404
Biplane ventriculography, in continuous assessment of left ventricular volume 18: 43
Bipolar electrode, for the study of renal nerve activity 9: 564
Bipolar lead, in variations of timing of deflection in His bundle electrogram 15: 239
Biventricular hypertrophy, and ABC lead tracings 9: 583, 9: 590
Björk-Shiley valve, mitral, thrombosed, successful replacement of 17: 791
in real-time two-dimensional echocardiography 17: 437
tilting disc valve 19:324
Blalock-Hanlon procedure 11: 177
Blalock operation, in tetralogy of Fallot with systemic hypertension and polycytemia 14: 213
Blalock-Taussig anatomosis 11: 113
Bland-White-Garland syndrome, 13: 250
coronary artery perfusion scanning with ^{131}I-MAA injected directly into coronary artery of 15: 28
Bleb, formation of, on endothelial cells, in new concept of atherogenesis and treatment of atherosclerotic diseases 13: 537
Block, A-H, complete AV block due to 15: 1
Block atrioventricular, a case of lupus erythematodes with 15: 92
complete, congenital, diagnosed before delivery 14: 467
complete, in an aged case of trifascicular block with histological study of conduction system 15: 314
complete, ventriculoatrial conduction in 15: 1
in effect of ventricular pacing rate on left ventricular volume 13: 2322
in histological study on conduction system 15: 113
in septal artery ligation 256
Blockade, of alpha-receptor or beta-receptor, effect of, on coronary blood flow 14: 531
pharmacological 19: 66
"total" autonomic 19: 66
Block, four cases with atrioventricular 4: 303
internodal tract, a case of lupus erythematodes with 15: 92
left anterior or posterior fascicular, in an aged case of trifascicular block with histological study of conduction system 15: 314
left anterior or posterior fascicular, in histological study on conduction system 15: 113
of bundle branch, right, left or bilateral, in the aged 14: 510
of right bundle branch, with left anterior or posterior fascicular block, in an aged case of trifascicular block with histological study of conduction system 15: 314
of right, left, bilateral bundle branch, in histological study on conduction system 15: 113
protection, in evaluation of concept of longitudinal dissociation of His bundle 15: 248
retrograde, in complete AV block 15: 1
sinoatrial in bradycardia-tachycardia syndrome 14: 414
trifascicular, an aged case of, with histological study of conduction system 15: 314
trifascicular, in histological study on conduction system 15: 113
unidirectional, in ventriculoatrial conduction in complete AV block 15: 1
Blockdiagram, of servocontrolled computer, 10:
Blood, catecholamine 7: 277 ⌊47
clot, laminated, in right coronary artery to left ventricle fistula 14: 184
coagulation 11: 450
disease, and endocardial change 2: 220
distribution, in correlative changes in total vascular capacity and resistance in carotid sinus reflex 17: 196
distribution, postural change 5: 115
electrolytes, effect of dietary potassium 5: 272
Blood flow, 11: 45, 11: 149
calculation of, from surface induced potentials (magnetorheography) 16: 694
capillary, in heart 14: 126
cerebral, and cerebral sclerosis 2: 133
cerebral, autoregulation of, metabolic mechanism of 12: 376
cerebral, effect of constricting carotid artery on 12: 467
cerebrocortical, viriable, in cerebral autoregulation in dog 12: 376
cirection, experimental study on, in anomalous left coronary artery arising from pulmonary artery 13: 250
collateral, through ischemic myocardium in

dog 13: 241
computer 11: 45
Blood flow coronary, 12: 60
after occlusion and cardiac arrest 3: 245
collateral, effect of adrenergic activation on 15: 289
effect of ganglionic blockade to cardiac sympathetic stimulation on 12: 169
effect of dipyridamole on, in man 16: 361
effect on, of carotid sinus reflex and exogenous catecholamine 14: 531
in aortic root balloon pumping 12: 263
in circumflex coronary artery in experimental ligation of left anterior descending coronary artery 13: 512
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
in ischemic heart disease 14: 494
in man, effect of nitroglycerin on 14: 314
in oral phentolamine in angina pectoris 14: 393
phasic pattern of, and balance between myocardial O_2 demand and supply 17: 491
sustained decrease of following sympathetic stimulation 16: 265
Blood flow cranial, in cerebral arteriovenous malformation of adults 13: 471
in cerebral transient ischemic attack 16: 654
Blood flow distribution, in Rb^{86} uptake of various organs of spontaneously hypertensive rat 16: 156
in renal hemodynamics and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
Blood flow hepatic, by radioisotope 3: 154
determination of, by Au^{111} colloid 1: 17
humoral and nervous control of 3: 569
in experimental pulmonary edema 2: 158
in liver cirrhosis 2: 460
in normal and in liver cirrhosis 3: 155
new analytical method using radioactive gold 2: 460
Blood flow myocardial, distribution of 12: 50, 12: 60
in influence of adrenergic blockade on hypoxic sensitivity of coronaries 17: 485
ischemic and nonischemic, of dog, and isoproterenol 14: 32
non-uniform, caused by stellate ganglion stimulation 16: 162
regional, assessment of, by heated cross-thermocouples 12: 562
regional, effect of selective coronary hypotension on, of dog papillary muscle 18: 841
Blood flow, non bleeding measurement of, by magnetorheography, in man 15: 469
nutritional, in heart 13: 126
of coronary sinus 12: 50
of coronary sinus, and lactate metabolism during isometric handgrip exercise in heart diseases 17: 742
of ischemic and non-ischemic myocardium, effect of pentaerythritol tetranitrate on 13: 502
of subclavian artery, non-invasive measurement of, by Dopper ultrasonic flowmeter 15: 37
organ, effet of angiotensin-converting enzyme inhibitor (SQ 14,225) on 20: 367
phasic, intramyocardial, measurement of, using impedance plethysmography 15: 407
Blood flow pulmonary, increased, scoring system to assess severity of congenital heart disease with, during first year of life 14: 503
Blood flow renal, and renal biopsy 2: 455
effect of cardiac output 2: 374
in anemia 2: 454
in cardiovascular effect of dopamine after experimental coronary occusion in dog 16: 280
in congestive heart failure 2: 454
in essential hypertension 2: 443, 15: 423
nervous control of 2: 65, 2: 368, 3: 57, 3: 259
Blood flow velocity, for unit mass of tissue 11: gases 11: 417 ⌊309
in a patient with Takayasu's arteritis 13: 99
in carotid artery, as a measure of myocardial contractility 16: 22
pressure 11: 58
Blood-let dogs, changes of cardiac dynamics and myocardial energy liberation in 18: 357
Blood lipid, in cerebrovascular diseases 5: 101
Blood pressure, 10: 57, 19: 212
after injection of chlorpromazine 20: 33
after intravenous bolus injection of ATP 18: 132
and arrhythmia by brain simulation 3: 467
and endocardial change 2: 226
and renal blood flow 2: 65, 2: 368
and serum total cholesterol, in relation to severity of atherosclerotic lesions in aorta, atrial, intravenous injection of hypertonic saline 2: 79
carotid sinus 2: 512

cerebral sclerosis 2: 135
coronary and cerebral arteries 12: 460
coronary, in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
diethylstiben and 4: 569
effect of anesthetics 2: 508
effect of methylthiouracil on 4: 451
effect of nephrectomy on 4: 453
effect of propranolol on 18: 392
elevation pattern of 9: 187
estradiol and 4: 569
femoral of sciatic nerve stimulation 2: 70, 2: 371
ganglionic blockades 2: 510
hypertension. (see: Hypertension.) 4: 569
in Japanese rural individuals 3: 545
in acute hypoxia 18: 102
in comparison of semi-automated sphygmomanometer with clinical sphygmomanometer 16: 118
in experimental hypertension 9: 473
intravenous injection of hypertonic saline 2: 79
occlusion of carotid artery 2: 69, 2: 371
of mouse 12: 275
of spontaneously hypertensive rat, effect of sodium intake and angiotensin administration on 14: 165
of spontaneously hypertensive rat, influence of stressful environmental stimuli on change of pitressin and 4: 564 ⌊14: 170
pressor substances 2: 508
propranolol in patient with Fallot's tetralogy 9: 531
pulmonary arterial in experimental pulmonary edema 2: 158
relation to coronary atherosclerosis, myocardial lesions and cardiac hypertrophy 13: 34
responses of isolated smooth muscle strips in hypertensive rat 2: 513
role of sympathetic nerve 2: 513
slowered turnover of norepinephrine in brain associated with acute elevation in, of rat 16: 575
splanchnic nerve stimulation 2: 515, 2: 66, 2: 369
urinary secretion of catecholamines 2: 516
vagal nerve stimulation 2: 69, 2: 71, 2: 369
Blood sludge, in bulbar conjunctiva, in rheumatic fever 5: 535
Blood urea nitrogen 19: 204
Blood vessels, anterior spinal artery occlusion 2: 339
arterial reaction by adrenaline and cholesterol 3: 581
bronchial artery, angiography of 3: 523
bulbar conjunctiva in rheumatic heart disease 3: 398
cerebral vessel, innervation of 2: 338
rupture of 2: 350
pulmonary vessel, innervation of 2: 152
superior vena cava obstruction syndrome 2: 256
Blood volume, expansion, in effect of sline infusion on prostaglandin-like material in renal venous blood and medulla of canine kidney 14: 140
in lung, in acquired valvular disease 1: 442
pulmonary, in congenital heart diseases with left-right shunt in infants and children 12: 138
pulsatile 11: 149
right heart, in a method for quantitative detection of tricuspid regurgitation 16: 11
Blood zinc level, in patient with arteriosclerosis obliterans, thromboangiitis obliterans and Takayasu's disease 16: 664
Body fluid, compartmental model of 9: 281
disturbance, estimation of 20: 853
Body surface isopotential maps 19: 28
Body water contents, estimation of, with plasma sodium, protein concentrations and hematocrit 20: 853
Bovine pericardium, aldehyde treated, blood contact surface of artificial heart made of 15: 485
Bowditch's effect, in left and right ventricular volumes in AV block and their changes induced by isoproterenol 16: 65
Boyden's method, 489
Brachial arterial pressure curve, 467
Bradycardia-dependent left bundle branch 17: 717
Bradycardia-tachycardia syndrome, in clinicopathological study on sick sinus syndrome 17: 731
sinus node recovery time and abnormal postpacing phase in 17: 290
treatment of, with cardiac drug and adrenal corticosteroid 14: 414
Bradykinin, 10: 226
acetate, excitation of afferent cardiac sympathetic nerve fiber induced by 15: 84
antagonist, for treatment of atherosclerosis 6: 407
effects of, on the release of histamine and nor-

epinephrine from the heart 20: 183
in coronary sinus blood in experimental coronary artery occlusion 18: 679
preparations of antibradykinin 9: 359
Brain, slowered turnover of norepinephrine in, associated with acute elevation in blood pressure of rat, 16: 575
Brain circulation, by external counting 5: 127
in cerebral transient ischemic attack 16: 654
time 5: 130
Brain stem in renin and nervous system 17: 521
transection, in effect of serotonin depletion on central regulation of carotid sinus reflex in rat 16: 148
Brain tissue hypoxia, cerebrospinal fluid lactic acidosis due to, and cerebral autoregulation in dog 12: 376, 12: 467
Brain transit time, in cerebral arteriovenous malformation of adults 13: 471
Breakage of heart, death of a calf survived with implanted total artificial heart due to 15: 485
Breakthrough 19: 12
minimum, 19: 12
Breath holding 11: 74
Breathing, spontaneous and controlled, in study on carotid body and carotid sinus 14: 539
Bromelain, effect of, on clinical laboratory tests 12: 517
Bronchial arteries, 11: 132
arteriography of 3: 523
clinical 3: 530
experimental 3: 529
Bronchial compression, in quadrivalvular heart disease 9: 303
Brunjes et al., method of 11: 426
Buerger's disease, 8: 5, 19: 308
treatment with pyridinolcarbamate 6: 407
Buffer nerve activity 10: 161
Bulbar conjunctive, arborization of capillaries 3: 398
blood sludge phenomenon 3: 394
in rheumatic heart disease 3: 394
microaneurysm in 3: 396
venular aneurysm in 3: 396
Bulge, systolic, in collateral blood flow through ischemic myocardium in dog 13: 241
Bluging, paradoxical, of left ventricle, induced by coronary artery occlusion 13: 150
Bullet, migration of, from inferior vena cava to right pulmonary artery 13: 573
Bullfrog heart muscle, effect of hydrazine on, in excess potassium solution 14: 366
mechanism of positive inotropic action of hydrazinium ion on 14: 257
Bullfrog ventricular muscle, bundle block 10: 465
bullfrog heart 11: 172
effect of hydrazine on spontaneously beating ventricular tachycardia of 14: 249
Bundle branch block, alternating right and left, with A-V block 3: 494
atypical 4: 303
bilateral 4: 294, 10: 121, 11: 460
bilateral, in histological study on conduction system of right bundle branch block associated with right axis deviation 15: 113
heart sounds in 8: 459, 8: 468
inconstant left 4: 599
in VCG 2: 210
Bundle branch block, left, 10: 121, 10: 169
cause of change of second heart sound in 13: 281
complete 11: 5
in histological study on conduction system of right bundle branch block associated with right axis deviation 15: 113
in idiopathic cardiomegaly in the aged, histological study of 12: 305
tachycardia- and bradycardia-dependent, associated with first degree AV block 17: 717
Bundle branch block, rate-dependent, in acute anterolateral myocardial infarction complicated with left posterior hemiblock 17: 123
Bundle branch block, right, 11: 5, 11: 334, 11: 460
associated with right axis deviation 15: 113
histological study on conduction system of, in electrical axis of heart in 1,000 autopsied cases 17: 25
in QRS waves of spatial velocity electrocardiogram in atrial septal defect 13: 407
in the aged, electrocardiographic study on electrical axis of 14: 510
tissue 10: 456
with first degree AV block, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
with left anterior or posterior fascicular block, in an aged case of trifascicular block with histological study of conduction system 15: 314
Burnstein's method 11: 216
Bypass preparation, of right heart, in hemodynamic characteristics of centrally mediated pressor

activity of angiotensin 14: 226
ratio 19: 297
tract, histological confirmation of, for AV conduction 12: 281

C

C ber 10: 238
C^{14}-acetate 9: 368
C^{14}-alanine 9: 368
C^{14}-cholesterol, uptake of 9: 180
C^{14}-glucose, in corporation to nucleic acid 6: 447
C^{14}-glutamic acid 9: 368
C^{14}-glutamine 9: 368
C^{14}-glycine 9: 368
Ca antagonist, 19: 455
cardiohemodynamic effects of 18: 120
electrophysiologic effect of 18: 235
nifedipine, hypotensive action and increased plasma renin activity by, in hypertension 17: 479
Ca^{2+} binding, ability of, of cardiac sarcoplasmic reticulum, of spontaneously hypertensive rat, 15: 475
Ca P product 19: 204
Caffein, in responses of canine atrial muscle and SA node pacemaker activity to adenosine and acetylcholine 17: 73
Cage factor 11: 74
Calcific mitral stenosis 18: 154
Calcification, in heart 18: 154
of heart, in calcified left ventricular aneurysm and non-atherosclerotic myocardial infarction in a child 16: 603
Calcitonin, its effects on SA nodal pacemaker activity and contractility 18: 214
Calcium (also see Ca), 11: 291
chloride, effect of, on myocardial hemodynamics and clearance of ^{88}rubidium 14: 126
chloride, in effect of verapamil on blood-perfused, isolated canine atrium 16: 709
correlation with effect of ouabain on actomyosin 3: 46
effect, digitalis-induced arrhythmias 6: 165
exchangeable, and inotropic effect of ouabain 12: 90
extensive deposit of, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623
in Japanese aortas 6: 20
induced-fibrillation 9: 162
Calcium ion, 11: 269
distribution in cardiac muscle and ouabain 12: 90
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
membrane permeability to, in mechanism of positive inotropic action of hydrazinium on bullfrog heart muscle 14: 257
permeability of membrane to, in effect of hydrazine on bullfrog heart muscle in excess potassium solution 14: 366
relation to monophasic action potential duration 20: 477
Calcium therapy in hyperpotassemia, in QT duration and plasma electrolytes in uremic patients 13: 187
Calcium uptake of cardiac muscle and ouabain 12: 90
Calculation of flow, in magnetorheography 16: 16: 694
Calibration, by giving known volume to ascending aorta in order to calibrate flow measuring system 18: 225
of dp/dt 11: 47
Cancellation, of ECG noise 18: 225
Cancer, as an underlying disease in acute myocardial infarction following blood transfusion 18: 191
heart weight 19: 371
Canine heart-lung preparation with a donor, in effect of ethyl adenosine-5′-carboxylate on heart and coronary circulation 16: 421
Capacitance vessel, in correlative changes in total vascular capacity and resistance in carotid sinus reflex 17: 196
Capacitor discharge, in D-C counter shock 7: 37
Capillary blood flow, in heart 14: 126
microelectrode 11: 59
pH, in study on rehabilitation of ischemic heart disease patient 16: 512
Capilloscopy, in obstructive disease of peripheral artery 14: 13
Carbachol, effect of, on AV conduction of dog heart 13: 347
in prevention of acetylcholine-induced atrial fibrillation by electric pacing 15: 145

Carbamazepine 19: 544
Carbochromene, cardiohemodynamic effect of 15: 126
Carbohydrate, dietary affecting, hypercholesterolemia and atherogenesis 3: 312
in angina pectoris induced by intravenous administration of 50% glucose 15: 218
metabolism of, in heart muscle 3: 555
Carbon dioxide, and regional cerebral blood flow 9: 349
tension, alverolar, expired, in chronic pulmonary emphysema 1: 37
Carcinoma, hepatic, renal glomerular lesion with 3: 617
of thyroid, medullary, associated with familial bilateral phenochromocytoma 12: 405
Cardiac, abnormality, in chronic alcoholism 13: 418
anaerobic metabolism 11: 550
Cardiac anomaly, in a case of omphalocele 16: 211
major and minor, in Japanese children with Down's syndrome 13: 307
cardiac arrest, 10: 365
in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
Cardiac arrhythmia, 10: 409
and atrioventricular dissociation with accrochage 14: 286
antagonism of, by a new beta-blocker 15: 61
in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
Cardiac, asystole, in revival of isolated heart stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
Cardiac attack, various, pocket electrocardiograph carried by patient for observation of 14: 326
Cardiac auscultation, 10: 186, 10: 379, 11: 515
Cardiac bypass, complete intraventricular, as an artificial heart in dog 12: 161
Cardiac catheterization 10: 186, 10: 379, 10: 476, 11: 17, 11: 203, 11: 213, 11: 515
Cardiac contraction, asynchronism of 9: 295
cineangiocardiographic observation of 9: 295
Cardiac, cycle, phasic analysis of 9: 332
decompensation 8: 507
Cardiac denervation, in cyclic fluctuation of coronary blood pressure and flow induced by coronary constriction 16: 454
Cardiac dilatation, in principle of adaptation of heart size to volume load 17: 663
Cardiac, disease, hereditary, in a family of Holt-Oram syndrome 16: 480
Cardiac dynamics, in blood-let dogs 18: 357
Cardiac dysrhythmia, in brain circulation in cerebral transient ischemic attack 16: 654
Cardiac effect index, influence of β-adrenergic blocking drug Kö 1366 on, in man 15: 455
Cardiac electromotive force 11: 183
Cardiac event, and vibrocardiogram 5: 414
Cardiac failure, 11: 417
fetal, resulting from endocardial fibroelastosis 15: 623
in experimental chronic mitral regurgitation in dogs 18: 823
in the pathogenesis of pulmonary edema 8: 752
Cardiac fibrillation, output, and unilateral pulmonary artery distension 6: 433
Cardiac function curve, in effect of maximal work load on cardiac function 14: 146
Cardiac function, effect of β-blocker on, in isolated supported heart preparation of dog 16: 146
effect of rubidium on 13: 317
in effect of ethyl adenosine-5′-carboxylate on heart and coronary circulation 16: 421
in progressive muscular dystrophy 18: 638
in propranolol and practolol in treatment of spontaneous angina pectoris 14: 97
in pulmonary edema 8: 709
long-term effect of corticosteroid on 15: 443
under myocardial ischemia 18: 366
Cardiac glycogenesis 10: 31
Cardiac glycoside, inotropic effect of, and calcium 12: 90
Cardiac hyperplasia, relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
Cardiac hypertrophy 10: 147, 10: 284
experimental, nucleic acid metabolism and depression of hexosemonophosphate pathway in 13: 325
experimentally induced 9: 393
heart weight in 20: 63
in adults, cerebral arteriovenous malformation as a cause of 13: 471
in experimental chronic mitral regurgitation in dogs 18: 823
in principle of adaptation of heart size to volume load 17: 663
in Rb^{86} uptake of various organs of spontane-

ously hypertensive rat 16: 156
in spontaneously hypertensive rat 14: 177
myocardial nucleic acids and proteins metabolism 9: 393
of rabbits, and depressed Na-K-ATP-ase activity 13: 73
relation to blood pressure, myocardial lesions and coronary atherosclerosis 13: 34
relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
Cardiac index, 19: 66, 19: 212
after injection of chlorpromazine 20: 33
in experimental chronic mitral regurgitation in dogs 18: 823
in hypertensive patients 18: 24
influence of β-adrenergic blocking drug Kö 1366 on, in man 15: 455
Cardiac lesion, effect of alcohol on thamine deficient cardiac lesion 12: 354
small 18: 812
thamine deficient, in relation to myocardial and blood pyruvic acid contents 12: 474
Cardiac metabolism, in spontaneously hypertensive rat 16: 174
Cardiac metastasis, of lung cancer 15: 223
of pulmonary carcinoma 4: 294
Cardiac movement in biplane cinefluorography
Cardiac muscle, 11: 269 [9: 404
distribution of calcium ion in 12: 90
effect of cesium on property of 14: 454
Cardiac murmur, by deformity of spinal column 8: 670
disappearance of, in effect of steroid hormone on rheumatic carditis 17: 545
Cardiac myofibril, ATPase activity of, isolated from heart of spontaneously hypertensive rat 15: 475
Cardiac nerve stimulation, effect of, on ventricular arrhythmia after coronary occlusion 12: 368
effect on ECG and VCG 5: 359
sympathetic, effect on left ventricular volume 12: 383
Cardiac neurosis, pocket electrocardiograph carried by patient for observation of 14: 326
Cardiac output, 7: 39, 11: 325
and total peripheral resistance in spontaneously hypertensive rat 14: 267
common carotid artery occlusion 5: 53
computer 11: 325
continuous observation with flowmeter, during cardiovascular reflexes 5: 49
determination of 7: 235
effect of a new coronary dilator (Bay-a 1040) on 13: 128
in alcoholic heart disease 11: 528
in cardiohemodynamic effect of nitroglycerin and several vasodilators 15: 126
in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
in hemodynamics of experimentally hypertensive rat 17: 80
in hemodynamics of spontaneously hypertensive rat in conscious state 16: 719
in use of hypotensive agent and coronary vasodilators 18: 120
indirect measurement of 9: 339
measured using magnetorheography 18: 225
mixed nerve stimulation 5: 52
non-invasive measurement of subclavian arterial blood flow as a parameter of 15: 37
postural change of 5: 115
sinus nerve stimulation 5: 51
systemic arterial pressure 9: 487
Cardiac output-curve 19: 775
Cardiac pacemaker, 10: 474
acoustic coupling 19: 829
battery exhaustion 19: 829
clinic 19: 829
competition 19: 829
follow-up by telephone transmission 19: 829
lead fracture 19: 829
Cardiac pacing, 4-year survival rate after, in AV block 17: 133
Cardiac performance, change of, in renal failure 16: 489
effect of maximal work load on 14: 146
measurement of 7: 101
Cardiac phases, 9: 169
arbitrary, new polygraph for selecting of 15: 349
determination of stroke volume 9: 339
Cardiac rehabilitation, in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
Cardiac reserve 19: 84
Cardiac rupture, 9: 416
artery resulting in 17: 269
ability of, isolated from heart of spontaneously hypertensive rat 15: 475
clinicopathological study on 9: 265

following myocardial infarction 9: 265
tumor embolism of coronary 17: 269
Cardiac, sensory fiber, excitation of, following sympathetic stimulation 16: 265
shock, effective treatment of 7: 103
size, relationship of myocardial metabolism to 1: 157
structual proteins, in myocardial infarction 18: 711
Cardiac surgery, control trials of 19: 675
parenteral fluid therapy in childhood 9: 520
Cardiac sympathetic nerve, 11: 550
afferent discharge 11: 550
afferent, effect of propranolol on excitation of, during myocardial ischemia 15: 280
afferent, nitroglycerin-induced suppression of excitation of during myocardial ischemia 15: 154
fiber, afferent, excitation of, induced by vagal stimulation 16: 548
Cardiac sympathetic receptors 10: 70, 10: 226
Cardiac tamponade, in heart sarcoma 8: 545
in hemopericardium due to anticoagulation in a case with endocardial pacemaker 17: 784
Cardiac tumor, in a case of rhabdomyoma in infancy 17: 669
metastatic, in tumor embolism of coronary artery resulting in myocardial infarction and cardiac rupture 17: 269
mural, echocardiographic recognition of 17: 106
Cardiac, ultrasonography, in ultrasonic diagnosis of ventricular aneurysm 16: 394
vibration, unitary nature of 14: 406
weight/body length ratio, relation to blood pressure, cardiac hypertrophy, coronary atherosclerosis, and myocardial lesions 13: 34
work, in effect of nitroglycerin on coronary hemodynamics in man 14: 314
Cardiodepressant, in cardiohemodynamic effect of nitroglycerin and several vasodilators 15: 126
Cardiogenic shock, and a large dose of corticosteroid 14: 281
and bradykinin 18: 674
experimental, and aortic root balloon pumping 12: 263
in cardiovascular effect of dopamine after experimental coronary occlusion in dog 16: 280
Cardiology, historical review and present status of, in Japan, 1: 257, 1: 357
in Asia 11:1
new frontiers in 2: 277
Cardiomegaly 19: 332
Cardiomegaly idiopathic, 11: 5
a case report of 1: 248
congenital 4: 182
in the aged, with special references to morphological specificity and to conduction system 12: 305
Cardiomegaly, in aortitis syndrome 13: 107
in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
in puerperal cardiomyopathy 14: 104
Cardiomyopathy alcoholic, 13: 418
as a possible etiologic factor of heart disease 12: 123
proposal of diagnostic criterion of 15: 337
Cardiomyopathy, congestive, unusual pattern of mitral echocardiogram observed in 16: 500
familial, anti-heart antibody, immunoglobulin, beta-streptococcal type-specific antibody and circulating anticoagulant in 12; 40
Cardiomyopathy, hypertrophic, echocardiographic study on 17: 275
in echocardiographic classification in hypertensive heart disease 16: 377
in giant T wave inversion in asymmetrical apical hypertrophy of left ventricle 17: 611
obstructive, real time observation of echo source of systolic hump in, with high speed ultrasonocardiotomography 18: 743
unusual pattern of mitral echocardiogram observed in 16: 500
Cardiomyopathy idiopathic, and peripartum, in persisten atrial standstill due to atrial inexcitability 16: 639
in atrialized parchment-like right ventricle with extensive fibrosis of left ventricle 17: 428
Cardiomyopathy, in calcified left ventricular aneurysm and non-atherosclerotic myocardial infarction in a child 16: 603
in myotonic dystrophy 14: 202
in myotonic dystrophy, biopsy 12: 202
left ventricular thrombi in 20: 675
metastatic and paraneoplastic 14: 548
peripartal and primary, in Japan 13: 488
primary 13: 418
primary, classification (clinical and pathological) of 12: 125
primary, obstructive and non-obstructive, clinical spectrum of Japanese patients 12: 123
purperal, presentation of 11 cases of 14: 104
steroid, in long-term effect of corticosteroid on

cardiac function 15: 443
with hereditary cerebellar ataxia 13: 369
Cardiopulmonary bypass, 10: 478, 10: 552
metabolic acidosis after 8: 582
Cardiopulmonary function 8: 733
Cardioselective beta receptor blockade, acebutolol, cardiovascular effect of 15: 72
Cardiostimulant, in cardiohemodynamic effect of nitroglycerin and several vasocilators 15: 126
Cardiothoracic index, in rheumatoid arthritis 3: 327
Cardiothoracic ratio, in cerebral arteriovenous malformation of adults 13: 471
Cardiotocograph, in a case of congenital complete atrioventricular block diagnosed before delivery 14: 461
Cardiotoxicity, of ouabain, relationship between heart rate and, in dog heart-lung preparation 14: 357
Cardiovascular, center, in effect of clonidine on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
Cardiovascular death, in Japan 1: 129
Cardiovascular disease, development of surgery diet composition and 3: 126 ⌊3: 29
epidemiology of 3: 138
in Pacific area 3: 117
population survey of 13: 118
prevalence of, in Chile 3: 117
preventive faction in 3: 151
symposium on nutrition and 3: 107
Cardiovascular, drugs 7: 1
dynamics, effect of arteriovenous fistula on 12: 392
effect, of dopamine, after experimental coronary occlusion in dog 16: 280
features, in a case of Ehlers-Danols syndrome 13: 272
Cardiovascular reactivity, after nephrectomy 6: 233
in hypertensive rat 12: 68
to norepinephrine, of hypertensive rat 13: 428
Cardiovascular, reflexes, and continuous observation of cardiac output 5: 49
syphilis, in clinicopathological study on syphilitic aortic regurgitation in the aged 14: 22
Cardioversion, complication of 7: 39
Carditis rheumatic, effect of steroid hormone on 17: 545
in Japanese children 1: 149
with insidious onset, and revised Jones criteria 12: 436
Carey Coombs murmur in hyperthyroidism 4: 516, 4: 522
Carotid artery, blood flow velocity in, as a measure of myocardial contractility 16: 22
effect of constricting of, on cerebral blood flow and on cerebrospinal fluid pH, lactate and pyruvate in dog 12: 467
occlusion of, and renal circulation 2: 69, 2: 369
pulse, diagnostic significance of, in complex congenital heart disease 13: 563
stenosis, in elevated plasma renin activity in aortitis syndrome 17: 1
Carotid body, and sinus, study on 14: 539
in a study on carotid body and carotid sinus 13: 136
Carotid, chemoreceptor stimulation, in study on circulatory effect of carotid chemoreflex 14: 539
chemoreflex, circulating effect of 14: 539
embolism 10: 318
Carotid occlusion, 11: 160
and renal nerve 6: 548
change of left and right ventricular volume induced by propranolol and subsequent 13: 445
in hemodynamic characteristics of centrally mediated pressor activity of angiotensin 14: 226
Carotid perfusion 10: 552
Carotid sinus, activity of, influence of sympathetic innervation on 1: 169
and renal circulation 2: 375
baroreflex, effect of, on coronary blood flow 14: 531
compression, in tachycardia and bradycardia-dependent LBBB associated with first degree AV block 17: 717
nerve stimulation, in central modulation of baroreceptor reflex by angiotensin 14: 135
occlusion, effect on renal circulation 3: 261
Carotid sinus reflex, by electrical stimulation of carotid sinus wall 13: 136
correlative changes in total vascular capacity and resistance in 17: 196
effect of, on coronary blood flow 14: 531
effect of serotonin depletion on central regulation of, in rat 16: 148
Carotid sinus, role of baroceptors in hypertensive dogs 2: 512
stimulation 11: 57

Carotid tracing, phasic analysis of cardiac cycle 9: 332
CASRAD 11: 345
Cast preparation, of thyroid gland 9: 247
Catapres, effect of, on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
Catecholamine(s), 10: 226, 11: 243, 11: 269, 11: 423, 11: 429, 11: 478, 11: 506
acid catechols in congestive heart failure 4: 13
amount of, during brain stimulation 3: 63
and hypertension 2:1
and heart disease 6: 493
and vitamin B_2 2: 282
central gray stratum 7: 277
content and metabolism of, in spontaneously hypertensive rat 14: 171
coronary sinus rhythm induced by selective use of, in in-situ dog heart 13: 438
effect of nitroglycerine 7: 430
edematous arterial reaction by adrenaline 3: 581
effect on coronary blood flow 5: 331
effect on hepatic circulation 3: 571
effect on portal circulation 3: 572
effect on renal circulation 3: 63
effect on renal hemodynamics 2: 374
exogenous, effect of, on coronary blood flow 14: 531
heart muscle and 4: 577
in congestive heart failure 8: 242
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
in experimental hypertension 2: 508, 2: 513
in renin and nervous system 17: 521
increased urinary excretion of, during normotensive phase of paroxysmal type of phenochromocytoma 12: 214
myocardial 7: 277
interrelationship between angiotensin and 9: 13
myocardial, and coronary vasodilators 6: 335
of infarcted myocardium 6: 338
of spontaneously hypertensive rat, influence of stressful environmental stimuli on change of 14: 170
relationship between bradykinin and 18: 679
separation of 6: 337
stimulation of central nervous system and 4: 118
urinary excretion of, in experimental hypertension 2: 516
Catechol-o-methyltransferase (COMT) in synthesis of catecholamine 6: 494
Cathepsin D, in evolution of myocardial infarction 20: 643
Catheter, 10: 456
carrying electrodes at tip of, for measuring cardiac output 18: 225
Swan-Ganz, in hemodynamic evaluation of ischemic heart disease 14: 494
Catheterization cardiac, in congestive heart failure due to left-to-right shunt in infants and children 12: 138
cardiac, right and left, in phonocardiographic study of left bundle branch block 13: 281
left and right heart, in comparison of pressure in lesser circulation with left ventricular filling pressure in ischemic heart disease 17: 706
left heart catheterization 2: 78, 2: 425, 8: 121
of heart 2: 277
of right heart, in a case of membranous septal aneurysm associated with a small defect 14: 80
right cardiac 6: 318
right heart, in differential diagnosis of pulmonic stenosis by intracardiac phonocardiography 17: 691
transseptal left heart 5: 301, 6: 318, 6: 396, 6: 397
Catheter-manometer systems, distortions of pressure waves obtained with 18: 664
Catheter-type semiconductor radiation detector 11: 345
Cation divalent 19: 226
Cell count, 11: 36
relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
Cell division 11: 36
Cellophane perinephritis hypertension, in rat, for experimental cardiac hypertrophy 13: 325
Central component, lack of, in β-adrenergic chronotropic effect in vagotomized rat 14: 432
Central fibrous body, 10: 121, 11: 5
in histological study on conduction system 15: 113
Central gray stratum 7: 277
Central modulation, of baroreceptor reflex by angiotensin 14: 135
Central necrosis, of liver, in pathological study of animal replaced with artificial heart 17: 326
Central nervous system, chronic stimulation of diencephalon 5: 260
effect of coronary blood flow by stimulation

5: 323
hypothalamus, regulation of cardiovascular system 5: 268
Central regulation, of circulatory and respiratory changes, in thalamus 1: 1
Centrifugation, step-wise, in renin content in subcellular fraction of normal rat kidney extract 14: 440
Cerebellar, ataxia, hereditary, with cardiomyopathy 13: 369
cortex, atrophy of, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
Cerebral arteriosclerosis, dl-alpha-tocopheryl nicotinate for treatment of symptoms in 18: 277
of Japanese 15: 517
Cerebral arteriovenous malformation, as a cause of cardiac hypertrophy in adults 13: 471
Cerebral artery, atherosclerotic lesion of, in relation to blood pressure and serum total cholesterol 12: 460
Cerebral blood flow, autoregulation of, metabolic mechanism of 12: 376
effect of constricting carotid artery on 12: 467
regional, external measurement in man 9: 349
variable cortical flow with constant cerebral blood flow in cerebral autoregulation in dog 12: 376, 12: 467
Cerebral circulation, 10: 145
age 2: 135
of cerebrovascular diseases 5: 495
Cerebral embolism, in cardiac diseases 1: 135
Cerebral hemorrhage, administration of vascular permeability factor 9: 461
effect of pyridinolcarbamate 7: 591
in experimental renal hypertension 5: 466
incidence of 7: 26
microscopic 9: 186
multiple punctate 9: 186
single massive 9: 186
Cerebral, lesion, of spontaneously hypertensive rat, histopathological study of 14: 172
softening 9: 186
thrombosis and hemorrhage, in population survey on cerebrovascular nad cardiovascular diseases 13: 118
Cerebral transient ischemic attack, brain circulation in 16: 654
Cerebral vascular disease, 13: 118
cause of death in hypertension 6: 291
experimental 4: 1, 4: 69
Cerebral vessel, vasomotoricity of 1: 181
Cerebroside sulfate 2: 354
Cerebrospinal fluid, drainage of 9: 316
lactic acidosis and cerebral autoregulation in dog 12: 376, 12: 467
Cerebrovascular, artery occlusion 2: 339
circulation, regulation of 2: 349
Cerebrovascular disease, and blood lipids 5: 101
arteriography and cerebral circulation 5: 445
cerebral circulation of 5: 495
epidemiological studies in Hisayama, Japan 5: 12
in brain circulation in cerebral transient ischemic attack 16: 654
observer variation in diagnosis of 18: 171
regional cerebral blood flow in 9: 349
Cerebrovascular embolism 2: 338, 2: 351
Cerebrovascular hemorrhage, arrhythmia 2: 399
experimental 2: 338
Cerebrovascular, lesions histological examination in 2: 338
lesions, in experimental renal hypertensive rats 9: 186
metabolism, accelerator 2: 143
permeability, in study on stroke in stroke-prone SHR 16: 332
resistance, in metabolic mechanism of cerebral autoregulation in dog 12: 376, 12: 467
Cerebrovascular sclerosis, 2: 143
and cerebral circulation 2: 133
standard of diagnosis of 12: 135
treatment of 2: 141
Cerebrovascular, softening 2: 340
thrombosis 2: 349
vasospasm 2: 338
Cesium, effect of, on property of cardiac muscle 14: 454
Changes of, action potential 11: 269
arterial blood pressure 10: 57
urinary osmolality 10: 447
Check-alarm-training system, for management of ischemic heart disease 15: 47
Chemiprophylaxis, long-term, in outcome of children with rheumatic fever not diagnosed by revised Jones criteria 17: 560
Chemoreceptor, in the brain stem 10: 247
Chemoreflex, carotid, circulating effect of 14: 539
Chest, magnetorheogram from, in man 15: 469
Chest film, plain, as unreliable method to determine left ventricular size 18: 878
Chiyoda, a Japanese rural population, epidemi-

ologic studies on hypertension and coronary heart disease 10: 106
Chlorpromazine, 11: 391
arrhythmia induced by 20: 657
electrophysiologic effect of, on human atrial fiber 14: 398
in prolonged QRS-duration resulting from delayed recovery of ventricular excitability 17: 764
treatment of acute left-sided heart failure with 20: 33
Cholesterol, 9: 453, 19: 748
and cerebral sclerosis 2: 138
and cerebroside sulfate 2: 354
and vitamin 2: 285, 2: 381
dietary sterols and, affecting hypercholestefolemia and atherogenesis 3: 130
edematous arterial reaction by 3: 581
esters, fatty acids composition of 9: 34
feeding, atherosclerosis 6: 1335
hypercholesterolemia and atherogenesis 3: 126
hypercholesterolemia and rabbit aorta 4: 53
in aorta, coronary and cerebral arteries 12: 460
in atherosclerosis 4: 39
in cerebral artery, in cerebral atherosclerosis of Japanese 15: 519
in cerebrovascular diseases 5: 101
in Japanese aortas 6: 20
induced atherosclerosis 8: 142
pericarditis 4: 173
serum total, and blood pressure, in relation to severity of atherosclerotic lesion
study of serum, level 4: 323
Cholesteryl ester, in aorta and skin 18: 606
Cholinergic activity 11: 58
Chondroitin sulfate, A, B and C 9: 453
A and C 10: 289
Chordae tendinae, elongated 18: 652
spontaneous rupture of, two aged cases of mitral insufficiency due to 13: 457
Chromaffin cell tumor, and catecholamine 2: 1
Chronic, cardiopulmonary disorders, pulmonary regional ventilation, perfusion relation ships in 9: 552
cor pulmonale, anti-heart antibody in 15: 223
electrical stimulation, of diencephalon in rabbit 6: 325
panaortitis 9: 88
pulmonary emphysema 7: 45
renal failure 11: 26, 11: 309
Chronobiology, effects of digitalis on sinus node function from the point of 18: 322
Chronotropic action, in effect of hydrazine on aconitine-induced atrial tachycardia in rabbit 14: 249
positive, of glucagon 13: 266
Chronotropic effect, β-adrenergic, lack of significant central component in, in vagotomized rat 14: 432
of vasopressin 18: 221
Chronotropic-inotropic state, in blood-let dogs 18: 357
Chronotropic response, negative, to norepinephrine 15: 308
of isolated frog heart, relation of pericardial pressure to 15: 299
Chronotropism, in responses of canine atrial muscle and SA node pacemaker activity to adenosine and acetylcholine 17: 73
of potassium chloride 18: 379
Chylothorax, in superior vena cava-pulmonary artery anastomosis 2: 189
Cineangiocardiogram 11: 26, 11: 113
Cineangiocardiographic observation, during ventricular pacing 9: 295
on the asynchronism of cardiac contraction 9: 525
Cineangiographic study, in left ventricular asynergy in mitral valve disease 16: 221
Cineangiocardiography, in experimental chronic mitral regurgitation in dogs 18: 823
Cineventriculography, assessment of left ventricular dimensions by 18: 70
Circle of Willis, well developed collateral circulation through, in carotid artery occlusion 12: 537
Circulating blood volume, in hypertensive patients 18: 24
Circulation, by radioisotope 3: 154
change of, induced by electrical stimulation of thalamus 1: 1
extracorporeal 8: 455
femoral, peripheral, pulmonary, splanchnic and systemic, effect of arteriovenous fistula on 12: 392
hepatic, humoral and nervous control of 3: 569
nutritional, in heart 14: 126
portal, using I^{131}-MAA 6: 115
renal, autoregulation 6: 243
renal, nervous control of 1: 288

renal, nervous control of 3: 57, 3: 259
Circulation time, arm to brain 5: 133
hepatic, by radioisotope 3: 154
measurement of 6: 527
Circulatory congestion, in change of cardiac performance in renal failure 16: 489
Circumferential fiber shotening velocity, in anesthetized and conscious canine 20: 359
in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 212
Circumferential shotening rate, 9: 228
in hyperthyroidism 6: 403
normalized mean 11: 160
Circumferential shortening volocity 10: 95
Clamp, of flow signal to zero level during diastole in measure of cardiac output using magnetoechography 18: 225
Clamped kidney 10: 328
Classification, of angiopathy of limbs 13: 354
of muscular dystrophy 11: 27
of total anomalous pulmonary vein 10: 82
Clearance, curve, K^{81}, measurement of regional cerebral blood flow 9: 349
myocardial, of ^{86}rubidium, effect of calcium chloride and potassium chloride on 14: 126
Clearing factors, activated by stroke 5: 106
Cleft mitral valve, in an aged case with ventricular septal defect of persistent common atrioventricular canal type 14: 88
Clinical, diagnosis of myocardial disease 10: 41, 10: 318
evaluation of a combined application of amiloride and thiazide 10: 297
features of anomalous pulmonary vein 10: 82
indices, in correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in congenital heart disease with left to right shunt 16: 629
observation of aortitis syndrome 10: 277
significance of intracardiac in the diagnosis of ventricular septal defect 10: 198
Clinicopathological study, of 5 autopsied cases of aortitis syndrome 13: 20, 13: 107
on electrical axis of heart 17: 25
on sick sinus syndrome 17: 735
on the cardiac rupture 9: 265
Clonidine, effect of, on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
Closed chest, dog, experimental pulmonary embolism in 12: 221
experiment 10: 62
Closing process of ventricular septal defect 9: 219
Clubbing, digital, in left superior vena cava draining to left atrium associated with superior vena cava syndrome 12: 198
unuaual type of 3: 83
CO_2 analyser 10: 59
Co^{60} irradiation, effect on A-V dissociation in reticulosarcomatosis 5: 180
Coagulation, coagulofibrinolytic study of experimental pulmonary infarction 12: 251
factors, of blood, and bromelain 12: 517
Coagulative studies, of pulmonary infarction 11: 528
Coarctation, analysis of cases with 4: 227
of abdominal aorta 5: 562
Coarctation of the aorta, and ABC lead tracings 9: 77, 9: 583, 9: 586
atypical 4: 244, 10: 277
Cocaine, 15: 762
cardiovascular reactivity to norepinephrine of hypertensive rat after administration of 13: 428
Coefficient of variation, of R-R intervals 11: 238
Coenzyme Q_7 and Q_{10}, clinical study of effect of, on congestive heart failure 17: 32
Collagenase, aorta treated with, in aortitis syndrome 12: 1
vascular lesions by 8: 328
Collateral, arteries, vascular permiability 19: 895
blood flow, through ischemic myocardium in dog 13: 241
circulation, in rabbits with experimental renal hypertension 18: 722
coronary blood flow, effect of adrenergic activation on 15: 289
coronary, and aortic root balloon pumping 12: 263
effect of nitrites on 12: 536
flow and resistance of, in arterial occlusion with and without nitrites 12: 536
in organ circulation 7: 415
Colum chromatography 10: 259
Combined ventricular hypertrophy, vectorcardiographic diagnosis of, in adult patient 15: 323
Commissurotomy, closed 19: 1
in echocardiography and angiocardiography for detection of left atrial thrombus 17: 163
open 19:1
Committee report, on incidence of myocardial

infarction in hospitalized patient and risk factors of myocardial infarction 16: 465
on new pediatric electrocardiographic criteria for ventricular hypertrophy 16: 189
Common, anterior leaflet, in echocardiographic diagnosis of endocardial cushion defect 16: 1
atrial chamber, in conjoined thoracopagus twins 20: 897
atrium 10: 545
Compartmental, analysis of sodium dynamics in non-edematous, edematous and uremic patients 12: 415
model, formula for the estimation of change in water and salt contents of the body based on 20: 853
model of body fluid 9: 281
system, multiple, in plasma volume determination 1: 92
Competence test 19: 775
Complement fixation test, in aortitis syndrome 12: 1
in familial cardiomyopathy 12: 45
Complemental fixation test, in aortitis syndrome 9: 573
Complete atrioventricular block, congenital, diagnosed before delivery 14: 467
in an aged case of trifascicular block with histological study of conduction system 15: 314
ventriculoatrial conduction in 15: 1
Complete heart block, 10: 369, 10: 474
associated with atrial flutter 12: 191
electrophysiological and histological correlations in two cases of 18: 287
left and right ventricular volumes in, and their changes induced by isoproterenol 16: 65
Complete left bundle branch block 11: 5
Compliance, 19: 193
aortic, in hemodynamics of experimentally hypertensive rat 17: 80
aortic, in vivo, measurement of 12: 486
left ventricular end-diastolic, in experimental pulmonary embolism 12: 221
of left ventricle, in unusual pattern of mitral echocardiogram observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
ventricular, influences of sympathetic stimulation and steelectomy on 17: 222
Compound 48/80, effect of, on the release of histamine and norepinephrine from the heart 20: 183
Compressor phonocardiograph 7: 460
Computation time 11: 231
Computer, 10: 343
application, statement on 6: 566
averaging technique 18: 1
diagnosis, of cardiovascular disease 8: 438
in diagnosis of heart disease 5: 66
program, for dianosis of arrhythmia 11: 225
Concealed atrioventricular conduction, 19: 839
in Wenckebach period associated with high grade second degree AV block 16: 620
in acute anterolateral MI with LPH 17: 123
Concealment, of ectopic activities in ventricular parasystole 20: 843
Conduction, aberrant ventricular conduction 2: 397
atrioventricular 11: 559
block, from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
decremental, in ventriculoatrial conduction in complete AV block 15: 1
defect 10: 474
Conduction disturbance, in clinicopathological study on electrical axis of heart 17: 25
in clinicopathological study on heart disease in the aged 16: 526
in clinicopathological study on sick sinus syndrome 17: 731
Conduction, intraventricular and refractory period 2: 402
pathway, new, from left atrium to right atrium and to ventricle in rabbit heart 15: 385
retrograde, in complete AV block 15:1
stimulus, in atria 4: 333
Conduction system, 11: 5, 11: 460
histological study of, an aged case of trifascicular block with 15: 314
histological study on, of right bundle branch block associated with right axis deviation 15: 113
in an aged case with ventricular septal defect of persistent common A-V canal type 14: 88
in clinicopathological study on electrical axis of heart 17: 25
in idiopathic cardiomegaly of the aged, histological study of 12: 305
in isolated levocardia 9: 603
morphological study of, of a case of lupus erythematodes with arrhythmia 15: 92
of heart 2: 277
of heart, histological study of, in a case of atrial flutter and complete heart block 12: 191

Conduction time, 11: 387
retrograde, in complete AV block 15: 1
Conduction velocity, effect of hydrazine on, in rabbit 14: 249
from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
in human His bundle, in variations of timing of deflection in His bundle recording 15: 239
in nitroglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during myocaridal ischemia 15: 154
of sound on chest wall 8: 354
Conduction, ventriculoatrial, in complete AV block 15: 1
Conductivity, of guinea-pig heart, effect of cesium on 14: 454
Congenital anomaly, 10: 456
and endomyocardial change 2: 227
aneurysm of pulmonary artery 2: 404
Lutembacher's syndrome with constrictive endocardial sclerosis 3: 275
patent ductus arteriosus 2: 408
persistent common A-V canal 2: 377
treatment of cyanotic heart disease 2: 187
Congenital cardiopathies, biplane cinefluorography in 9: 404
Congenital complete atrioventricular block, diagnosed before delivery 14: 467
Congenital complete heart clock 11: 417
Congenital coronary artery fistula, a case of, involving bilateral coronary artery branches 15: 524
coronary artery perfusion scanning with ^{131}I-MAA injected directly into 15: 28
heart defect of the cases with RBBB 11: 335
Congenital heart disease (see also individual items), 4: 482, 11: 582
and isolated levocardia 9: 603
comparative morphometric study in 18: 690
congestive heart failure due to left-to-right shunt in infants and children (clinical and hemodynamic study) 12: 138
correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in, with left to right shunt 16: 629
in the aged 12: 500
in the aged (ventricular septal defect of persistent common AV canal type) 14: 88
natural history of 18: 457
of infants, surgical treatment 5: 297
prevalence and relative frequency of, in high school and college students 18: 457
serious, and prognosis of, in the neonatal period 12: 442
with increased pulmonary blood flow, scoring system to assess severity of, during first year of life 14: 503
Congenital, hydronephrosis 4: 182
hyperkeratosis 4: 182
idiopathic cardiomegaly 4: 182
intrasplenic arteriovenous fistula 10: 561
primary pulmonary hypertension, heart disease and skeletal anomalies 4: 205
septal defect 9: 208
Congestion, pulmonary, in congestive heart failure due to left-to-right shunt in infants and children 12: 138
Congestive cardiomyopathy (COCM) 19: 358
unusual pattern of mitral echocardiogram observed in 16: 500
Congestive heart failure, 10: 297, 10: 372, 11: 26, 11: 141
and glucagon 13: 268
catecholamine in 4: 13
cause of death in hypertension 6: 291
clinical study of effect of coenzyme Q on 17: 32
due to left-to-right shunt in infants and children, clinical and hemodynamic study 12: 138
in a case of cardiac rhabdomyoma in infancy 17: 669
in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
in a case of traumatic systemic-pulmonary arteriovenous fistula 16: 196
in Loeffler's parietal fibroplastic endocarditis with blood eosinophilia 12: 581
progressive, in a case of idiopathic cardiomegaly 1: 248
serum dopamine-β-hydroxylase in 17: 445
with atrial fibrillation, multiclinical open study on effect of β-methyl digoxin on 16: 538
Conjoined thoracopagus twins, cardiovascular anomalies in 20: 897
Connective tissue, degeneration of, of spontaneously ruptured chordae tendineae, in two aged cases of mitral insufficiency 13: 457
Consanguineous merriage, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
Constant infusion of hypertonic saline in the dog 10: 335
volume perfusion, in effect of β-blocker on cardiac function and myocardial oxygen con-

sumption in isolated supported heart preparation of dog 16: 592
Constantan, cross-thermocouples made of constantan and copper, for assessment of regional myocardial blood flow 12: 562
Constrictive pericarditis, and rheumatic valvulitis 16: 749
annular, a case report of 1: 466
in echocardiographic diagnosis of prolapsing right atrial myxoma 17: 798
in echocardiogram in pulsus paradoxus 18: 883
presystolic opening of pulmonary valve in 18: 421
Construction method, of QRS loop, in myocardial infarction 17: 180
Continuous, electrocardiographic recording, in propranolol and practolol in treatment of spontaneous angina pectoris 14: 97
infusion, in cardiovascular effect of dopamine after experimental coronary occlusion in dog 16: 280
Continuous murmur, 10: 384
in a case of aorticopulmonary fistula 17: 676
in a case of traumatic systemic-pulmonary arteriovenous fistula 16: 196
in Lutembacher syndrome 9: 134
intermittent, in patent ductus arteriosus 9: 318
significance of 9: 134
Contractile, component, of cardiac muscle, in determination of active state of frog ventricle 12: 545
Contractile force, myocardial 7: 78
myocardial, effect of ganglionic blockade on, to cardiac sympathetic stimulation 12: 169
myocardial, effect of pentaerythritol-tetranitrate 13: 503
Contractile, protein 9: 393
state, of dog left ventricle, after experimental coronary occlusion 13: 222
state of myocardium, in left and right ventricular volumes in AV block and their changes induced by isoproterenol 16: 65
Contractile tension, 11: 391, 11: 396
effects of diltiazem on 18: 235
in acute hypoxia 18: 102
Contractility, 19: 193
effects of salmon calcitonin on 18: 214
myocardial, active state as the best indicator of 12: 545
myocardial, and left ventricular time-varying pressure/volume ratio in systole 12: 153
myocardial, blood flow velocity in carotid artery as a measure of 16: 22
myocardial, effect on left ventricular volume 12: 383
myocardial, myocardial shortening velocity as index for assessment of 14: 193
of guinea-pig heart, effect of rubidium and potassium on 13: 317
of guinea-pig papillary muscle, effect of cesium on 14: 454
ventricular, and calibrated low frequency acceleration vibrocardiography 13: 1
ventricular, influence of sympathetic stimulation and stellectomy on 17: 222
Contraction, curve 11: 271
K-induced change of, of guinea pig heart 17: 211
in effect of hydrazine on bullfrog heart muscle in excess potassium solution 14: 366
in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
of human heart, in relation to ouabain 13: 59
of human papillary muscle and transmembrane potential in relation to potassium and ouabain 12: 290
of myocardium, heterogenous 12: 60
of myocardium, paradoxical, in acute myocardial infarction 12: 266
of papillary muscle, hypoxia-induced depression of, and crataegutt 17: 512
Controlled, breathing in study on carotid body and carotid sinus 14: 539
cardiac parameter, in effect of β-blocker on cardiac function and myocardial oxygen consumption in isolated supported heart preparation of dog 16: 592
Conventional effort angina 11: 243
Convulsion, and arrhythmia by brain stimulation 3: 469
Coon's method 5: 110
Coplanarity, of the QRS loop 10: 318
Coprosterol 2: 354
Cor pulmonale, 10: 350, 10: 457
chronic, and coronary circulation 6: 318
chronic, anti-heart antibody in 11: 223
due to massive occlusion of main pulmonary artery 1: 120
Cor triatriatum, echocardiographic demonstration of anomalous septum in 18: 266
Coronary arteriogram, and ECG change 9: 258

in variant form of angina, before and after diltiazem administration 20: 83
normal, Prinzmetal's angina pectoris with 17: 43
Coronary arteriography, clinical experience of 9: 258
Paulin's method 9: 258
selective, in a case of congenital coronary artery fistula involving bilateral coronary artery branches 15: 524
Coronary arteriovenous shunt 12: 50, 12: 65
Coronary arteritis, in aortitis syndrome 13: 107
Coronary artery(s), atherosclerosis 3: 19
atherosclerotic lesion of, in relation to blood pressure and serum total cholesterol 12: 460
constriction of, depressed by atropine 20: 75
in hypertension 3: 18
left, anomalous, experimental study on blood flow direction in, arising from pulmonary artery 13: 250
medial reaction zone 3: 19
method for evaluation of luminal narrowing 3: 13
normal 3: 17
partial hypoplasia of the left ventricle 9: 509
single 9: 509
partial occlusion 19: 376
pathological changes of 3: 427
pathologic index 3: 247
right, fistula from, to left ventricle 14: 184
sclerosis of 3: 423
stenotic index 3: 427
Coronary artery disease, 10: 267
and biliary tract disease 3: 170
and cineangiography 2: 277
and oral phentolamine 14: 393
and vectorcardiography 2: 219
diet and 3: 121
in change of PR interval at acute myocardial infarction 17: 540
in plain chest film as unreliable method to determine left ventricular size 18: 878
prevalence of 3: 118
roentgenology of pulmonary complication in 2: 298
treatment of, by internal mammary artery ligation 2: 473
Coronary artery fistula, congenital, a case of, involving bilateral coronary artery branches
congenital, coronary artery perfusion scanning with ^{131}I-MAA injected directly into 15: 28
draining into left ventricle 17: 531
right, to left ventricle 14: 184
Coronary artery, ligation 10: 53
occlusion, inhomogenous movement of left ventricle induced by 13: 150
perfusion scanning, with ^{131}I-MAA injected directly into coronary artery 15: 28
pressure, right, peripheral, distal to ligation, effect of augmented left circumflex coronary artery pressure on 13: 159
Coronary athelosclerosis, in lung cancer 19: 371
relation to blood pressure, myocardial lesions and cardiac hypertrophy 13: 34
Coronary blood flow, 12: 61, 19: 112, 19: 493, 19: 904
and lactate metabolism during isometric hand-grip exercise in heart diseases 17: 742
and stimulation of central nervous system 5: 323
collateral, effect of adrenergic activation on 15: 289
effect of atropine 5: 328
effect of catecholamines 5: 331
effect of dipyridamole on, in man 16: 361
effect of ganglionic blockade on, to cardiac sympathetics stimulation 12: 169
effect on, of carotid sinus reflex and exogenous catecholamine 14: 531
in aortic root balloon pumping 12: 263
in circumflex coronary artery in experimental ligation of left anterior descending coronary artery 13: 512
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
in ischemic heart disease 14: 494
in man, effect of nitroglycerin on 14: 314
in oral phentolamine in angina pectoris 14: 393
phasic pattern of, and balance between myocardial O_2 demand and supply 17: 491
pulsatile 11: 470
sustained decrease of, following sympathetic stimulation 16: 265
Coronary blood pressure, cyclic fluctuation of, induced by coronary constriction 16: 454
effects of, on regional myocardial blood flow of dog papillary muscle 18: 841
in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
Coronary branch ligation, in effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of in-

farcted heart in dog 15: 579
Coronary circulation, effect of ethyl adenosine-5′-carbosylate on 16: 421
effect of vasodilators 7: 524
in chronic cor pulmonale 6: 318
in coronary sclerosis 7: 56
studies of, by a simulation mthod 19: 246
Coronary collateral circulation, factor to modify the ischemic injury 20: 485
Coronary collaterals, and aortic root balloon pumping 12: 263
Coronary constriction, 19: 112
cyclic fluctuation of coronary blood pressure and flow induced by 16: 454
effect of, on the flow reserve in retional myocardium 20: 207
in effect of pentaerythritoltetranitrate on blood flow through ischemic and non-isochemic myocardium 13: 503
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
Coronary dilators, and angina pectoris 8: 219
Coronary disease 9: 321, 10: 307
Coronary embolism, 10: 71
in tumor embolism of coronary artery resulting in myocardial infarction and cardiac rupture 17: 71
Coronary flow, after the injection of diltiazem 20: 83
cyclic fluctuation of, induced by coronary constriction 16: 454
pathway, in coronary blood flow pattern and myocardial O_2 demand and supply 17: 491
Coronary heart disease, 9: 265, 9: 411, 10: 203, 11: 5
and calibrated low frequency acceleration vibrocardiography 13: 1
and hypertension 4: 323, 4: 477
epidemiologic studies in Chiyoda, Japan 5: 37
glucose tolerance, serum insulin and lipid abnormalities in patient with 16: 670
Coronary hemodynamics, effect of dipyridamole on, in man 16: 361
in man, effect of nitroglycerin on 14: 314
Coronary hypotension, selective, effect of, on regional myocardial blood flow of dog papillary muscle 18: 841
Coronary ligation, peripheral right coronary artery pressure distal to 13: 159
Coronary occlusion, 10: 71
asynergic left ventricle produced by 18: 729
effect of cardiac nerve stimulation on ventricular arrhythmia due to 12: 368
experimental, cardiovascular effect of dopamine after, in dog 16: 280
experimental, failure of dipyridamole (Persantin) in reducing infarct size following 13: 512
experimental, maximum rate of left ventricular pressure fall in early stage of myocardial ischemia following 16: 583
hemodynamic and metabolic changes during 18: 366
in collateral blood flow through ischemic myocardium in dog 13: 241
in effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during myocardial ischemia, 15: 280
in nitoroglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during myocardial ischemia 15: 154
influence of inotrophic alteration on severity of myocardial ischemia after 13: 222
relation to blood pressure, myocardial lesions and cardiac hypertrophy 13: 34
Coronary ostial stenosis, 10: 203
in a case of syphilitic aortic insufficiency treated by simulateneous prosthetic valve replacement, aortoplasty and reversed aorto-right coronary bypass procedure 14: 554
in syphilitic aortic regurgitation in the aged 14: 22
Coronary perfusion, 10: 552
hemodynamic and metabolic changes during 18: 366
pressure, in failure of dipyridamole (Persantin) in reducing infarct size following experimental coronary occlusion 13: 512
with non-oxygenated Tyrode's solution 18: 366
Coronary, prognostic index, correlation between dopamine-β-hydroxylase activity and 18: 348
Q waves 11: 512
resistance, enddiastolic 11: 470
risk factors, in sudden death 20: 385
Coronary sclerosis, 10: 203, 11: 6, 11: 13
free fatty acid metabolism 7: 130
in small arteries, associated with diffuse myocardial fibrosis 1: 348
severity of, in the aged 17: 471
Coronary sinus, blood in effect of radiopaque

material on coronary vascular reserve 16: 57
catheterization of, and myocardial metabolism 1: 157
Coronary sinus rhythm, 9: 200, 12: 70
induced by selective use of catecholamine in in-situ dog heart 13: 438
Coronary spasm 19: 281, 19: 904
Coronary steal, in a case of congenital coronary artery fistula involving bilateral coronary artery branches 15: 524
in failure of dipyridamole (Persantin) in reducing infarct size following experimental coronary occlusion 13: 512
phenomenon, in effect of allopurinol on tissue O_2 tension of ischemic myocardium 17: 88
Coronary stenosis, relation to blood pressure, myocardial lesions and cardiac hypertrophy 13: 34
selective, effects of, on regional myocardial blood flow of dog papillary muscle 18: 841
Coronary, stenotic index 19: 371
thrombosis, in disseminated intravascular coagulation 18: 57
Coronary vascular lesion, in experimental hypertension 9: 473
in hypercholesterolemia 9: 473
Coronary vascular, reserve, effect of radiopaque material on 16: 57
resistance, in cardiovascular effect of a new cardioselective beta blocker, acebutolol 15: 72
thickness and hypertension 4: 76
Coronary, vasoconstriction, in effect of adrenergic activation on collateral coronary blood flow 15: 289
vasodilator, secondary, effect of glucagon as 13: 268
Coronary vasodilators, 11: 470
effects of 18: 92
Coronary, vasomotor fibers, effect of ganglionic blockade on the response of coronary blood flow to cardiac sympathetic stimulaton 12: 169
venous sampling 19: 376
venous system, acoustic phenomena 18: 789
Corrected, RR interval, in tachycardia- and bradycardia-dependent LBBB associated with first degree AV block 17: 717
sinoatrial conduction time, digitalis effects on 18: 322
sinus node recovery time, digitalis effects on 18: 322
Corrective surgery, in tetralogy of Fallot with systemic hypertension and polycythemia 14: 213
Correlated transposition of great vessels, case report 6: 174
Correlogram, in ventricular fibrillation 3: 269
Cortical, extracts, crude 10: 330
necrosis, of kidney, in pathological study of animal replaced with artificial heart 17: 326
nodule 10: 12
Corticosteroid, a large dose of, in cardiogenic shock 14: 281
adrenal, treatment of bradycardia-tachycardia syndrome with cardiac drugfiand 14: 414
long-term effect of, on cardiac function 15: 443
Corticosterone, content of, in plasma of spontaneously hypertensive rat 16: 350
Cortisone, in revival of isolated heart stopped with alcohol and glucocorticoid by nicotine and acethylcholine 14: 296
Cotton seed oil, hypercholesterolemia 9: 473
Counterpulsation, comparison with aortic root balloon pumping in increase of coronary blood flow 12: 263
for induction of collaterals in dog heart 13: 159
Coupled pacing, effect of, on hemodynamics and energy liberation of infarcted heart in dog 15: 579
Cranial blood flow, 5: 133
in cerebral arteriovenous malformation of adults 13: 471
in cerebral transient ischemic attack 16: 654
Cranial transit time, in cerebral transient ischemic attack 16: 654
Crataegutt, reduction of hypoxia-induced depression in intracellular potential of ventricular muscle fiber by 17: 512
C-reactive protein, in rheumatoid arthritis 3: 328
in rheumatic heart disease 6: 9
Creatinine phosphokinase, serum, in aortitis syndrome 12: 1
Crenocytes, in study on energy metabolism of erythrocyte during artificial heart pumping 15: 262
Crest time, prolongation of 11: 447
Cross, circulation, central effect of 4: 462
thermocouple, heated, for assessment of regional myocardial blood flow 12: 562
thermocouple, in non-uniform myocardial blood flow caused by stellate ganglion stimu-

lation 16: 162
reactivity 10: 498
CS-359, effect of, on cardiac function 16: 592
Current flux path 11: 74
Cushing's syndrome, in long-term effect of corticosteroid on cardiac function 15: 443
Cyanosis, in left superior vena cava draining to left atrium associated with superior vena cava syndrome 12: 198
unusual type of 3: 83
Cyanotic heart disease, severe 11: 130
Cyclic 3′, 5′AMP, in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
myocardial, in ventricular fibrillation induced by aminophylline 20: 177
phosphodiesterase-inhibitor, in prevention and treatment of atherosclerotic disorder 16: 76
Cyclic fluctuation, of coronary blood pressure and flow, induced by coronary constriction 16: 454
Cytochrome oxidase, activity of thoracic aorta 6: 134
Cytophotometric determination, of DNA 11: 42

D

D-6000, cardiohemodynamic effects of 18: 120
Dacron prosthesis, treated with gelatin sponge 5: 512
Data, processing 11: 230
unit 11: 224
DC conversion, of atrial flutter, atrial reciprocal rhythm after 13: 362
countershock 7: 35
Deafness, heritable QT prolongation without 14: 479
Death, cause of, in Japan 1: 129
rate from cerebrovascular diseases 7: 27
Decreased left ventricular filling rate, in study of posterior left atrial wall motion by echocardiography and its clinical application 16: 683
Decremental conduction, in ventriculoatrial conduction in complete AV block 15: 1
Decrescendo diastolic murmur, in right coronary artery to left ventricle fistula 14: 184
Deep inspiration, and labile T wave 11: 576
Deeply inverted T, in echocardiographic classification of hypertensive heart disease 16: 377
Defibrillation, of hypoxic heart 7: 181
Definite criteria, in committee report on new pediatric electrocardiographic criteria for ventricular hypertrophy 16: 189
Deformity of spinal column, cardiac murmur by 8: 670
Degeneration of connective tissue, of spontaneously ruptured chordae tendineae, in two aged cases of mitral insufficiency 13: 457
of dentate, olivary and pontine nuclei, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
Degenerative heart disease, in clinicopathological study on heart disease in the aged 16: 526
Dehydration, formula for the estimation of change in water and salt contents of the body based on 20: 853
Delivery, congenital complete atrioventricular block diagnosed before 14: 467
Denervation, chronic renal 8: 156
of carotid sinus, and carotid sinus activity 1: 169
Deoxyribonucleic acid 11: 36
Depolarizing, current, spontaneous electrical activity induced by, in canine ventricular myocardium 17: 246
of membrane 11: 175
of membrane, in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
of phase r, in origin of "A-V nodal" rhythm 14: 273
Depressant action, of alcohol 11: 528
Depressor reflex, from kidney 5: 254
Desoxycorticosterone acetate, and experimental vascular lesions 8: 42
Determination of, activator-activity, of the tissue 11: 259
anti-thrombin like activity 11: 259
maximum point 11: 517
plasma fibrinogen 11: 259
Dexamethazone, effect on uptake and metabolism of H^3-CA 5: 224
Dextran, effects of, on the release of histamine and norepinephrine from the heart 20: 183
dextran infusion 11: 160
sulfate 2: 281
sulfate, human plasma lipoprotein lipase in-

duced by 12: 22
Diagnosis, of hypertension 10: 12
of old myocardial infarction 10: 516
of myocardial infarction 11: 512
Diagnostic, criteria for atrial standstill, in persistent atrial standstill due to inexcitability 16: 639
logic of arrhythmias 11: 228
problem, of endomyocardial biopsy 10: 43
program 11: 237
Diaphragmatic, breathing, altered 9: 321
movement, and atrial dissociation 17: 685
myocardial infarction 10: 363
Diastasis period, in exercise 6: 110
Diastolic, augmentation of aortic root pressure, in aortic root balloon pumping 12: 263
augmentation, of coronary artery pressure, for induction of collaterals in dog 13: 159
descent, of tricuspid ultrasound curve 13: 394
descent rate (DDR) of anterior mitral leflet, in hyperthyroidism 18: 17
descent rate of anterior mitral leaflet, in significance of echocardiographic evaluation on surgery to mitral stenosis 18: 751
heart beat, unuaual, in pericardial effusion 13: 379
murmur, decrescendo, in right coronary artery to left ventricle fistula 14: 184
overload, absolute and relative, in genesis of third heart sound 17: 150
Diazoxide 19: 151
Dichlorotetrafluoroethane (Arcton 114), electrocardiographic change in rat after inhalation of 17: 753
Diencephalon, chronic electrical stimulation and hypertension 5: 260
chronic electrical stimulation on aorta 6: 325
electrical stimulation of, and renal circulation 1: 288
stimulation, effect on renal circulation 3: 57
vasomotor regions 3: 59
Diet, and blood lipids 3: 124
and prevalence of coronary heart disease 3: Caucasian 3: 135 ⌊121
composition and cardiovascular disease in Pacific area 3: 126
factors and degenerative cardiovascular disease 3: 127
Latin American 3: 136
Oriental 3: 137
South Pacific Islands 3: 137
Dietary, experiment, of spontaneously hypertensive rat, and histopathological study of cerebral lesion 14: 172
intake of sugar 11: 459
potassium, effect on ECG and blood electrolytes 5: 272
protein intake, low, in population survey on cerebrovascular and cardiovascular diseases 13: 118
sodium 11: 365
Diethylstilben, and blood pressure 4: 567
Difference map, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Differential, detection 11: 74
diagnosis, of stroke 18: 171
Digital computer, for cardiac output calculation 3: 24
simulation, correlation between areas of ventricular pre-excitation and types of WPW QRS patterns by means of 18: 462
small scale 11: 223
Digitalis, 9: 225
and arrhythmia 6: 165
and left ventricular function 6: 189
and relaxing factor 2: 278
arrhythmia induced by, effect of potassium 5: 456
correlation of electrophysiological and mechanical changes in dog heart due to 16: 731
effect of, on myocardial metabolism 9: 368
induced arrhythmia 9: 504, 11: 104
induced double atrioventricular nodal rhythm 9: 504
Digitalis intoxication, 10: 409, 11: 104, 19: 366
and atrial dissociation 17: 685
antiarrhythmic effect of hypertonic $NaHCO_3$ and NaCl in 17: 54
membrane current change induced by, in Purkinje fiber 18: 851
on exercise, in alcoholic heart disease 11: 521
Digitalis, its effect on sinus node function 18: 322
poisoning 10: 409
resistance 19: 754
toxicity 10: 409
toxicity, and use of glucagon 13: 226
Digitalization, in multiclinical open study on effect of β-methyl digoxin on congestive heart failure with atrial fibrillation 16: 538
Digitoxin, in multiclinical open study on effect of β-methyl digoxin on congestive heart failure

with atrial fibrillation 16: 538
serum concentration of 20: 623
tritiated, study on timed intracellular localization and distribution of, in myocardial celly by electron microscopic autoradiography 15: 374
Digoxin, β-methyl, multiclinical open study on effect of, on congestive heart failure with atrial fibrillation 16: 538
measurement 19: 366
serum concentration 20: 623
serum level 19: 366
tritiated, in renal failure and diabetes mellitus 8: 369
Dilatation, of left ventricle, in echocardiographic classification of hypertensive heart disease 16: 377
of the aorta, in aortitis syndrome 9: 88
Dilated cardiomyopathy, in plain chest film as unreliable method to determine left ventricular sizes 18: 878
Dilazep, cardiohemodynamic effects of 18: 120
Diltiazem, as a coronary vasodilator 18: 92
cardiohemodynamic effects of 18: 120
electrophysiologic effects of 18: 235
effect of, on angina pectoris at rest 20: 613
effect of, on coronary hemodynamics 20: 83
hydrochloride, effect of, on left ventricular function in patient with and without angina pectoris 17: 599
Dilution curves, radioisotope 3: 24
true right ventricular, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
Dip and plateau, in diffuse endomyocardial fibrosis of right ventricle with persistent pericardial effusion 17: 774
Diphenhydramine 19: 505
Diphenylhydantoin 9: 161, 19: 544
Dipole, single fixed-location of, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Dipyridamole, 11: 470
as a coronary vasodilator 18: 92
cardiohemodynamic effect of 15: 126
failure of, in reducing infarct size following experimental coronary occlusion 13: 512
effect of, on coronary hemodynamics in man 16: 361
in effect of ethyl adenosine-5′-carbosylate on heart and coronary circulation 16: 421
in effect of radiopaque material on coronary vascular reserve 16: 57
in successful replacement of thrombosed Björk-Shiley mitral valve prosthesis 17: 791
Direct current, amplifier 11: 91
of isoproterenol, changes of left and right ventricular volumes induced by 16: 65
Discrimination, between R and T 11: 236
Disseminated cytomegalic inclusion disease, an autopsy case of isolated myocarditis probably associated with infectious mononucleosis and 15: 99
Disseminated intravascular coagulation, clinicopathological study on cardiac lesions in 64 cases of 18: 57
Eisenmenger syndrome complicated with 17: 114
in rheumatic valvulitis and constrictive pericarditis 16: 749
dl-alpha-tocopheryl nicotinate (vitamin E-nicotinate), for treatment of symptoms in hypertension and cerebral arteriosclerosis 18: 277
Dissociation, atrioventricular, with accorchange, a case report of 14: 286
interference 4: 358
isorhythmic, in atrioventricular dissociation with accorchage 14: 286
Distant bipolar electrogram, in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
Distension-acceleration, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
Distension-bradycardia, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
Distribution index, of pulmonary blood flow 9: 20
Diuretica, response of plasma aldosterone to 14: 518
DNA, constancy theory 11: 36
content 11:36
content of, in experimental cardiac hypertrophy in rat 13: 325
content, relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
cytophotometric determination of 11: 24
forsingle nucleus 11: 38
in cardiac failure 9: 393
in cardiac hypertrophy 7: 566
metabolism, in ventricle 6: 446

DOCA, hypertensive rat by administration of 13: 428
DOCA+salt, hypertensive mouse 12: 275
hypertensive rat and cardiovascular reactiivty 12: 68
DOC hypertension, of rat, sympathetic nervous activity in 16: 36
Dog hearts, instantaneous assessment of left ventricular dimensions by ultrasonic analogue conversion system in 18: 70
Dome-shaped Ta wave 11: 93
Dopa and dopamin, and vitamin 2: 282
Dopamine 19: 468
Dopamine-beta-hydroxylase, in essential and secondary hypertension with respect to aging and hypertension severity index 20: 307, 20: 321
in response to cold stimulus 10: 301
its activity after acute myocardial infarction 18: 348
its distribution after acute myocardial infarction 18: 348
serum, in cardiovascular disease 17: 445
Dopamine, cardiovascular effect of, after experimental coronary occlusion in dog 16: 280
in congestive heart failure 4: 13
Doppler, cardiogram, its simultaneous recording with the fourth heart sound 18: 340
flowmeter, for measurement of blood flow velocity in a patient with Takayasu's arteritis 13: 99
flowmeter, in blood flow velocity in carotid artery as a measure of myocardial contractility 16: 22
ultrasonic flowmeter, non-invasive measurement of subclavian arterial blood flow by 15: 37
ultrasound, evaluation of aortocoronary bypass 20: 823
Double blind crossover trial 11: 433
Double valved cannula, in complete intraventricular cardiac bypass (artificial heart) 12: 161
Down's syndrome, major and minor cardiac anomalies in Japanese children with 13: 307
dp/dt, 11: 47
and (dp/dt)/IIP of ventricular pressure, in experimental chronic mitral regurgitation in dogs 18: 823
in ischemic heart disease 14: 494
dp/dt/IIT, in correlation of electrophysiological and mechanical changes in dog heart during digitalis administration and effect of potassium on it 16: 731
dp/dt(50), in correlation of electrophysiological and mechanical changes in dog heart during digitalis administration and effect of potassium on it 16: 731
Drinking iced water, and labile T wave 11: 577
Dromotropic action, in effect of hydrazine on aconitine-induced atrial tachycardia in rabbit 14: 249
of isoproterenol and propranolol 14: 53
Drug evaluation 11: 433
Dualistic theory Na reabsorption 10: 428
Duration, of action potential 11: 273
of contraction curve 11: 273
Dye dilution curve, in Fallot's tetralogy 9: 531
Dye dilution method, 11: 309
in coronary blood flow and lactate metabolism during isometric handgrip exercise in heart diseases 17: 742
in hemodynamics in hyperthyroidism 17: 12
Dye dilution, study in congestive heart failure due to left-to-right shunt in infants and children 12: 138
due to left-to-right shunt in infants and child-technique, in a method for quantitative detection of tricuspid regurgitation 16: 11
Dynamics, cardiovascular, effect of arteriovenous fistula on 12: 392
sodium, compartmental analysis of, in non-edematous, edematous and uremic patients 12: 415
Dystrophia myotonica, electrophysiological studies in 20: 571
Dystrophy, myotonic, cardiomyopathy in 14: 202

E

Ear-piece, dye densitometry, in a method for quantitative detection of tricuspid regurgitation 16: 11
dilution technique 7: 235
Earliest excitation of His bundle, in nature of His potential in His electrogram 13: 521
Early systolic anterior movement, in prolapsed mitral valve 18: 652

Ebstein's anomaly, morphological findings in disease, a case report of 1: 339 [20: 43
Echo, in ultrasound cardiogram of tricuspid valve in healthy subjects 13: 394
Echo source, of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743
Echo transducer, fixing apparatus of 18: 43
Echcardiogram, "a" wave in normal pulmonary valve 18: 421
after pericardiectomy 20: 1
in determination of left ventricular diastolic compliance 20: 461
in hyperthyroidism 18: 17
in pulsus paradoxus 18: 883
mitral, unusual pattern of, observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
of pulmonary valve 15: 360
of right ventricular anterior wall motion in WPW syndrome 20: 577
related to movement of pulmonary valve 16: 107
significance of, on surgery to mitral stenosis 18: 751
Echocardiographic, classification of hypertensive heart disease 16: 377
diagnosis, of endocardial cushion defect 16: 1
scan, M-mode, in ultrasonic diagnosis of ventricular aneurysm 16: 394
Echocardiography (see: ultrasonic, ultrasound), a-dip on pulmonary valve echogram in constrictive pericarditis 20: 419
cross-sectional and M-mode, in ventricular septal defect 10: 127
cross-sectional, in left ventricular thrombi 20: 675
detection of left ventricular asynergy in myocardial infarction by 17: 630
for detection of left atrial thrombus 17: 163
in detection of latent cardiac failure 20: 407
in diagnosis of prolapsing right atrial myxoma 17: 798
in genesis of ejection sound 16: 107
in genesis of third heart sound 17: 150
in measurement of aortic root diameter 17: 465
in patients with Lillihei-Kaster aortic valve 20: 277
in plain chest film as unreliable method to determine left ventricular size 18: 878
in prolapsed mitral valve 18: 652
in pseudoaneurysm of left ventricle 20: 95
in recognition of cardiac mural tumor 17: 106
in successful replacement of thrombosed Björk-Shiley mitral valve prosthesis 17: 791
in tricuspid regurgitation 18: 31
of hypertrophic cardiomyopathy 17: 275
of right ventricular wall thickness 20: 289
real time two-dimensional, clinical application of 17: 437
study of posterior left atrial wall motion by, and its clinical application 16: 683
two-dimensional 17: 437
Echophonocardiography 15: 360, 16: 107, 17: 150
Echoventriculography, dynamic 19: 719
Ectopic, beat, atrial, atrial excitation sequence during, in rabbit 15: 593
focus theory 6: 387
pacemaker, in significance of SA node on mechanism of occurrence of atrial fibrillation 13: 85
tachycardia, in correlation of electrophysiological and mechanical changes in dog heart during digitalis administration, and effect of potassium on it 16: 731
Edema, apparatus for measurement 3: 220
compartmental analysis of sodium dynamics in edematous patients 12: 415
in response of plasma aldosterone to postural change, diuretica, angiotensin II, sodium restriction or loading and prostaglandin 14: 518
moduli, as parameter of 3: 220
viscoelastic properties 3: 220
EDTA 7: 75
EEG, diagnosis, automated 11: 223
effect of, chondroitin sulfates A and C, on coronary arteriosclerotic subjects 10: 289
effect of N-methyl carbamate 8: 234
epicardial hydrogen peroxide perfusion 10: 55
ganglion blocker and β-blocker 10: 318
potassium 10: 540
sodium 10: 539
Effective refractory period, in electrophysiologic study on WPW syndrome in aged cases 18: 798
Efferent vagal activity 11: 559
Effort angina, conventional 11: 243 (see angina)
Effusive-constrictive pericarditis, in echocardiogram in pulsus paradoxus 18: 883
Ehlers-Danlos syndrome, and prolapsing mitral leaflet syndrome 14: 291
cardiovascular features of 13: 272
clinical manifestation of papillary muscle dys-

function in 16: 235
Eisenmenger syndrome, complicated with thromboembolic phenomena in postpartal period 17: 114
Ejection fraction, following total correcton of tetralogy of Fallot 18: 621
in anesthetized and conscious canine 20: 359
in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
Ejection period, in exercise 6: 109
in ischemic subject 6: 497
phasic analysis of cardiac cycle 9: 332
Ejection rate, systolic, mean 11: 528
Ejection times, determination of stroke volume 9: 339
in relationships of left ventricular STIs with hemodynamic variables in intact and failing heart 16: 433
Elastic component, series and parallel, on cardiac muscle, in determination of active state of frog ventricle 12: 545
Elastic, lamina, internal 9: 473
structure of pulmonary trunk 7: 136
Elasticity index 11: 447
Electric, field, construction and structure of 1: 317, 1: 432
pacing, prevention of acetylcholine-induced atrial fibrillation by 15: 145
Electrical, activity 11: 391
Electrical alternans, digitalis-induced arrhythmia 9: 504
true vs. pseudo-, induced by artificial pacemaker 12: 494
Electrical axis, of heart, in 1,000 autopsied cases 17: 25
of right bundle branch block in the aged 14: 510
Electrical, conductivity, in homogeneities of 11: 489
field, in nature of His potential in His electrogram 13: 521
impedance 11: 74, 11: 149
stimulation, for induction of atrial fibrillation in dog 13: 84
stimulation, of carotid sinus wall, and its effects on heart 13: 136
Electrically driven rhythm 11: 58, 11: 379
Electrocardiogram (ECG) 10: 298, 10: 343, 10: 516, 10: 538, 10: 535, 11: 26, 11: 291, 11: 325, 11: 489
advent of microelectrode technique 1: 81
automatic rhythm 6: 144
canine heart 10: 331
change and coronary arteriogram 9: 528
change of, in open heart surgery under hypothermia 1: 397
change of, in rat after inhalation of dichlorotetrafluoroethane 17: 753
coronary artery fistula drining into left ventricle 17: 531
digitalis-induced arrhythmia 6: 165
effect of alcohol on normal rat's heart 12: 242
effect of alcohol on thiamine deficient cardiac lesion of rat 12: 354
effect of calcium 6: 165
effect of potasium 8: 67
effect of insulin on 10: 56
effect of KCl 6: 463
epicardial, effects of free fatty acid on 20: 557
exercise, in Mexico city 8: 291
ideal lead 8: 401
in acute hypoxia 6: 102
in evaluation of pulmonary hypertension in mitral stenosis 18: 765
in experimental chronic mitral regurgitation in dogs 18: 823
in hypertension 1: 198, 1: 213
in LBBB and anteroseptal myocardial infarction 20: 7
in Marfan's syndrome 9: 210
in non-linear regression model as applied to comparison of axis-angle of electrocardiographic system 16: 243
memo, in appliation of medical engineering for exercise test and management on ischemic heart disease 15: 47
monitoring of 6: 568
multipolar, in infarction 6: 152
nodal system design 6: 569
noise, as the biggest noise in measuring cardiac output using magentorheography 18: 225
quantitative recording 6: 567
relationship of myocardial metabolism to 1: 157
rheumatoid arthritis 6: 367
septal artery ligation 6: 261
spatial magnitude 19: 315
spatial velocity 8: 301, 19: 315
statement on, and VCG 6: 566
start-up time 6: 569
theoretic consideration of, as developed by advent of microelectrode technique 1: 81
thiamine deficient rat 12: 474
unipolar, atrial conduction 6: 59

unipolar, in right auricle 6: 71
ventricular activation of cattle and goat 1: 418
Electrocardiograph, pocket, carried by patient for observation of various cardiac attack 14: 326
Electrocardiographic, data, smoothing and storing of 11: 226
evidence of pulmonary embolism 11: 195
finding, in a case of Romano-Ward syndrome 16: 610
finding, in Romano-Ward syndrome 14: 479
interpretation machine 5: 212
leads 11: 183
study, on electrical axis of right bundle branch block in the aged 14: 510
Electrocardiography, after surgical treatment of coronary artery disease 2: 473
algebraic reflection on vector concept in 1: 317, 1: 432
atypical QRS pattern 4: 310
A-V block, in bronchial asthma 2: 524
captures in advanced A-V block 3: 73
Electrocardiography changes, by cardiac nerve stimulation 5: 359
in a Japanese rural population, Chiyoda 5: 42
in children 4: 403
in gastrointestinal cancer 3: 168
in gastroptosis 3: 171
in hepatitis 3: 168
in liver cirrhosis 3: 168
in peptic ulcer 3: 171
in RS-T segment and T wave in biliary tract disease 3: 169
Electrocardiography, criteria of heart disease and 4: 239
development of, in Japan 4: 201
ear-ensiform-precordial lead system 4: 105
effect of dietary potassium 5: 272
effect of starvation on 3: 343
electric field 2: 112
in exercise 4: 81
in gastrointestinal disease 3: 167
high gain 5: 384
in rheumatoid arthritis 3: 326
in subarachnoid hemorrhage 5: 583
hypertonic saline injection 2: 84
injury current, atrial 4: 489
interference dissociation 4: 358
in neurosurgical lesion 2: 92
normal values in Japanese 4: 141
prognostic value of 4: 239
QP-PQ curve curve in advanced AV block 3: 73
reevaluation of solid angle approach in 1: 325
relogram 3: 269
ST depression in exercise 4: 105
statistical diagnosis of 4: 469
ST-T change and arrhythmia by brain stimulation 3: 469
ST-T change in arteriosclerosis 2: 283
T in vascular disease 4: 481
T wave changes after acute pericarditis, 2 ventricular fibrillation, analysis by corin thiamine deficient rats 2: 42
vector concept in 2: 112
with portable electrophonocardiograph using magnetic tape recorder equipped with patient's voice print 13: 478
Electrode distance, in magnetorheography for measuring cardiac output 18: 225
Electrogenic Na-pump, activation of, by epinephrine in bullfrog atrium 18: 860
Electrograms 11: 58
His bundle, in ventriculoatrial conduction in complete AV block 15: 1
of His bundle, in origin of "AV nodal" rhythm 14: 273
Electrolyte, alteration of, in cardiogenic shock 14: 281
changes, serum, during extracorporeal circulation 13: 195
composition of renal tissue 10: 437
excretion 10: 297
hypertension, in spontaneously hypertensive rat 14: 156
in acute hypoxia 18: 102
in water and electrolyte balance in stroke prone spontaneously hypertensive rats 13: 579
metabolism, in substrain of spontaneously hypertensive rat 14: 157
plasma, in uremic patient and QT duration 13: 187
studies of, metabolism in Japan 4: 301
urinary, and hypertension 3: 5
urinary excretion of 11: 369
Electrolytic imbalance 19: 396
Electromagnetic flowmeter, continuous observation of cardiac output 5: 49
in magnetorheography 16: 694
probe, in left ventricular function in experimental pulmonary embolism 12: 221
Electromechanical, activity, K-induced change in, of guinea pig heart 17: 211
lag period, in exercise 6: 109

Electromotive force, cardiac 11: 183
Electron micrograph of myocar'ium, in cardiomyopathy in myotonic dystrophy 14: 202
Electron microscopic autoradiography, study on timed intracellular localization and distribution of tritiated digitoxin and proscillaridin A in myocardial cell by 15: 374
Electron microscopic study, of adrenal cortex in spontaneously hypertensive rat 14: 160
of pulmonary alveolar lesions 9: 441
of rabbit aorta, 4: 53
on isoproterenol-induced myocardial lesions in rat 13: 168
Electron microscopy, 10: 395
edematous arterial reaction by adrenaline and cholesterol 3: 581
effect of ouabain on calcium ion distribution in cardiac muscle 12; 90
in pathological study of animal replaced with artificial heart 17: 233
of myocardium, of ventricular septal defect, infundibular pulmonic stenosis and tetralogy of Fallot 12: 205
Electro-phonocardiograph, portable, using magnetic tape recorder equipped with patient's voice print 13: 478
Electrophoresis, for analysis of crude glycoprotein 12: 26
Electrophysiologic effect, of phenothiazine on human atrial fiber 14: 398
Electrophysiology 11: 379, 11: 478
Electropolarography, in study on vasomotoricity of cerebral vessel 1: 181
Electrotonic potential, in evaluation of longitudinal dissociation of His bundle 15: 248
Elevation pattern of blood pressure 9: 187
Ellagic acid, effect of, on experimental pulmonary infarction 14: 335
Embolism, arterial, analysis of 115 surgical procedures of 15: 554
cerebral 2: 338, 2: 351, 7: 32
cerebral, in cardiac diseases 1: 135
coronary 2: 279
Embolectomy, 15: 554
in echocardiography and angiocardiography for detection of left atrial thrombus 17: 572
of foreign body, to pulmonary artery 13: 572
of vertebral artery, renin release and renal sympathetic nerve activity following 15: 271
pulmonary, experimental, left ventricular function in 12: 221
pulmonary, in peripartal cardiomyopathy in Japan 13: 488
tumor, of coronary artery, resulting in myocardial infarction and cardiac rupture 17: 269
Emergency surgical treatment, of valvular endocarditis 10: 372
Emphysema, chronic, prognosis of 4: 524
pulmonary, chronic, expired alveolar carbon dioxide tension 1: 37
Enddiastolic coronary resistance 11: 470
End-diastolic pressure, in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
left, effect of ventricular pacing rate on 13: 232
End-diastolic volume, and pressure 9: 228
effect of ventricular pacing rate on 13: 232
in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
of right ventricle, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
End-systolic volume, effect of ventricular pacing rate on 13: 232
of right ventricle, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
Endocardial, fibroelastosis 10: 30
thickening 10: 30
Endocardial cushion defect, 5: 287
echocardiographic diagnosis of 16: 1
in acoustic phenomena in coronary venous system 18: 787
Endocardial fibroelastosis, 5: 85
fetal cardiac failure resulting from 15: 623
left ventricular thrombi found in 20: 675
Endocardial thickening, in diffuse endomyocardial fibrosis of right ventricle with persistent pericardial effusion 17: 774
Endocarditis, 10: 372
bacterial, in right coronary artery to left ventricle fistula 14: 184
Loeffler's parietal fibroplastic, associated with blood eosinophilia 12: 581
produced with candida albicans 20: 427
rheumatic 2: 300
Endocardium, biopsy, 3: 537
instrument of 3: 538
Endocrine organs, and hypertension 3: 426, 3:

443, 3: 561
in spontaneously hypertensive rats 5: 57
Endomyocardial biopsy, and autopsy 10: 40
in cardiomyopathy in myotonic dystrophy 14: 202
in Lœffler's parietal fibroplastic endocarditis 12: 581
Endo-myocardial bioptome, successful removal of a foreign body from caval vein by 13: 464
Endomyocardial fibroelastosis 4: 182
Endomyocardial fibrosis, 2: 221, 2: 265, 9: 1
diffuse, of right ventricle, with persistent pericardial effusion 17: 774
rœntgenology of pulmonary complication in 2: 298
Endothelial cell, arterial, hyperactive, in atherogenesis 16: 76
relaxation, in new concept on atherogenesis and treatment of atherosclerotic diseases 13: 537
Energy, liberation, of infarcted heart in dog, effect of isoproterenol, propranolol and artificial pacing on 15: 579
metabolism, of erythrocyte, study on, during artificial heart pumping 15: 262
Entrainment, of ectopic activity in ventricular parasystole 20: 843
Environment factor 10: 149
Envinronmental stimuli, stressful, influence of, on change of catecholamine and blood pressure of spontaneously hypertensive rat 14: 170
Enzyme, activity, for energy production, in myocardium and conduction system 20: 667
heart muscle, cholinesterase, GOT and GPT 4: 577
in cardiac hypertrophy in spontaneously hypertensive rat 16: 174
inhibitors on the angiotensinase activity 9: 494
in myocardium in experimental hypertension 9: 57
nomogram, estimation of peak serum LDH after acute myocardial infarction using 18: 202
Eosinophilia, associated with Lœffler's parietal fibroplastic endocarditis 12: 581
Eosinophilic body, in myocardial tissue 9: 578
Epicardial, breakthrough, in sequential change in difference of potential distribution between normal subject and simulated torso model map, in experimental production of ventricular complex simulating A, B, and C type of WPW syndrome 15: 503
Epicardial mapping, in experimental coronary occlusion 13: 512
of dog heart, after coronary occlusion 13: 222
Epidemiological survey, in comparison of semi-automated sphygmomanometer with clinical sphygmomanometer 16: 118
Epidemiology, of hypertension and congestive heart disease 4: 323
of stroke 18: 171
Epinephrine, 11: 478, 11: 481, 19: 103, 19: 281 19: 493
activation of electrogenic Na-pump by, in bullfrog atrium 18: 860
blood pressure and 4: 118
cardiac oxidative metabolism 4: 135
effect of, on aorta 6: 331
in the cerebral circulation 10: 145
in congestive heart failure 4: 13
in pheochromocytoma with renal arterial stenosis and high plasma renin activity 16: 741
induced pulmonary edema 10: 142
Equalizing network, left ventricular pressure and first derivative wave form from 18: 664
Erdheim's necrosis 6: 381
Ergometer, bicycle, in non-invasive measurement of subclavian arterial blood flow by Doppler ultrasonic flowmeter 15: 37
with computer, in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
Erythrocyte, study on energy metabolism of, during artificial heart pumping 15: 262
formalin preserved, hemagglutination of 9: 110
treated with tannic acid 9: 110
Erythrocytosin, induced by clipping of renal artery 18: 386
Escape beat, in origin of "A-V nodal" rhythm 14: 273
Escape-capture bigeminy, in acute anterolateral myocardial infarction with left posterior hemiblock 17: 123
Essential hypertension, 10: 11, 10: 297
effect of pressor agents on blood pressure, plasma renin activity and plasma aldosterone concentration in 16: 404
effects of β-adrenergic blocking agents on 18: 24
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
in hemodynamic factor conditioning hypoten-

sive response to phentolamine 14: 1
renal basis of 15: 419
Estimation, of blood pressure in future, by transition probability matrix 12: 528
of right ventricular pressure 10: 113
Estradiol and blood pressure 4: 569
Etafenone, cardiohemodynamic effect of 15: 126
Ethanol, 19: 513
consumption, and myocardial abnormalities 15: 337
Ethyl adenosine-5′-carboxylate, effect of, on heart and coronary circulation 16: 421
Etiology, of aortic insufficiency 9: 120
of hypertension 10: 328
Euglobulin lysis time 11: 450
Europe, stroke in 18: 171
Exercise test 19: 315
Excess lactate, in chronic cor pulmonale 6: 323
Excitability, in infarcted heart 6: 152
of guinea-pig heart, effect of rubidium and potassium on 13: 317
of guinea-pig left atrium, effect of cesium on 14: 454
ventricular, delayed recovery of, prolonged QRS duration resulting from 17: 764
Excitation, sequence atrial during ectopic atrial beat in rabbit 15: 295
Exercise, and labile T wave 11: 577
ECG and VCG in T loop change of 17: 139
ECG in 2: 91, 4: 81
exit block 11: 104
heart rate and left heart cycle in 6: 104
in noninvasive measurement of subclavian arterial blood flow by Dopper ultrasonic flowneter 15: 37
in oral phentolamine in angina pectoris 14: 393
isometric handgrip coronary blood flow and lactate metabolism during in heart diseases 17: 742
Master's test 4: 313
portable electro-phonocardiograph using magnetic tape recorder equipped with patient's voice print during 13: 478
pulsus alternans 6: 456
serum dopamine-β-hydroxylase after 17: 445
ST depression in 2: 117, 4: 105
supine in relationships of left ventricular STIs with hemodynamic variables in intact and failing heart 16: 433
T widening index in Frank's lead VCG 17: 139
Exercise test application of medical engineering for and management on ischemic heart disease 15: 47
in chronic cor pulmonale 6: 322
in comparison of pressure in lesser circulation with left ventricular filling pressure in ischemic heart disease 17: 706
Exercise, vector 11: 401
vectorcardiogram and post-extrasystolic ST-T change 12: 185
Exogenous catecholamine, effect of, on coronary blood flow 14: 531
Experimental arteritis, produced immunologically in rabbits 9: 573
Experimental hypertension, small artery in 9: 473
arteriole in 9: 473
collateral circulation in 18: 722
coronary vascular lesion in 9: 473
enzyme activity in the myocardium in 9: 57
in hypertension-inducing potency and renin content of variously treated kidney extract 16: 446
renin content in subcellular fractions of kidney extract in 15: 498
Experimental renovascular hypertension 10: 328
External counting, of brain circulation 5: 127
of cardiac output 5: 115
External determination, of right ventricular pressure 11: 221
Extracellular potential, 11: 172
of purkinje-myocardium junction, in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
Extracellular space, functional 10: 335
Extracorporeal circulation, fluid therapy following cardiac surgery 9: 520
serum electrolyte changes during 13: 195
Extractor nucleotides and nucleosides 10: 259
Extramural pressure, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
Extrasystole, 10: 70
familial polytopic and polymorphic 5: 81
QS or QR type 11: 195
Extravascular compression 11: 470

F

Factor, II (prothrombin) 11: 450
II, agglutination test 6: 514
V 11: 450
VII-X 11: 450
VIII 11: 450
X 11: 450
Factor analysis, in balneotherapy in hypertension 1: 361
Fallot, pentalogy of, superior vena cava-pulmonary artery anastomosis 2: 191
Fallot's tetralogy, 11: 113
and ABC lead tracings 9: 583
conduction system of heart in 2: 377
hemodynamic effects of propranolol in 9: 531
False, positive reaction, in screening test of pheochromocytoma 14: 1
pulmonary hypertension pattern, in echocardiogram of pulmonary valve 18: 298
False tendon, 10: 350
inhomogeneous spread of excitation in 20: 511
Familial, cardiomyopathy (see cardiomyopathy)
conduction disturbance 20: 441
extrasystole, polytopic and polymorphic 5: 81
pheochromocytoma, bilateral, associated with medullary carcinoma of thyroid 12: 405
Family pedigree, of cardiomyopathy 12: 41
Fascicular block, left anterior or posterior, in histological study on conduction system 15: 113
left anterior or posterior, with right bundle branch block, in an aged case of trifascicular block with histological study of conduction system 15: 314
their prognostic profiles in myocardial infarction 18: 406
Fat, and fatty acids, dietary, affecting hypercholesterolemia and atherogenesis 3: 129
diet 10: 149
metabolism and cerebral circulation 2: 138
Fatty acids, composition of, in the study on lipids 9: 34
of the plasma and aortic walls 9: 34
peroxides, in atherogenesis 6: 128
Fatty infiltration, in cardiomyopathy in myotonic dystrophy 14: 202
F-D displacement pickup 11: 213
FDP (fibrin degradation products) in coagulofibrinolytic study of experimental pulmonary infarction 12: 251
in experimental pulmonary infarction 14: 335
in experimental study of pulmonary infarction 13: 176
Feed back mechanism, 10: 259
positive, on development of essential hypertension 17: 527
Femoral circulation, effect of arteriovenous fistula on 12: 392
Fetal cardiac failure, resulting from endocardsal fibroelastosis 15: 623
Fibrillation, acetylcholine-induced 9: 162
aconitine-induced 9: 162
calcium-induced 9: 162
ventricular, and artificial heart 12: 161
ventricular, in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
Fibrillatory potential, of sino-atrial node of rabbit 13: 85
Fibrin, presence of, in aortic tissue 3: 563
Fibrinogen, 11: 259, 11: 450
coagulofibrinolytic study of experimental pulmonary infarction 12: 251
in experimental pulmonary infarction 14: 335
in experimental study of pulmonary infarction 13: 176
intimal deposits of, in aorta 3: 566
role on lipid deposition into aorta 5: 108
Fibrinoid necrosis, 9: 186, 10: 328, 19: 151, 19: 522
of artery, in experimental renal hypertension 5: 469
of small artery in rat treated with renal cortical extract 17: 649
Fibrinolysis, 11: 450
autograph, in coagulofibrinolytic study of experimental pulmonary infarction 12: 251
Fibrinolytic, activity, blood, in rat treated with renal cortical extract 17: 649
studies, of pulmonary infarction 11: 258
Fibrœlastic hyperplasia 10: 250
Fibrœlastosis, diffuse endocardial 5: 85
endocardial, fetal cardiac failure resulting from 15: 623
endomyocardial 4: 182

Fibrosis, endomyocardial, diffuse, of right ventricle, with pertistent pericardial effusion 17: 774
myocardial, diffuse, and coronary sclerosis in small arteries 1: 348
myocardial, diffuse, in aortitis syndrome 13: 107
myocardial, idiopathic cardiomegaly in the aged 12: 305
of papillary muscle 18: 812
of septal myocardium 11: 10
Fick principle, in correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in congenital heart disease with left to right shunt 16: 629
calculation of separate pulmonary blood flow 6: 47
Field-potential distribution 11: 489, 11: 493, 11: 501
Filling pressure, of left ventricle, comparison of pressure in lesser circulation with, in ischemic heart disease 17: 706
Filtration theory 9: 180
First degree AV block with right bundle branch block, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
First derivative electrocardiogram, for myocardial infarction 9: 75
First differential derivative 11: 149
First heart sound, in atrial septal defect 18: 164
in unitary nature of cardiac vibration 14: 406
mechanism of, 81
Fistula, aortopulmonary, a case report of 17: 676
Fistula arteriovenous, effect on cardiovascular dynamics 12: 392
systemic-pulmonary, traumatic, a case report of 16: 196
Fistula, from right coronary artery to left ventricle 14: 184
Fistula of coronary artery, congenital, a case of, involving bilateral coronary artery branches 15: 524
congenital, coronary artery perfusion scanning with ^{131}I-MAA injected directly into 15: 28
draining into left ventricle 17: 531
to right ventricle 1: 239
Fixed human hearts, assessment of left ventricular dimensions by ultrasonic analogue conversion system in 18: 70
Flavin-adenin-dinucleotide, protection of chlorpromazine-induced arrhythmia by 20: 657
Flow coefficient 19: 271
Flow, external measurement of regional cerebral 9: 349
load, effect of, on cardiac function 14: 146
local 9: 487
monitor, non-traumatic 11: 149
ratio 11: 309
reserve, effect of coronary constriction on, in regional myocardium 20: 207
superior mesenteric 9: 487
velocity curve, in carotid artery, as a measure of myocardial contractility 16: 22
Flowmeter, Doppler ultrasonic, non-invasive measurement of subclavian arterial blood flow by 15: 37
Fluid therapy, after cardiac surgery in childhood 9: 520
maintenance dose 9: 520
Fluorescein microangiography, in perinephritis hypertension in monkey 17: 61
Fluorescent antibody technique, in aortitis syndrome 12: 1
Fluorometric analysis, of catecholamine 6: 338
Flutter, atrial, associated with complete heart block 12: 191
Focal and diffuse papillary muscle fibrosis 18: 812
Force, developed force of left ventricle, in experimental pulmonary embolism 12: 221
frequency relationship, influence of ouabain on 20: 341
Force-velocity, curve, of contractile component of cardiac muscle, in determination of active state of frog ventricle 12: 545
relationship 9: 228, 11: 171
Forced, collection method, 10: 343
vital capacity 7: 47
Foreign body, embolism, in migration of a bullet from inferior vena cava to right pulmonary artery 13: 572
in heart cavity, successful removal of, by endomyocardial bioptome 13: 464
in main pulmonary artery 20: 381
Forward triangle method, in rapid estimation of area under thermodilution curve 14: 306
Fourth heart sound, its recording by signal converging method 18: 340
Frank's lead, 11: 400, 11: 401
exercise VCG of, T-loop change of 17: 139
in left ventricular hypertension 5: 543
in ventricular gradient 5: 337
in VCG findings in Friedreich's ataxia 17:

459
system, in vectorcardiographic diagnosis of combined ventricular hypertrophy in adult patient 15: 323
vectorcardiogram 18: 1
Frank's method 10: 343
Frank-Starling mechanism 19: 84
Friedreich's ataxia, VCG findings in 17: 459
Free fatty acid, effects of, on infarcted myocardium 20: 557
for determination of lipoprotein lipase activity 12: 22
metabolism 19: 376
myocardial metabolism of 7: 130
Free water reabsorption 19: 852
Frequency-force relationship 19: 409
Frontal P wave axis 9: 201
Full-recovery time 11: 391, 11: 395
Functional, class, in mitral valve replacement in children and adolescents with rheumatic heart disease 17: 570
extracellular space 10: 335
murmur, in acoustic phenomena in coronary venous system 18: 789
phonocardiography 7: 3, 9: 142
purine base, in effect of allopurinol on tissue O_2 tension of ischemic myocardium
refractory period 10: 535
roles, of inner and outer nephrons 18: 406
Function, cardiac, long-term effect of corticosteroid on 15: 443
Fundus finding, of spontaneously hypertensive rat 14: 181
Furosemide stimulation, plasma renin activity 20: 765
Fusion beat, in artificial pacemaker-induced pseudo-electrical alternans 12: 494
ventricular, in experimental production of, simulating A, B, and C types of WPW syndrome 15: 503

G

Galactosamine 9: 453
Gallavardin mechanism, in amyl nitrite test using double microphones for differentiation of systolic murmurs in the elderly 15: 16
Gallop rhythm, atrial 1: 213, 5: 201
pathogenesis in renal insufficiency 5: 201
phonocardiographic studies of renal insufficiency 5: 201
protodiastolic 5: 201
Ganglionic blockade, effect of, on the response of coronary blood flow to cardiac sympathetic stimulation 12: 169
hexamethonium bromide, in cardiac output and total peripheral resistance in spontaneously hypertensive rat (SHR) 14: 267
in effect of increasing age on hemodynamics of spontaneously hypertensive rat 16: 257
in hemodynamics of spontaneously hypertensive rat in conscious state 16: 719
in study on vasomotoricity of cerebral vessel 1: 181
KK-25-S, hypotensive effect of 1: 189, 1: 300, 1: 308
Ganglion blocker, 10: 318
Ganglion blocking agent in hypertensive rats 4: 455
Gargoylism, and endocardial change 2: 235
Garlic, effect on inhibition of atherosclerosis, fibrinolytic activity and hypolipemic action of 20: 351
Gas exchange 9: 552
Gastro enteropathy, protein losing 4: 386
Gastrointestinal bleeding, as an underlying condition in acute myocardial infarction following blood transfusion 18: 191
Gel-filtration 9: 462
General improvement rating, in study of dl-alpha-tocopheryl nicotinate for treatment of symptoms in hypertension and cerebral arteriosclerosis 18: 277
Geographical incidence, of ischemic heart disease 10: 1
Geriatric, cardiology, in clinicopathological study on heart disease in the aged 16: 526
heart 9: 265
heart disease, in study on mitral ring calcification 18: 154
Geriatrics, 9: 219
in electrocardiographic study on electrical axis of right bundle branch block in the aged 14: 510
Gerontology 9: 603
Glomerular filtration rate 11: 533, 9: 541
G-M counter, micro, measurement of coronary

circulation 6: 527
Glomerulonephritis, streptococcus 9: 110
Glomerulo-tubular balance 11: 533
Glucagon, a new agent for low cardiac out-put syndrome 13: 266
anti-arrhythmic action 13: 267
enhancement of inotropic action of, by small concentration of angiotensin 14: 239
Glucocorticoid, long-term effect of, on cardiac function 15: 443
revival of isolated heart stopped with alcohol and, by nicotine and acetylcholine 14: 296
Glucosamine 9: 453
Glucose, and labile T wave 11: 575
C^{14} in heart muscle metabolism 3: 555
effect of, on infarcted myocardium 20: 557
in elective cardiac arrest, with potassium and insulin 3: 248
infusion, its effect on myocardial performance during acute hypoxia 18: 102
insuline-potassium in the ischemic myocardium 19: 376
load, in angina pectoris induced by intravenous administration of 50% glucose 15: 218
metabolism, general survey of, in spontaneously hypertensive rat 14: 159
metabolism in heart muscle 4: 131
phosphate dehydrogenase, in myocardium and conduction system 10: 667
tolerance, oral, in patient with coronary heart disease 16: 670
Glutamic oxaloacetic transaminase, 11: 512
in cardiac hypertrophy 7: 566
Glyceryl trinitrate (nitroglycerin), effect of, on coronary hemodynamics in man 14: 314
Glycogen, 10: 399
in heart, in anoxia 2: 279
Glycolysis, anerobic, in cerebral autoregulation in dog 12: 376, 12: 467
in cardiac metabolism 9: 57
Glycoprotein, acting as a lipoprotein lipase inhibitor, and arteriosclerosis 12: 22
analysis by electrophoresis and immunoelectrophoresis 12: 26
Glycosaminoglicans 10: 289
Glycoside, in multiclinical open study on effect of β-methyl digoxin on congestive heart failure with atrial fibrillation 16: 358
Glycyl-prolyl-nitroanilidase (GPNAase), in acute myocardial infarction and congestive heart failure 20:469
Glycyrrhizin, effect on atheromatosis 7: 474
Goldblatt operation, in experimental hypertension 9: 473
Gonads, in hypertensive rats 4: 426
gonadectomy and blood pressure 4: 453
Gore's atherosclerosis index, in cerebral atherosclerosis of Japanese 15: 518
Gorlin's formula 19: 271
GOT and GPT, in cardiac hypertrophy 7: 566
Graft patency, ultrasound evaluation of 20: 823
Graham Steell murmur, in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
Granulomatous myocarditis, in aortitis syndrome 13: 107
Greater splanchnic nerve, effects on hepatic circulation 3: 574
Great vessel transposition, in conjoined thoracopagus twins 20: 897
Group A streptococci, as related to rheumatic fever 17: 592
Growth, and increased amino acid transport in experimental cardiac hypertrophy 12: 177
Guanethidine, 3: 65
in slowered turnover of norepinephrine in brain associated with acute elevation in blood pressure of rat 16: 575
Guinea pig heart, 11: 391
effect of rubidium on cardiac function of 13: 317
in effect of cesium on property of cardiac muscle 14: 454

H

^{3}H-digitoxin, (see: tritiated digitoxin) 15: 374
^{3}H-proscillaridin A, (see: tritiated proscillaridin A) 15: 374
Habius, alimental and longevity 3: 147
and short life of Japanese 3: 148
Half maximal T vector, 11: 400, 11: 408
in vectorcardiography 7: 123
Hamilton's formula, for cardiac output 3: 26
Handgrip exercise test, and systolic time intervals in progressive muscular dystrophy 20: 23

Healed papillary muscle infarct 18: 812
Heart, acute cardiac death of unknown etiology 3: 442
amyl nitrite, effect on ventricular gradient 5: 341
anticoagulant therapy for myocardial infarction 5: 549
arrest, by potassium, myocardial disorders after 3: 240
arrest, vagal never stimulation 2: 369
glucose metabolism and 4: 131
guinea pig 11: 391
heart size to volume load 17: 663
of guinea-pig, in effect of cesium on property of cardiac muscle 14: 454
hypoxic, susceptibility to defibrillation 7: 181
idiopathic enlargement of right atrium 3: 373
infarcted, excitability in 6: 152
in rheumatoid arthritis 3: 325
in slowered turnover of norepinephrine in brain associated with acute elevation in blood pressure of rat 16: 575
in unitary nature of cardiac vibration 14: 406
intramural arteriolosclerosis 3: 13
ischemic heart disease, in Japan 5: 549
isolated, revival of, stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
left, transseptal, catheterization 5: 30, 16: 189
mechanics, in principle of adaptation of heart size to volume load 17: 663
metabolism, carbohydrate, of muscle 3: 555
metabolism, in experimental hypertension 9: 57
murmur 11: 515
murmur, in coronary artery fistula draining into left ventricle 17: 531
muscle antigen 10: 485
muscle, and catecholamines 4: 577
muscular subaortic stenosis 5: 574
output and aminophyllin 2: 309
output, calculation by digital computer 3: 24
Rb^{86} clearance of 18: 132
Rb^{86} uptake of, of spontaneously hypertensive rat 16: 156
Heart arrhythmia, AV dissociation 5: 180
digitalis-induced 5: 456
double AV nodal rhythm 5: 171
familial extrasystole 5: 81
Heart artificial pacemaker 5: 566
Heart atropine, beriberi heart 5: 150
effect on coronary blood flow 5: 328
effect on ventricular gradient 5: 340
Heart autopsy findings of 3: 443, 3: 450
Heart block, complete, associated with atrial flutter 12: 191
complete, congenital 11: 417
complete, left and right ventricular volumes in, and their changes induced by isoproterenol 16: 65
familial 20: 441
Heart, central nervous system, effect on coronary blood flow 5: 323
Co^{60} irradiation, effect on AV dissociation 5: 180
computer, in diagnosis of heart disease, surgical treatment 5: 297
congenital heart disease, epidemiologic studies 5: 37
diagnosis of minor cardiac abnormality 3: diastolic threshold 3: 36 ⌊103
dietary potassium 5: 272
Heart disease, acquired, vectorcardiographic diadnosis of combined ventricular hyper rophy due to, in adult patient 15: 323
alcoholic, and thiamine deficiency 12: 354
Heart disease congential, in the aged (ventricular-septal defect of persistent common AV canal type) 14: 88
congestive heart failure due to left-to-right shunt in infants and children (clinical and hemodynamic study) 12: 138
correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in, with left-to-right shunt 16: 629
scoring system to assess severity of, during first year of life 14: 503
serious, in the neonatal period 12: 442
Heart disease coronary, blood flow and lactate metabolism during isometric handgrip exercise in 17: 742
calibrated low frequency acceleration vibrocardiography 13: 1
glucose tolerance, serum insulin and lipid abnormalities in patient with 16: 670
Heart disease degenerative, in clinicopathological study of heart disease in the aged 16: 526
Heart disease diagnosis of 3: 83
Heart disease epidemiology, in China 3: 115
in India 3: 109
in Japan 3: 112
in Malaya 3: 114
in Orient 3: 108
in Philippines 3: 11

Heart disease hypertensive, echocardiographic classification of 16: 377
in the aged, clinicopathological study on 16: 526
Heart disease ischemic, and aortic root balloon pumping 12: 263
application of medical engineering for exercise test and management on 15: 47
comparison of pressure in lesser circulation with left ventricular filling pressure in 17: 706
effect of pyridinolcarbamate (Anginin) on 9: 359
hemodynamic evaluation of 14: 494
pyridinolcarbamate in treatment of 13: 53
serum dopamine-β-hydroxylase in 17: 445
study on rehabilitation of 16: 512
Heart disease, neonatal, and congenital complete atrioventricular block diagnosed before delivery 14: 467
pulmonary 6: 220
quadrivalvular 9: 303
Heart disease rheumatic, 5: 4, 5: 532
blood vessels in bulbar conjunctiva in 3: 394
heart sounds and murmurs in 3: 299
in group A streptococcal infection as related to rheumatic fever 17: 592
in outcome of children with rheumatic fever not diagnosed by revised Jones criteria 17: 560
long-term prevention of streptococcal infection among children with, in Taiwan 17: 550
mitral valve replacement in children and adolescents with 17: 570
pathology of synovial tissue in 3: 398
underdiagnosis of rheumatic fever in clinical application of revised Jones criteria 12: 436
vascular lesions of 3: 393
Heart disease, valvular, in clinicopathological study on syphilitic aortic regurgitation in the aged 14: 22
Heart drive R interval (DR interval) 3: 36
Heart ECG, cardiac nerve stimulation 5: 4, 5: 359
effect of potassium 5: 272
telemetering 5: 312
Heart, effect of pronethanol 7: 394
effect of starvation on myocardium 3: 347
effect on renal circulation 2: 374
endocardial fibrœlastosis 5: 85
Heart failure, 10: 133, 10: 142
aldosterone, in pathogenesis of 8: 252
anemic 2: 279
anoxic 2: 279
congestive, with atrial fibrillation, multiclinical open study on effect of β-methyl digoxin on 16: 538
cardiac decompensation in 8: 507
cardiac output 2: 309
catecholamine in 8: 242
congenital aneurysm of pulmonary artery 2: 404
in aortitis syndrome 13: 107
in change of cardiac performance in renal failure 16: 489
cells 2: 305
Heart failure congestive, 11: 26, 11: 141
and glucagon 13: 268
due to sclerotic heart disease 2: 301
glycy-prolyl-p-nitro-anilidase (GPNAase) activity in 20: 469
in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
Heart failure, depressed Na-K-ATP-ase activity in rabbit heart 13: 73
endomyocardial fibrosis 2: 265
experimentally induced 9: 393
hemodynamics 8: 121
hyperthyroidism 2: 279
latent, detected by angiotensin-induced echocardiographic changes 20: 407
left 19: 74
left-sided, treated with chlorpromazine 20: 33
metabolic and non-metabolic 2: 279
myocardial nucleic acids and proteins metabolism 9: 393
myocardial shortening velocity 14: 193
relationship of left ventricular STIs with hemodynamic variables in 16: 433
thiamine deficiency 2: 279
ventrilatory mechanics in 2: 325
Heart-lung preparation, 19: 775
in antagonism of cardiac arrhythmia by a new beta blocker 15: 61
of dog, relationship between heart rate and ouabain toxicity in 14: 357
Heart protein metabolism 7: 566
Heart murmurs continuous, anomalous pulmonary venous return 3: 93
aortic septal defect 3: 92
pulmonary arteriovenous fistula 3: 92
truncus arteriosus 3: 92
Valsalva sinus rupture 3: 92
venous hum 3: 91
Heart murmur, in pericarditis, systolic clicks 3:

2
in pericarditis systolic murmur 3:2
in rheumatic valvular aortic stenosis, diastolic murmur 3: 308
Heart murmur musical, diastolic, in aortic insufficiency 3: 91, 3: 509
systolic, in aortic insufficiency 3: 513
systolic, in mitral insufficiency 3: 513
telesystolic 5: 519
Heart murmur normal, features of 3: 208
incidence of 3: 208
in Japanese 2: 421, 2: 426
systolic murmurs, of Japanese 3: 207
Heart murmur systolic, 3: 304
in rheumatoid arthritis 3: 327
Heart rate, 11: 243, 11: 246, 19: 66, 19: 212
alarm, in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
alcoholic heart disease 11: 528
all-night polygraphic study of nocturnal angina pectoris 13: 295
as a parameter, in study on rehabilitation of ischemic heart disease patient 16: 512
brain circulation in cerebral transient ischemic attack 16: 654
cardiohemodynamic effect of nitroglycerin and several vasodilators 15: 126
debt, in study on rehabilitation of ischemic heart disease patient 16: 512
effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of infarcted heart in dog 15: 579
effect of a new coronary dilator (Bay-a 1040) on 13: 128
effect of propranolol on 18: 392
effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during myocardial ischemia 15: 280
effect of propranolol in patient with Fallot's tetralogy 9: 531
hypertensive patients 18: 24
in hyperthyroid'sm 6: 397
influence of, on Q-Korotkoff sound interval 17: 190
lack of significant central component in β-adrenergic chronotropic effect in vagotomized rat 14: 432
left heart cycle 6: 104
memo., in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
relationship between ouabain toxicity and, in dog heart-lung preparation 14: 357
use of hypotensive agent and coronary vasodilators 18: 120
Heart rhythm, analyser ("Andros-R") of, for quantitative characterization of heart rhythm disturbances 12: 575
Heart rotation, 7: 331
sarcoma, primary 8: 545
selective cardioangiography 5: 306
size, principle of adaptation of, to volume load
Heart sound, 11: 515 ⌊17: 663
bundle branch block 8: 459, 8: 468
effect of arrhythmia on 2: 435
effect of partial A-V block on 2: 435
in anemia 2: 422
in arrhythmia 2: 422
in left bundle branch block 13: 281
Heart sound atrial (see: atrial sound)
Heart sound first, 3: 299
in aortic stenosis 3: 91
in arteriosclerosis 3: 91
in normal 2: 426
in unitary nature of cardiac vibration 14: 406
Heart sound fourth (see: atrial sound),
splitting of 1st sound 2: 430, 2: 440
splitting of heart sound 2: 421
splitting of 2nd sound 2: 430, 2: 440
systolic clicks in pulmonary hypertension 3: 89
Heart sound, opening snap 2: 421
Heart sound second, 3: 307
in arterial stenotic lesion 9: 539
in normal 2: 426
paradoxical splitting of 3: 88
reversed splitting of 9: 539
single aortic 3: 88
splitting of 3: 87
Heart sound third, 3: 89
triple rhythm 2: 421
Heart, specific antigen 18: 696
stellate ganglion, stimulation 5: 359
studies on beriberi 3: 342
surgery, open, under hypothermia 1: 375, 1: 397
surgery, pulmonary alveolar lesions following 9: 441 ⌈142
supraventricular paroxysmal tachycardia 5:
successive measurement of, by external monitoring 2: 309
synchronization 3: 79
total and absolute refractory periods of 3: 36
volume relative 19: 732

valve substitute 9: 105
vector, 11: 183
ventricular gradient 5: 337
Heart weight, 11: 11
assessing cardiac hypertrophy 20: 63
cardiothoracic ratio, multivariative analysis and theory of quantification 20: 105
estimated by chest X-ray film 20: 105
relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
Heated, cross-thermocouples, for determination of blood flow through myocardium of dog 13: 241, 13: 502
cross-thermocouple, in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
thermocouple, in effect of adrenergic activation on collateral coronary blood flow 15: 289
Hegglin's syndrome, 2: 432, 2: 440
in hyperthyroidism 2: 422
Hemagglutination, inhibition reaction 9: 461
inhibition test 10: 487
of formalin preserved erythrocytes 9: 110
reaction 10: 487
Hemagglutination test, 10: 489
in aortitis syndrome 12: 1
in familial cardiomyopathy 12: 46
Hematocrit, elevated, in acute myocardial infraction following blood transfusion 18: 191
in contrastive profile in two types of renovascular hypertension in rabbit 14: 445
increase in experimental renal hypertension and its reversal 18: 386
Hemiblock, in an aged case of trifascicular block with histological study of conduction system 15: 314
in myocardial infarction 18: 406
left anterior, in construction method of QRS-loop in myocardial infarction 17: 180
left anterior, VCG study of 17: 302
left posterior, acute anterolateral infarction complicated with 17: 123
Hemodialysis, in malignant hypertension and microangiopathic hemolytic anemia 17: 258
Hemodilution, 19: 94
fluid therapy following cardiac surgery 9: 520
Hemodynamic, characteristics, of centrally mediated pressor activity of angiotensin 14: 226
data, in progressive muscular dystrophy 11: 32
effects, of hypotensive agent and coronary vasodilators 18: 120
evaluation, of ischemic heart disease 14: 494
factor, conditioning hypotensive response to phentolamine 14: 1
in cerebral sclerosis 2: 135, 2: 140
phonocardiographic study, of left bundle branch block 13: 281
studies, of mitral valve disease 9: 241
studies, of aortic banding 11: 131
variable, relationship of left ventricular STIs with, in intact and failing heart
Hemodynamics, coronary, effect of dipyridamole on, in man 15: 361
coronary, in man, effect of nitroglycerin on 14: 314
effect of increasing age on, of spontaneously hypertensive rat 16: 257
experimental coronary artery occlusion 18: 679
experimentally hypertensive rat 17: 80
hyperthyroidism 17: 12
infarted heart in dog, effect of isoproterenol, propranolol and artificial pacing on 15: 579
intrarenal 8: 32
morphology and 10: 395
myocardial, effect of calcium chloride and potassium chloride on 14: 126
patient with Takayasu's arteritis 13: 99
pulmonary circulation, in experimental pulmonary edema 2: 157
renal circulation, nervous control of 2: 65, 2: 368
renal, and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
spontaneously hypertensive rat, in conscious state 16: 719
Hemoglobin M disease, a case report of 1: 456
Hemolysis, in complete intraventricular cardiac bypass (artificial heart) 12: 161
in study on energy metabolism of erythrocyte during artificial heart pumping 15: 262
Hemopericardium, due to anticoagulation, in a case with endocardial pacemaker 17: 784
Hemorrhage cerebral, by neosynephrine 2: 350
experimental 2: 338
in population survey on cerebrovascular and cardiovascular diseases 13: 118
Hemorrhage, renal cortical, in renin content in subcellular fraction of normal rat kidney extract 14: 440
Hemorrhagic, hypotension 10: 177
shock, no protective action of infarcted kidney

against 12: 79
Heparin, 11: 455
administration 11: 455
effect of, on experimental pulmonary infarction 14: 335
lipemic clearing factor 2: 282, 2: 365
side effect of, in pathological study of animal replaced with artificial heart 17: 233
Hepatic, blood flow 6: 118
circulation, autoregulation of 7: 168
cirrhosis with ascites 10: 297
inactivation, of renin 11: 510
phospholipid 10: 218
Heredity, and Romano-Ward syndrome 14: 479
cardiac disease, in a family of Holt-Oram syndrome 16: 480
cerebellar ataxia, with cardiomyopathy 13: 369
Heritable QT prolongation, without deafness 14: 479
Heterogeneity, of myocardial contraction and of distribution of myocardial blood flow 12: 60
Hexamethonium, bromide, in cardiac output and total peripheral resistance in spontaneously hypertensive rat 14: 267
effect of C^6 on the response of coronary blood flow to cardiac sympathetic stimulation 12: 169
in lack of significant central component in β-adrenergic chronotropic effect in vagotomized rat 14: 432
pulmonary congestion with 2: 306
Hexosamine, content of, in aorta 6: 23
effects of chondroitin sulfate on 9: 453
in atherosclerotic patients 9: 453
Hexosemonophosphate pathway, depressed of, in experimental cardiac hypertrophy, and nucleic acid metabolism 13: 325
High, arterial pressure, prognosis 6: 289
High fidelity direct current amplifier 11: 91
High calcium 11: 291, 11: 293
High interventricular septal defect, in echocardiographic diagnosis of endocardial cushion defect 16: 1
High magnetic field, in magnetorheography 16: 694
High plasma renin activity, pheochromocytoma with renal arterial stenosis and 16: 741
High salt diet 10: 149
Hipoxanthine 10: 47, 10: 259
His bundle electrogram, before and after DC conversion of atrial flutter 13: 362
clinical, experimental evaluation of some controversial point regarding AV conduction disturbance in 16: 546
in analysis of Wenckebach periodicity during atrial pacing 18: 777
in dystrophia myotonica 20: 571
in origin of "A-V nodal" rhythm 14: 273
in persistent atrial standstill due to atrial inexcitability 16: 639
in sinus node recovery time and abnormal postpacing phase in sick sinus syndrome 17: 290
in SRT and abnormal postpacing phase in sick sinus syndrome 17: 290
in tachycardia-and bradycardia-dependent LBBB associated with first degree AV block 17: 717
in two cases of complete heart block 18: 287
nature of His potential in 13: 521
variations of timing of deflection in 15: 239
ventriculoatrial conduction in complete AV block 15: 1
Wenckebach period associated with high grade second degree AV block 16: 620
His bundle, histological confirmation of AV bypass tract in rabbit heart 12: 281
longitudinal dissociation of, evaluation of concept of 15: 248
pacing, in experimental evaluation of some controversial point regarding AV conduction disturbance in clinical His bundle electrogram 16: 546
His-Purkinje, conduction defects, due to myocardial ischemia 20: 495
Hisayama, in Japan, epidemiological studies on cerebrovascular diseases 10: 12
Histamine, 4: 467, 10: 226, 19: 505
in heart 19: 125
relase of, from the heart, by nerve stimulation and drugs 20: 183
relationship to norepinephrine 19: 125
Histochemistry, in cardiac hypertrophy in spontaneously hypertensive rat 16: 174
Histological confirmation, hypertensive cardiovascular change in mice 12: 275
of adrenal cortex, in relation to hypertension and arteriosclerosis in the aged 12: 450
of aorta and small artery, induced by crude glycoprotein adminitration 12: 22
of bypass tract for AV conduction 12: 281
of conduction system of heart, in a case of atrial flutter associated with complete heart block 12: 191

of idiopathic cardiomegaly in the aged 12: 305
of myocardium, in ventricular septal defect, infundibular pulmonic stenosis and tetralogy of Fallot 12: 205
of myocardium of rat, effect of alcohol on 12: 242
studies, on conduction system 11: 460
Histology, effect of alcohol on thiamine deficient cardiac lesion 12: 354
Histometrical estimation, of cell count of heart muscle 11: 42
Histopathological, evaluation, of renal vascular changes 10: 249
study, on cerebral lesion of spontaneously hypertensive rat in dietary experiment 14: 172
Holter's instrument, and pocket electrocardiograph carried by patient for observation of various cardiac attack 14: 326
Holt-Oram syndrome, a family of 16: 480
Hormone, alteration of, in cardiogenic shock 14: 281
Huge dilatation of right-sided heart chambers, in pseudo-WPW syndrome observed in a patient with Lutembacher's syndrome 16: 204
Human heart muscle 11: 36
Human myocardium, transmembrane potential, contraction and ATP-ase activity of, in relation to ouabain 13: 59
serum and pulmonary infarction 11: 259
torso model 11: 183, 11: 489
HV block, in a case report of complete heart block 18: 287
in tachycardia- and bradycardia-dependent LBBB associated with first degree AV block 17: 717
HV interval, in bifascicular block 20: 141
Hyaluronic acid, in antihyaluronidase level in children with rheumatic fever and other streptococcal infections 17: 580
Hydergine 2: 369, 3: 64
Hydraulic impedance 11: 45
Hydralazine, 19: 762
effect on release of pressor substance from infarcted kidney 12: 79
effect of, on aconitine-induced atrial tachycardia in rabbit 14: 249
effect of, on bullfrog heart muscle in excess potassium solution 14: 366
in action potential of bullfrog's ventricular muscle in sodium free hydrazine solution 13: 258
Hydrazinium ion, mechanism of positive inotropic action of, on bullfrog heart muscle 14: 527
1-Hydrazinophthalazine 3: 67
Hydrocortisone, in revival of siolated heart stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
Hydrogen, electrode, for the diagnosis and localization of shunts 2: 277
peroxide perfusion, epicardial 10: 55
Hydropericardium, cause of 8: 98
Hydronephrosis, congenital 4: 182
Hydrostatic pressure, 10: 535
on pulmonary circulation 7: 350
Hyperactive arterial endothelial cell, in atherogenesis 16: 76
Hyperaldosteronism, in serum electrolyte changes during extracorporeal circulation 13: 195
Hypercholesterolemia, in coronary vascular lesion 9: 473
Hypercoagulability, of blood 11: 451
Hypercoagulative state 11: 259
Hyperemia reactive, in effect of radiopaque material on coronary vascular reserve 16: 57
in measurement of intramyocardial phasic blood flow using impedance plethysmography 15: 407 [12: 267
myocardial, by aortic root balloon pumping
Hyperkeratosis, congenital 4: 182
Hyperosmolality, in antiarrhythmic effect of hypertonic $NaHCO_3$ and NaCl 17: 54
in effect of radiopaque material on coronary vascular reserve 16: 57
Hyperparathyroidism, in serum electolyte changes during extracorporeal circulation 13: 195
Hyperplasia, adrenal cortex, focal (nodular, adenomatous, combined and adenoma), relationship to hypertension and arteriosclerosis in the aged 12: 450
cardiac 12: 325
cellular, in experimental cardiac hypertrophy in rat 13: 325
heart muscle 11: 36
hyperpolarization 11: 175
Hyperpotassemia, calcium and natrium therapy in, in QT druation and plasma electolytes in uremic patients 13: 187
Hypertension, 11: 365, 11: 423
balneotherapy in 1: 361
cardiac hypertrophy in spontaneously hypertensive rat 16: 174
cardiac output and total peripheral resistance in spontaneously hypertensive rat 14: 267

cardiovascular reactivity in hypertensive (spontaneous, renal and DOCA+salt) rat 12: 68
cellophane perinephritis, in rat, for experimental cardiac hypertrophy 13: 325
chronic, experimental model of, in mice 12: 275
coronary heart disease 4: 323, 4: 477
coronary profile in 3: 18
coronary vascular lesion in experimental 9: cumulative survival rate 5: 403 ⌊473
diagnosis of 10: 12
dl-alpha-tocopheryl nicotinate for treatment of symptoms in 18: 277
DOC (deoxycorticosterone), hemodynamics of rat with 17: 80
due to perinephritis, in monkey 17: 61
due to desoxycorticosterone acetate 8: 42
effect of alpha and beta blockers on hemodynamics of spontaneously hypertensive rat 15: 166
effect of antihypertensive drugs 3: 604
effect of clonidine on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
effect of increasing age on hemodynamics of spontaneously hypertensive rat 16: 257
effect of prolonged antihypertensive treatment 5: 399
electrocardiographic and phonocardiographic study in 1: 198, 1: 213
blood pressure in 2: 449
electrolyte, in spontaneously hypertensive rat 14: 156
endocrine organs and 4: 426, 4: 443
epidemiology 4: 323
epidemiology, in Japanese rural individuals 3: 544
epidemiologic studies in Chiyoda, a Japanese rural population 5: 37
P wave in 1: 198
Hypertension essential, 10: 11, 10: 297
dopamine β-hydroxylase activity in 20: 321
effect of pressor agents on blood pressure, plasma renin activity and plasma aldosterone concentration in 16: 404
in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
positive feedback hypothesis on development of 17: 527
essential, pressor response in 4: 417
renal basis of 15: 419
serum dopamine-β-hydroxylase in 17: 445
sodium metabolism 19: 852
Hypertension etiology of 10: 328
Hypertension experimental, hemodynamics 19: 455
hemodynamics of rat with 17: 80
renal 8: 148
renovascular, in rabbit, high plasma renin activity and hypokalemia in 13: 340
studies in spontaneously hypertensive rats 5: 57
spontaneously 5: 57
Hypertension, hypotensive action and increased plasma renin activity by nifedipine in 17: 479
in aortitis syndrome 13: 20
in ATPase activity of myofibril and Ca^{2+} binding ability of sarcoplasmic reticulum isolated from heart of spontaneously hypertensive rat 15: 475
in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
in increase of hematocrit in two kidney hypertension 18: 386
inducing potency, and renin content of variously treated kidney extract 6: 446
in interrelationship between angiotensin and catecholamines 9: 13
intractable 19: 455
malignant 10: 328, 19: 151
malignant phase of, and microangiopathic hemolytic anemia 17: 258
mortality 5: 406
occurrence of complications during treatment paroxysmal 6: 483 ⌊3: 613
pathogenesis 8: 168
persisted following bilateral adrenal medullectomy in spontaneously hypertensive rat 14: 179
prognosis of, in population 12: 528
Hypertension pulmonary, 4: 529, 4: 205
anti-heart antibody 15: 223
atrial septal defect in the aged 14: 373
echocardiogram of pulmonary valve in 15: 360
Eisenmenger syndrome complicated with thrombœmbolic phenomena 17: 114
in simplified vectorcardiographic method for assessment of palmonary artery pressure in chronic rheumatic mitral valve disease 17: 727

receptor 7: 543
regional cerebral blood flow in 9: 349
result of surgical treatment of ventricular septal defect associated with, under age of two 14: 385
severe, in mitral valve replacement in children and adolescents with rheumatic heart disease 17: 570
ventricular septal defect 9: 434
Hypertension relation to, coronary atherosclerosis, myocardial lesions and cardiac hypertrophy 13: 34
focal adrenal cortical hyperplasia (nodular, adenomatous, combined and adenoma) in the aged 12: 450
Hypertension renal, 9: 180
blood flow in 2: 449
by partial infarction 12: 79, 12: 84
in effect of sodium intake on hypertensive vascular lesion in rabbit 14: 45
reflex control by right subclavian barorenal, role of neural factors 10: 505
with or without renal artery stenosis 18: 312
Hypertension, in renal transplantation study of infarcted kidney as carrier of a hypertensive factor in rat 13: 214
Hypertension renovascular, 4: 496, 7: 308, 8: 209, 9: 539, 19: 151, 19: 308, 19: 468
and deoxycorticosterone, of rat, sympathetic nervous activity in 16: 36
hemodynamics of rat with 17: 80
hypertension due to segmental renal ischemia 14: 110
in rabbit, contrastive profile in two types of 14: 445
in rabbit, effect of removing clipped kidney on 15: 615
retinal finding in 2: 448
reversed splitting of the second heart sound 9: 539
with aplasia of kidney 5: 373
Hypertension, role of kidney in development and maintenance of, by renal segmental infarction in rat 17
salt intake of Japanese 3: 313
secondary, in follow-up observation of aortitis syndrome 13: 201
seven cases of, due to segmental renal ischemia
short-term 9: 180 [14: 110
sympathetic discharge rate in spontaneously hypertensive rat 14: 350
sympathetic, in hemodynamics of spontaneously hypertensive rat in conscious state 16: 719
symptoms of, and effect of antihypertensive drugs 3: 610
systemic, and polycythemia in tetralogy of Fallot 14: 213
treated by cerebroside 2: 363
urinary aldosterone and 3: 5
urinary catecholamine excretion 2: 1, 2: 516
vascular lesions in 4: 69
vibrocardiography in 3: 408
Hypertensive, aortic regurgitation 10: 20
cardiovascular change in mice 12: 275
emergency 19: 455
factor, in rat, renal transplantation study of infarcted kidney as carrier of 13: 214
Hypertensive heart disease, 11: 325
echocardiographic classification of 16: 377
Hypertensive pulmonary vascular disease, in two cases of pulmonary hypertension with Raynaud's phenomenon 16: 354
Hypertensive rats, experimental, renal 9: 186
renovascular, renin content in subcellular fractions of kidney extract of, 15: 498
Hypertensive rat spontaneously, proceedings of 14: 154, 15: 173, 16: 293, 17: 338, 18: 509, 19: 552, 20: 681
Hypertensive vascular lesion,
in rabbit, effect of sodium intake on 14: 45
Hyperthyroidism, Carey Coombs murmur in 4: 522
hemodynamics in 17: 12
murmur in 4: 522
Hyperthyroidism, hemodynamics in 17: 12
phonocardiogram in 4: 509
severity of 9: 247
thyroid murmur 9: 247
transseptal left heart catheterization in 6: 396
Hypertonic saline, 10: 335
circulatory and respiratory effect of 2: 77
constant infusion of 9: 281
influence of, in the dog 11: 533, 11: 541
Hypertonic solution, conduction block from Purkinje fiber to ventricular muscle in 14: 71
Hyperventilation, and labile T wave 11: 576
Hypertrophic cardiomyopathy (HCM), echocardiographic classification of hypertensive heart disease 16: 377
echocardiographic study on 17: 275
familial 19: 332
in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
mid ventricular obstruction 20: 117

real time observation of echo source of systolic hump in 18: 743
unusual pattern of mitral echocardiogram observed in 16: 500
Hypertrophic obstructive cardiomyopathy (HOCM): see HCM
Hypertrophic subaortic stenosis, surgical treatment of 9: 97
Hypertrophied, heart 19: 84
increased amino acid transport in rat 12: 177
Hypertrophy asymmetric, apical, of left ventricle, giant T wave inversion in 17: 711
septal, in echocardiographic classification of hypertensive heart disease 16: 377
Hypertrophy cardiac, adults, cerebral arteriovenous malformation as a cause of 13: 741
experimental, and amino acid transport 12: 177
experimental, nucleic acid metabolism and depression of hexosemonophosphate pathway in 13: 325
of rabbit, and depressed Na-K-ATP-ase activity 13: 73
principle of adaptation of heart size to volume load 17: 663
relation to blood pressure, coronary atherosclerosis and myocardial lesions 13: 34
relationships between heart weight, DNA content, cell count and thickness of muscle fibers in human heart muscle 12: 325
spontaneously hypertensive rat (SHR) 14: 177
Hypertrophy, heart muscle 11: 36
Hypertrophy left ventricle, in a case of Ehlers-Danlos syndrome 13: 272
in cerebral arteriovenous malformation of adults 13: 471
in genesis of third heart sound 17: 150
in tetralogy of Fallot 13: 563
Hypertrophy, myocardial shortening velocity 14: 193
of the myocardium 10: 36
right ventricular, in atrial septal defect, and QRS waves of the spatial velocity electrocardiogram 13: 407
symmetric, in echocardiographic classification of hypertensive heart disease 16: 377
ventricular, combined, vectorcardiographic diagnosis of, in adult patient 15: 323
ventricular, left, right and combined 12: 111
Hypoalbuminemia, and ECG changes in gastrointestinal disease 3: 168
Hypocalcemia, in serum electrolyte changes during extracorporeal circulation 13: 195
Hypocalcin 19: 791, 19: 806
Hypokalemia, and high plasma renin activity in rabbit with chronic renovascular hypertension 13: 340
in contrastive profile in two types of renovascular hypertension in rabbit 14: 445
Hypomagnesemia, in serum electrolyte changes during extracorporeal circulation 13: 195
Hypoplasia, of left ventricle, with rudimentary right coronary artery 9: 509
with partially fused kidney 9: 509
in serious congenital heart diseases in the neonatal period 12: 442
Hypoplastic, right ventricle, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623 ⌈16: 480
thumb, in a family of Holt-Oram syndrome
Hypopotassemia, and ECG changes in gastrointestinal disease 3: 168
and recurrent ventricular fibrillation 8: 652
in serum electrolyte changes during extracorporeal circulation 13: 195
Hypotension, correction of, by glucagon 13: 268
essential, serum dopamine-β-hydroxylase in 17: 445
orthostatic 6: 521, 8: 661
therapy of 6: 290 ⌈17: 479
Hypotensive, action, by nifedipine in hypertension C^{14} in rats 4: 455
drug, influence of, upon retinal arteriole of spontaneously hypertensive rat 16: 311
effect on vascular lesions 4: 69
pentobarbital in rats 4: 455
spironolactone in rats 4: 567
Hypothalamus stimulation, arrhythmia by 3: 455
effect on renal circulation 4: 57
Hypothermia, open heart surgery under 1: 375, 1: 397
Hypothermic anoxic arrest, effects of, on myocardial contractility 20: 803
Hypovolemic shock, in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
Hypoxia, 9: 552
and acidosis, effect on heart 3: 34
brain tissue of, cerebrospinal fluid lactic acidosis due to, and cerebral autoregulation in dog 12: 467
depression in intracellular potential due to, and crataegutt 17: 512

increasing interstitial tissue and loss of myocardial fiber due to, in tetralogy of Fallot 20: 53
myocardial 11: 550
myocardial perfusion in 18: 102
uncoupling of oxidative phosphorylation in 18: 357

I

Iced water, drinking, and labile T wave 11: 577
Idiopathic cardiomegaly, 1: 248, 11: 5
and endomyocardial fibrosis 9: 1, 9: 228
in the aged, with special references to morphological specificity and to conduction system 12: 305
Idiopathic cardiomyopathy, 10: 30
hypertrophy of the heart 10: 30
in atrialized parchment-like right ventricle with extensive fibrosis of left ventricle 17: 428
in persistent atrial standstill due to atrial inexcitability 16: 639
myocardial fibrosis 10: 30
myocardial hypertrophy without obstruction 10: 95
Idiopathic hypertrophic subaortic stenosis (IHSS), 9: 228, 10: 95
in acoustic phenomena in coronary venous system 18: 789
in echo source of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743
in genesis of third heart sound 17: 150
in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 16: 611
^{131}I-MAA, a new method for measurement of right ventricular residual ratio using 15: 543
coronary artery perfusion scanning with 15: 28
Image, intensifier, for biplane cinefluorography 9: 404
surface 11: 489
Immune mechanism, as an etiologic factor of cardiomyopathy 12: 40
in the development of aortitis syndrome 12: 1
immunoelectrophoresis, 10: 487
for analysis of crude glycoprotein 12: 26
in myocardial infarction 6: 514
Immunofluorescent, method, in rheumatic fever 4: 408
technique 9: 461
Impulse generator 9: 404
Immunoglobulin, and anti-heart antibody in chronic cor pulmonale 15: 223
serum, in aortitis syndrome 12: 1
serum, in cardiomyopathy 12: 40
Immunological, abnormalities, in two cases of pulmonary hypertension with Raynaud's phenomenon 16: 354
studies, on myocardial infarction 10: 485
Impedance, during breath holding 11: 70
electrical, transthoracic 11: 149
plethysmograph 11: 74
plethysmography, measurement of intramyocardial phasic blood flow using 15: 407
pulse 11: 149
variations 11: 151
Inclination time, prolongation of 11: 447
Inclusion body, in pulmonary alveolar cell 9: 441
Incomplete interpolation 19: 677
Incorporation, of radioactive carbon, in experimental cardiac hypertrophy 13: 325
ratio, of glycine-2-Cs: into nucleic acids and proteins 9: 393
Incubation study, of uremic plasma 6: 417
Indicator dilution, curve combined with right and left heart catheterization 2: 277
pulmonary, in experimental pulmonary edema 2: 160
technique 8: 709
Indirect pulmonary artery pulse, diagnostic significance of, in transposition of great vessels 14: 563
Indomethacin, effects of, on the pulmonary arterial prostaglandin E and pulmonary circulation 20: 195
effects of, on renal hemodynamic alterations caused by arterial and ureteral pressure changes 20: 523
Infarct extension, implied by significant reelevation of ΣST 18: 447
Infarct size, clinical features, complications, serum enzyme 19: 687
effects of free fatty acid on 20: 557
failure of dipyridamole (Persantin) in reducing, following experimental coronary occlusion

13: 512
its correlation with peak value of serum enzymes 18: 202
Infarcted, heart, of dog, effect of isoproterenol, propranolol and artificial pacing on hemodyanamics and energy liberation of 15: 579
kidney, renal transplantation study of, as carrier of a hypertensive factor in rat 13: 214
Infarction cerebral, by occlusion of cerebral artery 2: 351
Infarction myocardial, 2: 279
acute, and aortic root balloon pumping 12: 263
acute, and cardiac arrhythmia 12: 316
arrhythmia 2: 397
cardiac reserve in 2: 323
committee report on incidence and risk factors of, in hospitalized patients 16: 465
electrocardiographic change after surgical treatment of 2: 473
endocardial change 2: 238
hemodynamic evaluation of 14: 494
in population survey on cerebrovascular and cardiovascular diseases 13: 118
location of, and left ventricular function 18: 867
roentgenology of pulmonary complication in 2: 298
statistical diagnosis of 4: 477
treatment of, by internal mammary artery ligation 2: 473
Infarction pulmonary, experimental production of 14: 335
experimental production of, coagulofibrinolytic study of 12: 251
experimental study on production of 13: 176
in migration of a bullet from inferior vena cava to right pulmonary artery 13: 572
Infarction renal, segmental, hypertension due to 14: 110
segmental, role of kidney in development and maintenance of hypertension by, in rat 17: 768
subendocardial, and endocardial change 2: 241
Infection, streptococcal, in the development of aortitis syndrome 12: 1
Infectious mononucleosis, an autopsy case of isolated myocarditis probably associated with, and disseminated cytomegalic inclusion disease 15: 99
Inferior interatrial pathway by Scherlag et al, in dog 15: 385
Inferior vena cava, absence of 9: 200
anomalous 8: 428
anomalous, azygos continuation with 12: 96
infra diaphragma type 10: 82
infundibular and valvular stenosis 11: 113
Inherited trait, in a case of Romano-Ward syndrome 16: 610
Inhibition of angiotensinase in plasma and kidney in the rat 9: 494
Inhomogeneities, of electrical conductivity 11: 489
Initial, conduction delay, in pseudo-WPW syndrome observed in a patient with Lutembacher's syndrome 16: 204
0.04 second polar vector of the QSR loop 10: 267
Injury current, in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
Injuries, effect on the arterial wall 9: 183
Inner half, of left ventricle, in non-uniform myocardial blood flow caused by stellate gnaglion stimulation 16: 162
Innervation, of kidney 7: 201
Inosin 10: 47
Inotropic action, 11: 25, 11; 269
enhancement of, of glucagon by small concentration of angiotensin 14: 239
positive, mechanism of, of hydraxinium ion on bullfrog heart muscle 14: 257
Inotropic, agent, positive, for treatment of low cardiac output syndrome 13: 266
alteration, influence of, on severity of myocardial ischemia after experimental coronary occlusion 13: 222
drug 11: 17, 11: 141
effect 9: 228, 11: 160
effect, vasopressin 18: 221
indicators for, and active state of frog ventricle 12: 545
of cardiac glycoside, and calcium 12: 90
state, and ventricular pressure/volume ratio in systole 12: 153
Inotropism, in responses of canine atrial muscle and SA node pacemaker activity to adenosine and acetylcholine 17: 73
myocardial, left ventricular time-varying pressure/volume ratio in systole as an index of 12: 153
of potassium chloride 18: 379
Inotropy, negative, of frequency increases, ou-

abain-dependent 20: 341
Insulin, and cardiac oxidative metabolism 4: 135
effect of, on electrocardiogram 1: 56
in elective cardiac arrest 3: 248
plasma, in angina pectoris induced by intravenous administration of 50% glucose 15: 218
Integral method, in rapid estimation of area under thermodilution curve 14: 306
Interaction between digitalis and other drugs 9: 225
Interatrial connection by James 15: 385
Intermediary metabolism of myocardium 9: 359
Intermittent caludication, treatment of, with pyridinol carbamate 12: 335
Internal, elastic lamina 9: 473
occlusion, and external ligation 10: 59
Internodal tract block, a case of lupus erythematodes with 15: 92
Interpretation, of arrhythmias 11: 231
Interventricular septal motion, in tricuspid regurgitation 18: 31
septum, in cardiac hypertrophy 20: 63
Intra-aortic balloon pumping with venoarterial bypass in cardiogenic shock 19: 938
Intraatrial septal murmur, in atrial septal defect 10: 379
Intra-atheromal hemorrhage 6: 478
Intracardiac, and precordial correlation of point of maximum intensity of murmur 10: 192
ganglia, role in the coronary vasoconstrictor response 12: 169
phonocardiographic study 10: 185
phonocardiography, differential diagnosis of valvular and infundibular pulmonary stenosis by 17: 691
Intracardiac phonocardiography, in acoustic phenomena in coronary venous system 18: 789
in acquired pulmonary artery stenosis 9: 420
in atrial septal defect 10: 379
in patent ductus arteriosus 8: 318
in the diagnosis of ventricular septal defect 10: 198
Intracardiac, scanning, of the heart 8: 569
thrombi, in an analysis of 115 surgical procedures of arterial embolism 15: 554
Intracardial electrocardiography by transseptal catheterization 5: 305
Intracellular, electrogram 11: 291, 11: 295, 11: 297, 11: 478, 11: 484
microelectrode, in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
Intracellular potential, in A-V node 3: 482
in S-A nodal region 3: 357
in vicinity of A-V node 3: 478
of ventricular muscle fiber, reduction of hypoxia-induced depression in, by cratægutt 17: 512
potentials of the heart 11: 57
Intracisternal injection, of propranolol, in lack of significant central component in β-adrenergic chronotropic effect in vagotomized rat 14: 432
Intra-Hisian block, in persistent atrial standstill due to atrial inexcitability 16: 639
Intramural arteriosclerosis, in coranary artery vascular lesion 9: 473
in experimental hypertension 9: 473
in hypercholesterolemia 9: 473
Intramural pressure, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
Intramyocardial, phasic blood flow, measurement of, using impedance plethysmography 15: 407
tissue pressure, its compressive stress on coronary vessels 18: 246
Intrarenal blood flow, distribution, in renal hemodynamics and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
redistribution of 11: 309
Intrarenal pressure 19: 852
Intraventricular, cardiac bypass, complete, as an artificial heart of dog 12: 161
conduction disturbance, in myocardial infarction 18: 406
Intrinsic, deflection, in nature of His potential in His electrogram 13: 521
heart, in hemodynamics in hyperthyroidism 17: 12
stimulant action, in effect of β-blocker on cardiac function and myocardial oxygen consumption in isolated supported heart preparation of dog 16: 592
Inverted distribution, of pulmonary arterial flow 9: 27
Iodoacetamide 19: 103
IOM: initial outward movement 11: 215
Ionic, transport 11: 478
factors, and cell membrane characters 6: 391
Iproveratril, cardiohemodynamic effect of 15: 126
IRBBB pattern 10: 350
Ischemia, brain parenchyma 2: 349

coronary, by coronary occlusion 3: 245
Ischemia myocardial, effect of propranolol on excitation of afferent sympathetic nerve fiber during 15: 280
in effect of adrenergic activation on collateral coronary blood flow 15: 289
nitroglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during 15: 154
severity of, influence of inotropic alteration on, after experimental coronary occlusion 13: 222
Ischemia renal, segmental, hypertension due to 14: 110
Ischemic, arm exercise test 10: 503
electrocardiographic change, and alterations in cardiac function 9: 46
Ischemic heart disease, 11: 325
and aortic root balloon pumping 12: 263
application of medical engineering for exercise test and management on 15: 47
comparison of pressure in lesser circulation with left ventricular filling pressure in 17: 706
effects of sustained isometric handgrip on ventricular systolic time intervals in patients with 18: 434
epidemiologic survey in Japan 5: 549
hemodynamic evaluation of 14: 494
influence of β-adrenergic blocking drug Kö 1336 on hemodynamics in patient with 15: 455
pyridinolcarbamate in treatment of 13: 53
serum dopamine-β-hydroxylase in 17: 445
study on rehabilitation of 16: 512
systemic arterial thrombo-embolism due to atrial infarction in 18: 272
the effect of pyridinolcarbamate (Anginin) on 9: 359
Ischemic, kidney, collaterals to 18: 722
Ischemic myocardium, of dog, collateral blood flow through 13: 241
Ischemic ST-T change, in all-night polygraphic study of nocturnal angina pectoris 13: 295
Isolated, aortic regurgitation 10: 20
Isolated blood-perfused, atrium, effects of potassium chloride on 18: 379
Isolated, canine atrium, effect of verapamil on 16: 709
dog atrium, stretch-induced sinus acceleration of 18: 398
heart 10: 47
heart, revival of, stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
lung method 8: 736
myocarditis, an autopsy case of, associated with infectious mononucleosis and disseminated cytomegalic inclusion disease 15: 99
preparation 10: 535
supported dog heart preparation, in nutritional circulation in heart 14: 126
Isometric, contration period, in exercise 6: 109
developed tension, in effect of verapamil on blood-perfused, isolated canine atrium 16: 709
Isometric handgrip, exercise, coronary blood flow and lactate metabolism during, in heart disease 17: 742
its effects on ventricular systolic time intervals in patients with ischemic heart disease 18: 434
Isometric relaxation period, in exercise 6: 110
Isometric tension, developed 19: 263
development, in absence of blocking effect of quinidine on response to norepinephrine in dog atrium 17: 506
development, responses of canine atrial muscle and SA node pacemaker activity to adenosine and acetylcholine 17: 73
in nonischemic area of left ventricle 18: 729
its effect on SA node 18: 398
Isometric time tension index, in effect of isoproterenol, propranolol and artificial pacing oh hemodynamics and energy liberation of infarcted heart in dog 15: 579
Isoniazid, effects of, on the release of histamine and norepinephrine from the heart 20: 183
Isoprenaline, in influence of β-adrenergic blocking drug Kö 1366 on hemodynamics in man 15: 455
Isoproterenol, 9: 142, 10: 218, 11: 243, 11: 269, 11: 271, 19: 103, 19s 434, 19: 719
complete AV block and 2: 377
effect of, on AV transmission and AV nodal transmembrane action potential 14: 53
effect of, on blood flow through ischemic and non-ischemic myocardium in dog 14: 32
effect of, on coronary blood flow 14: 531
effect of, on hemodynamics and energy liberation of infarcted heart in dog 15: 579
effect of, on severity of myocardial ischemia after experimental coronary occlusion 13: 222
effects of, on the myocardial oxygen tension 20: 867
electron microscopic study of myocardial lesions in rat induced by 13: 168

enhancement of cardiac performance in asynergic ventricle with 18: 279
heterogenous blood flow and contraction of myocardium induced by 12: 60
in effect of adrenergic activation on collateral coronary blood flow 15: 289
in lack of significant central component in β-adrenergic chronotropic effect in vagotomized rat 14: 432
in patients with idiopathic cardiomegaly 9: 228
in patient with valvular diseases 9: 228
left ventricular performance during the infusion of 9: 228
left and right ventricular volumes in AV block and their changes induced by 16: 65
Isorhythmic dissociation, in atrioventricular dissociation with accorchage 14: 286
Isosorbide dinitrate, as a coronary vasodilator 18: 92
Isotonic tension curve 11: 269
isovolumetric relaxation, period 11: 213
Isovolumic contraction, in effect of β-blocker on cardiac function and myocardial oxygen consumption in isolated supported heart preparation of dog 16: 592
ratio of, and ejection times 5: 414
time, left ventricular 9: 169, 9: 332

J

Japan, stroke in 18: 171
Jone's criteria 9: 110
revised, for diagnosis of rheumatic fever, problems in the clinical application of 12: 436
revised, outcome of children with rheumatic fever not diagnosed by 17: 560
Jugular phlebogram, in diagnosis of tricuspid regurgitation 18: 31
Junctional rhythm, AV, in ventriculoatrial conduction in complete AV block 15: 1

K

K activated hyperpolarization, in activation of electrogenic Na-pump by epinephrine in bullfrog atrium 18: 860
Kalium excretion, during mannitol diuresis 9: 3
renal 9: 3
Katz's index 6: 102
KCl, effect of, on electrophysiological and on ECG and VCG 6: 463
mechanical changes in dog heart during digitalis administration 16: 731
myocardial infarction 6: 468
right bundle branch block 6: 468
right ventricular hypertrophy 6: 468
KCn, in study on carotid body and carotid sinus 14: 539
Kidney, chronic glomerulonephritis 2: 301
clipped, effect removal of, on renovascular hypertension in rabbit 15: 615
cortex, vascular permeability factor in 9: 461
depressor reflex 5: 254
Kidney extract, or normal rat, renin content in subcellular fraction of 14: 440
renin content in subcellular fractions of, of renovascular hypertensive rat 15: 498
variously treated, hypertension-inducing potency and renin content of 16: 446
Kidney function, phosphorus metabolism and 4: 542
and prognosis of nephritis 4: 25
test by radioisotope 3: 332
gallop, phonocardiographic studies 5: 201
glomerulus, adenomatous metaplasia of capsular epithelium 3: 617
grafting, for study of renin release from infarcted kidney 12: 79, 12: 84
Kidney infarcted, no protective action against hemorrhagic shock of 12: 84
release of pressor substance from 12: 79, 12: 84
renal transplanation study of, as carrier of a hypertensive factor in rat 13: 214
inhibition of angiotensinase 9: 494
innervation of 7: 201
kinetic model 11: 543

kinetocardiograms 11: 214
partially fused, and partial hypoplasia of the left ventricle 9: 509
^{86}Rb clearance of 18: 132
^{86}Rb uptake of, of spontaneously hypertensive rat 16: 156
reversal of hematocrit following removal of clipped kidney 18: 386
role of, in development and maintenance of hypertension by renal segmental infarction in rat 17: 768
thickening of endocardium 2: 220
Kinetocardiography 5: 8
Kinin activity 10: 503
Kininogen 10: 503
KK-25-S, a ganglion blockade, hypotensive effect of 1: 189, 1: 300, 1: 308
Kö 1366 19: 212
a new β-blocker, influence of, on hemodynamics in man 15: 455
Korner-Shillingford method, in a method for quantitative detection of tricuspid regurgitation 16: 11
Korotkoff sound, interval between Q and, influence of heart rate and age on 17: 180
Krebs-Ringer bicarbonate buffer 12:22
^{85}Kr, measurement of hepatic blood flow 6: 115
washout rate 11: 345, 11: 351
Krypton-85 saline solution, and external measurement of regional cerebral blood flow 9: 349

L

Labetalol 19: 762
Labile T wave 11: 573
Lactate metabolism, and coronary blood flow during isometric handgrip exercise in heart disease 17: 742
lactic acid 10: 226
acidosis, of cerebrospinal fluid, and cerebral autoregulation in dog 12: 346, 12: 467
Lactic dehydrogenase (LDH), 11: 512
its peak activity based on a single post-peak level after acute myocardial infarction 18: 202
Laminated blood clot, in right coronary artery to left ventricle fistula 14: 184
Langendorf perfusion, of dog heart 11: 493
Lanolin 9: 473
Lanthanum contracture, relaxation of, by 2-nicotinamidoethyl nitrate (SG-75) 20: 881
Laplace's law, in positive feedback hypothesis on development of essential hypertension 17: 527
Lates activation 19: 12
Lead, correction in non-linear regression model as applied to comparison of axis-angle of electrocardiographic system 16: 243
field, in reevaluation of solid angle approach in electrocardiography 1: 325
field-potential distribution 11: 504
Frank's 6: 349
Grishman's 6: 350
Lead system, 11: 186
for telemetering 5: 312
Frank's, in vectorcardiographic diagnosis of combined ventricular hypertrophy in adult patient 15: 323
Lead vector, 11: 183
in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Left and right ventricular, end-diastolic volume 11: 166
function 11: 167
Left anterior descending artery occlusion, cardiovascular effect of dopamine after, in dog 16: 280
Left anterior fascicular block, afferent limb of QRS loop in vectorcardiogram 17: 302
in histological study on conduction system 15: 113
in histological study on conduction system 15: 113
with right bundle branch block, in an aged case of trifascicular block with histological study of conduction system 15: 314
Left atrial, infarction, with saddle embolism 18: 272
mean pressure, in importance of location of myocardial infarction and ventricular aneurysm on left ventricular function 18: 867
atrial myxoma 11: 202
premature beat, in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
Left atrial pressure, after digitalization 6: 195
and distribution of pulmonary blood flow 9:

20
in mitral stenosis 9: 241
pulse 9: 241
Left atrial rhythm, 9: 201
in levocardia with anomalous venous drainage 12: 96
in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
in right atrial myxoma 12: 316
Left atrial thrombus, echocardiography and angiocardiography for detection of 17: 163
in left atrial infarction 18: 272
Left atrial wall motion, posterior, study of, by echocardiography, and its clinical application 16: 683
Left axis deviation, 11: 5
hypoplasia of the left ventricle 9: 509
in an aged case with ventricular septal defect of persistent common AV canal type 14: 88
in electrical axis of heart in 1,000 autopsied cases 17: 25
marked, in vectorcardiographic study of left anterior hemiblock 17: 302
specific combination of conduction disturbance with 9: 411
Left bundle branch block, 10: 121, 10: 269, 11: 5, 11: 460
causes of change of second heart sound in 13: 281
circumflex artery 11: 471
heart catheterization 11: 26
clinicopathological study on 25 cases of 20: 163
in diopathic cardiomegaly in the aged, histological study of 12: 305
in histological study on conduction system 15: 113
spatial velocity electrocardiogram in 9: 64
surface potential distribution in 20: 7
Left coronary artery, anomalous, experimental study on blood flow direction in, arising from pulmonary artery 13: 250
Left heart catheterization, in comparison of lesser circulation with left ventricular filling pressure in ischemic heart disease 17: 706
in echo source of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743
Left heart, cycle, influence of heart rate on 6: 104
failure, distribution of pulmonary blood flow in 9: 27
Left parasternal impulse 11: 213, 11: 220
Left posterior fascicular block, in histological study on conduction system 15: 113
with right bundle branch block, in an aged case of trifascicular block with histological study of conduction system 15: 314
Left superior vena cava, transposing, in surgical correction of, draining to left atrium associated with superior vena cava syndrome 12: 198
Left-to-right shunt, correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in congenital heart disease with 16: 629
Left ventricle, blood flow of 12: 50
fistula to, from right coronary artery 14: 184
inhomogenous movement of, induced by coronary artery occlusion 13: 150
plus septum/right ventricle ratio, in cardiac hypertrophy 20: 63
Left ventricular, aneurysm calcified, and non-atherosclerotic myocardial infarction in a child 16: 603
asynergy, detection of, in myocardial infarction, by echocardiography and B-scan imaging 17: 630
asynergy, in mitral valve disease 16: 221
compliance 10: 133, 10: 142
contractility 18: 164
diastolic compliance, indicated by the log-log relationship between A wave obtained from apexcardiogram and the minor axis obtained by echocardiography 20: 461
dimension, instantaneous assessments of 18: 70
dimension on echocardiogram 19: 455
ejection time 19: 732
ejection time, in progressive muscular dystrophy 20: 23
Left ventricular endodiastolic pressure, after in hyperthyroidism 6: 400
effect of ventricular pacing rate on 13: 232
Left ventricular end-diastolic volume, after digitalization 6: 195
and pressure 9: 228
in hyperthyroidism 6: 400
filling in mitral stenosis 19: 698
Left ventricular filling pressure, after injection of chlorpromazine 20: 33
comparison of pressure in lesser circulation with, in ischemic heart disease 17: 706
function 19: 193
Left ventricular function, and digitalis 6: 189

and power distribution during ejection period 20: 813
during treatment with perhexiline and with propranolol 18: 434
effect of diltiazem on, in patient with and without angina pectoris 17: 599
hemodynamic and clinical significances of, in rheumatic mitral stenosis 16: 122
in experimental pulmonary embolism 12: 221
precise pressure tracing in order to get 18: 664
Left ventricular hypertrophy, 11: 5
and ABC lead tracings 9: 583
and VCG 5: 543
criteria for Japanese 5: 42
committee report on new pediatric electrocardiographic criteria for 16: 189
ECG findings 19: 212
in a case of Ehlers-Danlos syndrome 13: 272
in cerebral arteriovenous malformation of adults 13: 471
in genesis of third heart sound 17: 150
in tetralogy of Fallot 13: 563
Left ventricular, isovolumetric contraction time, determinants of 9: 169
max dp/dt/IP, after coronary ligation 18: 679
minute work, in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
performance, in isoproterenol infusion 19: 228
Left ventricular pressure, maximal rate of, in early stage of myocardial ischemia following experimental coronary occlusion, 16: 583
obtained with cathetermanometer systems 19: 664
quantitative effect of low coronary pressure on 9: 46
pressure-volume relationship 11: 373
ventricular pressure-volume relationship 10: 509
Left ventricular size, plain chest film as unreliable method to determine 18: 878
special velocity electrocardiogram in 9: 64
stroke work 11: 528
ventricular tension and pressure 10: 71
Left ventricular, stroke work, myocardial infarction and ventricular aneurysm 18: 867
thrombi, found with cross-sectional echocardiography 20: 675
Left ventricular volume, continuous assessment of 18: 43
effect of ventricular rate on 13: 232
Left ventricular work, effect of a new coronary dilator (Bay-a 1040) on 13: 128
index, in experimental chronic mitral reguagitation in dogs 18: 823
length-tension relationship 19: 513
Lesser circulation, comparison of pressure in, with circulation, comparison of pressure in, with left ventricular filling pressure in ischemic heart disease 17: 706
Levocardia, associated with anomalous pulmonary venous drainage, surgically corrected 12: 96
isolated, with polysplenia 9: 603
special reference to minor cardiac abnormalities 9: 603
with abdominal situs inversus 5: 243
Levy's method 4: 314, 11: 462
Lidocaine, retractory period of atrium, AH and HV intervals, following administration of 20: 271
Ligation of renal artery 11: 365
Lillehei-Kaster aortic valve, echo -and phonocardiographic studies in patients with 20: 277
Limb blood flow, response of, to cold stimulus 20: 301
Lining machine, 10: 343
Lipase 19: 103
Lipids, blood, diet and 3: 124
Carrageenin 2: 201
cerebroside sulfate 2: 357, 2: 367
clearning factor 2; 281
deposition into aorta 5: 108
deposition into arterial wall 5: 397
dextran sulfate 2: 281
experimental study of, in rabbits 2: 198
galactose sulfate 2: 201
glucose sulfate 2: 201
in cerebral artery, in cerebral atherosclerosis of Japanese 15: 519
Lipid metabolism, and atherosclerosis 4: 39, 6: 129
general survey of, in spontaneously hypertensive rat 14: 159
of the plasma and aortic walls 9: 34
palmitate metabolism of rat heart 4: 136
sulfated mono- and polysaccharides 2: 198, 2: 493
Lipoprotein, analysis, intermediate-density, midband, remnant 19: 236
β-lipoprotein 9: 184
β-lipoprotein, and atherosclerosis 4: 39, 5: 397
Lipoprotein lipase (LPL), in plasma and tissue, and arteriosclerosis 12: 22

inhibitor, and arteriosclerosis 12: 22
Lissajou's figure 5: 315
liver, biopsy in alcoholic heart disease 11: 528
carcinoma, renal glomerular lesion with 3: 617
Liver cirrhosis, cardiac output in 2: 309
endocardium in 2: 220
hepatic blood flow in 3: 155
hepatom 2: 262
Liver, function in rheumatic disease 6: 12
in a case of omphalocele 16: 211
Load-extension curve, in determination of active state of frog ventricle 12: 545
Lobar, perfusion 11: 345
ventrilation 11: 345
Lobeline, in study on carotid body and carotid sinus 14: 539
Local, electrical activity, in nature of His potential in His electrogram 13: 521
flow 9: 487
force, in maximal rate of left ventricular pressure fall in early stage of myocardial ischemia following experimental coronary occlusion 16: 583
Loeffler's parietal fibroplastic endocarditis, with blood eosinophilia 12: 581
Logical rhythm analyser ("Andros-R"), for quantitative characterization of heart rhythm disturbances 12: 575
Long-term pumping, of artificial heart (complete intraventricular cardiac bypass) 12: 161
Longitudinal dissociation of His bundle, evaluation of concept of 15: 248
Longevity, alimental habits and 3:147
Loop of Henle, ascending limb 19: 852
Low, calcium 11: 291, 11: 296
conductivity plateau wave 11: 447
cardiac output syndrome, and glucagon 13: 266
coronary pressure, quantitative effect of on left ventricular pressure 9: 46
Low-frequency vibrocardiography, apical tracing 5: 5
atrial upstroke 5: 7
mid-systolic outward deflection, (see: bulge of AI) 5: 3
systolic bulge 6: 7
Lower nephron nephrosis, in pathological study of animal replaced with artificial heart 17: 326
protein diet 10: 149
serum protein concentration with A. G. ratio abnormality, in population survey on cerebrovascular and cardiovascular diseases 13: 118
sodium 10: 535
Lower thoracic aorta construction 11: 130
Lutembacher's syndrome, congenital, with constrictive endocardial sclerosis 3: 275
continuous murmur in 9: 134
pseudo-WPW syndrome observed in a patient with 16: 204
Lung cancer, spread of, to heart, pericardium and great vessels 15: 234
Lupus erythematodes, a case of, with arrhythmia, and morphological study of conduction system 15: 92
Lycopodium spores, 11: 259
experimental production of pulmonary infarction by 12: 251
in experimental pulmonary infarction 13: 176
Lysosome, activation of in evolution of myocardial infarction 20: 643
Lymph formation, in the lungs 8: 729

M

Macroaggregated albumin, labelled with ISJS, and regional pulmonary blood flow 5: 431
myocardial blood flow 6: 534
portal systemic shunt 6: 115
polmonary blood flow 6: 40
Magnesium, and atherosclerosis 4: 53
effect on atheromatosis 7: 474
in Japanese aortas 6: 20
metabolism, during extracorporal circulation 13: 195
Mg-ATP-ase activity, in failing rabbit heart 13: 73
Magnetic field, applied externally to body for measuring cardiac output 18: 225
Magnetorheogram, abdomen in man 15: 469
Magnetorheography, calculation of blood flow from surface induced potential 16: 694
in measurement of cardiac output 18: 225
nonbleeding measurement of blood flow by, in man 15: 469
Malignant hypertension 10: 328
and microangiopathic hemolytic anemia 17:

258
Malnutrition, and puerperal cardiomyopathy 14: 104
Manganese, effect of, on action potential of bullrog's ventricular muscle in sodium free hydrazine solution 13: 258
Mannitol, diuresis 9: 3
in antiarrhythmic effect of hypertonic $NaHCO_3$ and NaCl 17: 54
Mapping, epicardial, of dog heart, after coronary occlusion 13: 222
Map, measured, simulated and difference, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
MAO inhibitor, effect of, on myocardial catecholamine 6: 335
nialamide, prevention of edematous arterial reaction by 3: 581
Markedly posteriorly dislocated left ventricular apex, in pseudo-WPW syndrome observed in a patient with Lutembacher's syndrome 16: 204
Marfan syndrome, 6: 376, 8: 98
associated with subacute bacterial endocarditis and the WPW syndrome 9: 208
Martinal zone, in maximal rate of left ventricular pressure fall in early stage of myocardial ischemia following experimental coronary occlusion 16: 583
Mass screening system, of ECG's and PCG's 18: 482
Master's test, its effect on computer averaged phonocardiogram 18: 340
Master's two step test 11: 325
Masugi-nephritis, hypertension caused by 9: 57
Maximum, and minimum, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
cardiac pressure 9: 46
Max dp/dt, 18: 664
in correlation of electrophysiological and mechanical changes in dog heart during digitalis administration and effect of potassium on it 15: 731
Maximum QRS vectors 10: 522
Maximal rate, of left ventricular pressure fall, in early stage of myocardial ischemia following experimental coronary occlusion 16: 583
of rise in prolonged QRS-duration resulting from delayed recovery of ventricular excitability 17: 760
of rise (V max), effects of diltiazem on 18: 235
Maximal, T vector 11: 401, 11: 407
Vcf, in myocardial shortening velocity as index for assessment of myocardia contractility 14: 193
work load, effect of, on cardiac function 14: 146
Mean left atrial pressure, in hyperthyroidism 6: 399
mAWVs (mean rising velocity of posterior aortic wall), in hyperthyroidism 18: 17
mPWVs (mean rising velocity of left ventricular posterior wall), in hyperthyroidism 18: 17
Mean systolic ejection rate, 11: 528
in hyperthyroidism 6: 401
Measured map, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Mechanical systole 9: 332
Mechanism, metabolic, of cerebral blood flow autoregulation in dog 12: 376
of production of cardiovascular sound, in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
Mechanocardiogram, in amyl nitrite test using double microphones for differentiation of systolic murmurs in the elderly 15: 16
Mechanocardiography, in quadrivalvular heart disease 9: 303
Mechanoreceptor, renal response of, to vasopressor substances 12: 347
two types of renal mechanoreceptor 12: 233
Media/diameter ratio, in coronary vascular lesion 9: 473
Media plaque, fatty acid composition of 9: 34
Mediastinal teratoma, cause of acquired pulmonary artery stenosis 9: 420
Medical research, the need for 2: 131
Medicine, in Japan 3: 503
Medionecrosis, aortae cystica 6: 376
of aorta, experimental study on 1: 408
Medullectomy, adrenal, bilateral, in spontaneously hypertensive rat, hypertension persisted rat, hypertension persisted following 14: 179
Medullary osmolal gradient, and renal hemodynamics in ischemic acute renal failure in rabbit 16: 44
Medullospinal transection, in lack of significant central component in β-adrenergic chronotropic effect in vagotomized rat 14: 342
Membrane action potential, 11: 58, 11: 61, 11: 295, 11: 379, 11: 478

and Bachmann's bundle 4: 333
cardiac 4: 505
duality 4: 507
Membrane, current, change of, induced by digitalis in Purkinje fiber 18: 851
depolarization of 11: 175
permeability, to calcium ion, in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
Membrane potential, in activation of electrogenic Na-pump by epinephrine in bullfrog atrium 18: 860
in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
resistance, its change by diltiazem 18: 235
responsiveness 19: 136
resting potential 11: 58, 11: 61, 11: 297, 11: 379, 11: 478
Membranous septal aneurysm, associated with a small defect in an aged woman 14: 80
Mesencephalic stimulation, effect on circulation of extremities 7: 487
renin release by 8: 498
vasoconstriction of different organs 7: 318
Mesoaortitis syphilitic, in clinicopathological study on syphilitic aortic regurgitation in the aged 14: 22
of posterior sinus of Valsalva 12: 105
Metabolic acidosis, after cardiopulmonary bypass 8: 582
effects on the cardiovascular dynamics 8: 582
Metabolism, carbohydrate of heart muscle 3: 555
Metabolism myocardial, 7: 130
by coronary sinus catheterization 1: 157
in myocardial infarction 8: 132
of protein and amino acids 9: 368
Metabolism, of adrenal corticosteroid, in spontaneously hypertensive rat 14: 162
of catecholamine, in spontaneously hypertensive rat 14: 171
of myocardium, intermediary 9: 368
of the heart muscle, carbohydrate and lipids 4: 131
oxidative pentose pathway 4: 138
phosphorus, and renal function 4: 542
Metabolites, accumulation and washout of, in myocardium 18: 366
Metastatic cardiomyopathy 14: 548
Methacholine, effect of, on AV conduction of dog heart 13: 347
Methoxamine, 9: 142, 10: 186, 10: 379
and 'non-paradoxical' reversed splitting, second heart sound 8: 642
cardiovascular reactivity to, of hypertensive rat 13: 428
changes of heart murmur 7: 204
diagnostic aid in phonocardiography 7: 204
hypertensive rat 13: 428
in non-uniform myocardial blood flow caused by stellate ganglion stimulation 16: 162
response of renal mechanoreceptor to 12: 162, 12: 347
3-methoxy amines 11: 462
Methylthiouracil, effect on blood pressure 4: 451
Metopiron, activation of subclinical rheumatic activity 5: 532
Microangiograph, in pathological study of animal replaced with artificial heart 17: 233, 17: 326
Microangiographic hemolytic anemia, and malignant hypertension 17: 258
studies 11: 310
Microangiography, fluorescein, in perihephritis hypertension in monkey 17: 61
Microelectrode, 9: 162, 11: 269
capillary 11: 59
for study of the mode of AV conduction 12: 282
in conceptional change of electrocardiographic theories 1: 81
in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
in evaluation of concept of longitudinal dissociation of His bundle 15: 248
in origin of "AV nodal" rhythm 14: 273
in study of aconitine-fibrillation of rabbit atrium 13: 84
intracellar 4: 333
intracellular, in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
technique 11: 172
Microembolization 11: 260
Microscopic cerebral hemorrhage 9: 187
Microsomal protein 9: 393
Microsome fractions of renal cortex, antiserum of 9: 461
Microspectrophotometric determination, of DNA 11: 36
Microsphere, radioactive, for study of myocardial blood flow 12: 50, 12: 60
Midbrain, arrhythmia by stimulation of 3: 455
Middlebrook's method 10: 487

Midsystolic click, and late systolic murmur 19: 175
mechanism of production of 18: 652
Midsystolic extrasound, in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
Midventricular obstruction, echocardiography, hemodynamics and biventricular angiography in 20: 117
Minced thrombi, in experimental pulmonary infarction 13: 176
Minerals, dietary, affecting hypercholesterolemia and atherogenesis 3: 134
Mineral corticoid, effect on urinary aldosterone and electrolytes 3: 9
Minnesota cord 5: 20, 5: 550
Minute, rhythm, in cyclic fluctuation of coronary blood pressure and flow induced by coronary constriction 16: 454
work, in hyperthyroidism 6: 400
Mitochondria, 16: 505
function of, effects of free fatty acids on 20: 557
impaired function of, by chlorpromazine 20: 657
in effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of infarcted heart in dog 15: 579
Mitochondrial respiration, 8: 132
in blood-let dogs 18: 357
Mitochondriosis, in cardiomyopathy in myotonic dystrophy 14: 202
Mitral, annulus, in left ventricular asynergy in mitral valve disease 16: 221
commissurotomy 19: 698
echocardiogram, unusual pattern of, observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
Mitral insufficiency (regurgitation), 9: 241, 10: 95, 11: 213, 19:1
chronic, experimental, in dogs 18: 823
due to spontaneous rupture of chordae tendineae in two aged cases 13: 457
found in cases of mitral ring calcification 18: 154
in acoustic phenomena in coronary venous system with intracardiac phonocardiography 18: 789
in clinical manifestation of papillary muscle dysfunction in Ehlers Danlos syndrome 16: 235
left ventricular asynergy in 16: 221
preceded by myocardial infarction 18: 178
simplified vectorcardiographic method for assessment of pulmonary artery pressure in 17: 727
Mitral leaflet, in clinical manifestation of papillary muscle dysfunction in Ehlers-Danlos syndrome 16: 235
prolapsing, clinical manifestation of, in 5 cases 14: 291
Mitral pressure gradient, in significance of echocardiographic evaluation on surgery to mitral stenosis 18: 751
Mitral ring caldification, examined in autopsy cases 18: 154
in a case of complete heart block 18: 287
Mitral stenosis, 10: 307, 19: 1
clinical, electrocardiographic and radiological evaluation of pulmonary hypertension in 18: 765
heart sound of 2: 421
in a case of cardiac rhabdomyoma in infancy 17: 669
in echocardiography and angiocardiography for detection of left atrial thrombus 17: 163
in study of posterior left atrial wall motion by echocardiography and its clinical application 16: 683
left atrial pressure in 9: 134, 9: 241
left ventricular asynergy in 16: 221
rheumatic, hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in 16: 122
significance of echocardiographic evaluation on surgery to 18: 751
silent 6: 206
Mitral stenosis and insufficiency 2: 298
Mitral valve, apparatus, in genesis of third heart sound 17: 150
and endocardial change 2: 224
area, in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
arrhythmia 2: 339
atresia 19: 346
ballooning 19: 175
cleft, in an aged case with ventricular septal cular septal defect of persistent common AV canal type 14: 88
insufficiency, heart sound of 2: 421
orifice 19: 271

prolapsed 19: 175, 19: 485
replacement 19: 1
roentgenology of pulmonary complication in 2: 297
Mitral valvular disease, anomalous inferior vena cava with 8: 128
hemodynamic studies of 9: 241
in real-time two-dimensional echocardiography 17: 437
rheumatic, chronic, simplified vectorcardiographic method for assessment of pulmonary artery pressure in 17: 727
valve movement in, studied by ultrasonic Doppler method 1: 261
Mitral valve, motion, in pulsus paradoxus 18: 883
replacement of, advanced mitral valve diseases, with special reference to functional tricuspid insufficiency 12: 507
replacement, in children and adolescents with rheumatic heart disease 17: 570
systolic anterior movement (SAM) of, in echocardiographic study on hypertrophic cardiomyopathy 17: 275
Mixing zone 19: 297
M-mode, echocardiographic scan, in ultrasonic diagnosis of ventricular aneusysm 16: 394
echocardiography, in echo source of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743
theory, in genesis of third heart sound 17: 150
Monoamine oxidase 10: 399
Mobitz II type, AH block, in experimental evaluation of some controversial point regarding AV conduction disturbance in clinical His bundle electrogram 16: 564
in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
Model, animal, for hypertension research, and spontaneously hypertensive rat 14: 182
experimental, hypertension in mice 12: 275
three compartment parallel model in analysis of sodium dynamics 12: 415
viscoelastic, in skin edema 3: 220
Modulation, central, of baroreceptor reflex by angiotensin 14: 135
Molecular distribution, in study of phospholipid structure in arterial wall 13: 43
Monophasic action potential, in stellate stimulation 18: 259
duration, relation to α-and-β adrenergic actions, and calcium ion 20: 477
Monkey, crab-eating, perinephritis hypertension in 17: 61
Morphology and hemodynamics 10: 395
Motion of tricuspid valve, and ultrasound cardiogram 13: 394
m-RNA, metabolism in cardiac hypertrophy and heart failure 9: 393
Mucopolysaccharide, aortic, and fibrinogen 3: 567
Multifilter system, in phonocardiogram 7: 154
Multiple punctate cerebral hemorrhage 9: 186
regression analysis, in QT duration and plasma electrolytes in uremic patient 13: 187
Multivariate analysis, in committee report on incidence and risk factors of myocardial infarction in hospitalized patient 16: 465
Mural thrombi, in diffuse emdomyocardial fibrosis of right ventricle with persistent pericardial effusion 17: 774
Murmur, Carry Coombs' murmur 2: 38
decrescendo diastolic, in right coronary artery to left ventricle fistula 14: 184
functional diastolic 6: 313
in ventricular septal defect 7: 448, 10: 185
other than interatrial septal origin in atrial septal defect 10: 379
"v" murmur 10: 379
Muscarine reseptor, blocking action of atropine
Muscular, defect 11: 582 ⌊20: 75
dystrophy 11: 27
subaortic stenosis 5: 574
Muscle, cardiac, effect of cerium on property of elasticity 19: 513 ⌊14: 454
Musical murmur, diastolic, in aortic regurgitation 1: 333
Myelinated fiber, in effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during myocardial ischemia 15: 280
in nitroglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during myocardial ischemia 15: 154
Myocardial, abnormal Q and QS patterns 10: 516, 8: 514
abnormalities, incidence of, in man related to level of ethanol consumption 15: 337
architecture, in genesis of third heart sound 17: 150
biopsy, in persistent atrial standstill due to atrial inexcitability 16: 639
Myocardial blood flow, in influence of adrenergic blockade on hypoxic sensitivity of coronaries

17: 485
ischemic and nonischemic, of dog, and isoproterenol 14: 32
measurement of 6: 534
non-uniform, caused by stellate ganglion stimulation 16: 162
regional, assessment of, by heated cross-thermocouples 12: 562
regional, of dog papillary muscle, effect of selective coronary hypotension on 18: 841
Myocardial contraction, heterogenous 12: 60
Myocardial contractile force, effect of ganglionic blockade on, to cardiac sympathetic stimulation 12: 169
effect of pentaery-thritol-tetranitrate on 13: 502
Myocardial contractility, active state as the best indicator of 12: 545
blood flow velocity in carotid artery as a measure of 16: 22
effect of arteriovenous fistula on 12: 392
in hyperthyroidism 18: 17
contractility 11: 160
myocardial shortening velocity as index for assessment of 14: 193
protected by topical hypothermia 20: 803
LV max dp/dt/IP as an index of 18: 679
Myocardial, depressant factor, in cardiogenic shock 14: 283
disease, clinical diagnosis of 10: 41
disease, primary 11:19
disease, unusual pattern of mitral echocardiogram observed in 16: 500
distribution of blood flow, heterogenous 12: 50, 12: 60
Myocardial energy liberation, activation of, in clinical study of effect of coenzyme Q on CHF 17: 32
in blood-let dogs 18: 357
Myocardial factor, in hemodynamic and clinical significance of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
ventricular dysfunction in tetralogy of Fallot 20: 53
Myocardial fibrosis, 9: 265
diffuse, and coronary sclerosis in small arteries 1: 348
diffuse, in aortitis syndrome 13: 107
extensive, and fatty infiltration, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
extensive, of left ventricle, with functionally atrialized parchment-like right ventricel 17: 428
fibrosis and regeneration 10: 36
in idiopathic cardiomegaly in the aged 12: 305
in unusual pattern of mitral echocardiogram observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
of atrium, in persistent atrial standstill due to atrial inexcitability 16: 639
Myocardial, flow, local, measured with heated cross-thermocouple method 20: 207
force, in principle of adaptation of heart size to volume load 17: 663
hemodynamics and clearance of trubidium, effect of calcium chloride and potassium chloride on 14: 126
hypoxia 11: 550
incompetence, reversed splitting of the second sound 9: 539
Myocardial infarction, 10: 1, 10: 121, 10: 203, 10: 363, 10: 485, 10: 516, 11: 325, 11: 450, 11: 512, 19: 28, 19: 46, 19: 74
activation of lysosomes in 20: 643
acute, and aortic root balloon pumping 12: 263
and cardiac arrhythmia 12: 316
and old, detection of left ventricular asynergy in, by echocardiography and B-scan 17: 630
and old, detection of LV asynergy in, by echocardiography and B-scan imaging 17: 630
change of PR interval at 17: 540
dopamine-β-hydroxylase activity 18: 348
glycyl-prolyl-p-nitroanilidase activity in 20: 469
precordial mapping in 18: 447
P wave in 17: 172
Myocardial infarction, age of 6: 478
and anticoagulant therapy 5: 549
and excitability 6: 152
and mural thrombosis 6: 480
and myocardial metabolism 8: 132
and necrosis, in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
and orthostatic hypotension 8: 661
and rheumatoid factor 6: 511
and type of coronary arterial distribution 6: 478
and U vector 5: 353
and weight of heart 6: 477
anterolateral, acute, complicated with left

posterior hemiblock 17: 123
cardiac rupture following 9: 265
clinical features in Japan general findings 5: 497
clinical symptom of 6: 477
clinical symptoms and signs 5: 501
committee report on incidence and risk factors of, in hospitalized patient 16: 465
contractile state 19: 74
etiology of 6: 472
fascicular blocks in 18: 406
hemodynamic effects of pentazosine in 20: 253
hemodynamic evaluation of 14: 494
high posterior, construction method of QRS-loop in 17: 180
in disseminated intravascular coagulation 18: 57
in effect of allopurinol on tissue O_2 tension of ischemic myocardium 17: 88
in electrical axis of heart in 1,000 autopsied casse 17: 25
in Japan 8: 329
in lung cancer 19: 371
in pathological study of animal replaced with artificial heart 17: 233
in population survey on cerebrovascular and cardiovascular diseases 13: 118
in severity of coronary sclerosis in the aged 17: 471
incidence of 6: 476
LBBB 20: 7, 20: 163
location of 6: 478
location of, and left ventricular function 18: 867
non-atherosclerotic, and calcified left ventricular aneurysm in a child 16: 603
oxygen consumption 4: 133
papillary muscle infarction in 18: 178
peak serum LDH activity after 18: 202
precordial mapping on 18: 447
prognosis 5: 505
reversible 18: 191
resulting from coronary spasm 20: 907
septal perforation following 9: 411
size of 6: 478
spatial velocity electrocardiogram in 9: 64
statistical diagnosis of 4: 477
tumor embolism of coronary artery resulting in 17: 269
vectorcardiogram (VCG) and computer analysis in 20: 587
VCG, in diagnosis of 8: 522
Myocardial, inotropism, left ventricular time-varying pressure/volume ratio in systole as an index of 12: 153
involvement 11: 26
Myocardial ischemia, 19: 415
effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during 15: 280
following experimental coronary occlusion, maximal rate of left ventricular pressure fall in early stage of 16: 583
in coronary blood flow and lactate metabolism during isometric handgrip exercise in heart disease 17: 742
in effect of adrenergic activation on collateral coronary blood flow 15: 289
nitoglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during 15: 154
severity of, influence of inotropic alteration on, after experimental coronary occlusion 13: 222
Myocardial lesions, and impaired cardiac function 18: 638
in rat, electronmicroscopic study of, induced by isoproterenol 13: 168
relation to blood pressure, coronary atherosclerosis and cardiac hypertrophy 13: 34
Myocardial metabolism, accumulation of metabolites 18: 366
of protein and amino acids 9: 368
Myocardial, necrosis 10: 218
nucleic acids, and proteins metabolism in experimentally induced cardiac hypertrophy and heart failure 9: 393
Myocardial oxygen consumption, effect of β-blocker on, in isolated supported heart preparation of dog 16: 592
in cardiovascular effect of a new cardioselective beta blocker, acebutolol 15: 72
in cardiovascular effect of a new cardioselective beta blocker, acebutolol 15: 72
in coronary blood flow and lactate metabolism during isometric handgrip exercise in heart disease 17: 742
in study on rehabilitation of ischemic heart disease patient 16: 512
Myocardial oxygen, demand and supply, in influence of inotropic alteration on severity of myocardial ischemia after experimental coronary occlusion 13: 222
extraction ratio, after diltiazem administration

20: 83
tension 10: 53
Myocardial, performance, during acute hypoxia 18: 102
protection, of topical hyperthermia on anoxic heart 20: 803
redox potential, in effect of ethyl adenosine--5′-carboxylate on heart and coronary circulation 16: 421
sarcoidosis 10: 31
segment length, and inhomogenous movement of left ventricle induced by coronary artery occlusion 13: 150
Myocardial shortening, heart disease 14: 246
in principle of adaptation of heart size to volume load 17: 663
velocity, as index for assessment of myocardial contractility 14: 193
Myocardial tissue pressure, active factor 18: 246
Myocardiopathy, in idiopathic cardiomegaly in the aged 1: 248, 12: 305
Myocarditis, 10: 31
as a possible cause of non-obstructive myocardial disease 12: 123
diffuse, of unknown etiology 4: 92
granulomatous, in aortitis syndrome 13: 107
in calcified left ventricular aneurysm and non-atherosclerotic myocardial infarction in a child 16: 603
in Rubella 20: 227
isolated, an autopsy case of, associated with infectious mononucleosis and disseminated cytomegalic inclusion disease 15: 99
mononucleosa, an autopsy case of, associated with disseminated cytomegalic inclusion disease 15: 99
rheumatic 2: 300
viral, in peripartal cardiomyopathy in Japan 13: 488
Myocardium, activation of energy liberation of, in clinical study of effect of coenzyme Q on congestive heart failure 17: 32
contractile state of, in left and right ventricular volumes in AV block and their changes induced by isoproterenol 16: 65
coronary vascular lesion 9: 473
effect of myocardial contractility on left ventricular volume 12: 383
enzyme activity in 9: 57
histology after coronary occlusion 3: 245
after elective atrest 3: 248
human myocardium, transmembrane potential and contraction of, in relation to potassium and ouabain 12: 290
human, transmembrane potential, contraction and ATP-ase activity of, in relation to ouabain 13: 59
hypertrophied, metabolism in 6: 443
in experimental hypertension 9: 57
in puerperal cardiomyopathy 14: 104
intermediary metabolism of 9: 368
ischemic, effect of allopurinol on tissue O_2 tension of 17: 88
ischemic, of dog, collateral blood flow through 13: 241
metabolism in 2: 278
metabolism of, and electrocardiogram and cardiac size 1: 157
O_2 consumption after coronary occlusion and cardiac arrest 3: 245
sarcoplasmic reticulum 2: 278
Myocytolysis, cardiac, focal 18: 812
Myopathy, steroid, in log-term effect of corticosteroid on cardiac function 15: 443
Myotonic dystrophy, cardiomyopathy in 14: 202
Myxoma, atrial, right, prolapsing, echocardiographic diagnosis of 17: 798
left atrial 11: 202
right atrial, unusual post-operative complications 12: 316

N

N layer, in effect of isoproterenol and propranolol on AV transmission and AV nodal transmembrane action potential 14: 53
N potential, in His electrogram 13: 521
N region, in origin of "AV nodal" rhythm 14: 273
Na, (natrium), concentration, plasma 11: 121, 11: 541
Natrium excretion, during mannitol diuresis 9: 3
renal 9: 3
Na, homeostasis 9: 281, 19: 94
-K exchange 11: 533, 11: 538
Na-K-ATP-ase activity, depressed, in failing rab-

bit heart 13: 73
inhibition of, force-frequency relationship 20: 341
Na, pump, electrogenic, activation of, by epinephrine in bullfrog atrium 18: 860
reabsorption, threshold theory of 9: 281
regulatory system 9: 281, 10: 428, 11: 541
therapy in hyperpotassemia, in QT duration and plasma electrolytes in uremic patient 13: 87
$NaNO_3$ central effect of 4: 467
Naturiuresis, 19: 94, 19: 852
in effect of saline infusion on prostaglandin-like material in renal venous blood and medulla of canine kidney 14: 140
Natriuretic factor, in effect of saline infusion on prostaglandin-like material in renal venous blood and medulla of canine kidney 14: 140
Natural increase of coronary artery pressure, distal to ligation 13: 159
Negative, maximum dp/dt, in echocardiographic study on hypertrophic cardiomyopathy 17: 275
T wave, giant negative 17: 611
T wave, in Friedreich's ataxia 17: 459
T, shallowed 11: 330
U 5: 45
Neotanal, heart disease, and congenital complete atrioventricular block diagnosed before delivery 14: 467
pacemaking 11: 417
period, in a case of omphalocele 16: 211
Neostigmine, effect on ECG in thiamine deficiency 3: 349
Neosynephrine, and cerebral hemorrhage 2: 300
Nephrectomy, bilateral, in malignant hypertension and microangiopathic hemolytic anemia 17: 258
effect of, on cardiovascular reactivity 6: 233
effect on blood pressure 4: 453
in rats 11: 365
Nephritis, prognosis of 4: 25
Nephrogenic pulmonary edema 10: 133, 10: 142
Nephrosclerosis 10: 248
Nephrotic syndrome 10: 297
Nervous activity, sympathetic, in renal and DOC hypertensive rat 16: 36
Nervous control of renal circulation 1: 288, 2: 65, 3: 259, 3: 57, 4: 364
subclavian nerve, 3: 261
vagal nerve, 3: 260
Nervous control, and arrhythmia by brain stimulation 3: 467
medullary stimulation of, in dog 4: 346
medullary stimulation and renal circulation 4: 364
midbrain stimulation and pressor response 4: 118
of hepatic circulation 3: 269
Nervous system, adrenergic, in oral phentolamine in angina pectoris 14: 393
and renin release 17: 521
brain stem, arrhythmia by stimulation of 3: 455
cardiac nervous stimulation 4: 356
central effect of vasoactive substances 4: 462
central, treatment with cerebroside 2: 263
cerebral apoplexy 3: 203, 3: 315
femoral and sciatic nerve, and renal circulation 2: 70, 2: 371
Neural, control of kidney, in renin release and renal sympathetic nerve activity following vertebral artery embolism 15: 271
control, of renin secretion 11: 506
factors in experimental renal hypertension 2: 505
Neurocirculatory asthenia, pathogenesis of 9: 431
respiratory findings in 1: 72
serum dopamine-β-hydroxylase in 17: 445
Neurosurgical lesions, electrocardiographic patterns in 2: 92
preoptic area, and experimental pulmonary edema 2: 153
splanchnic nerve and renal circulation 2: 368
sympathetic nerve in experimental hypertension 2: 515
vagal nerve and renal circulation 2: 69, 2: 71, 2: 368
Newman's formula, for pulmonary blood volume 3: 26
NH layer, in effect of isoproterenol and propranolol on AV transmission and AV nodal transmembrane action potential 14: 53
region, in origin of "AV nodal" rhythm 14: 273
Nialamide, effect on uptake and metabolism of Ca^{2+} 5: 224
mechanism of antianginal effects 5: 328
Nicotine, revival of isolated heart stopped with alcohol and glucocorticoid by acetylcholine and 14: 296
2:Nicotinamidoethyl nitrate (SG-75), calcium-antabonistic action of 20: 549, 20: 881

effects of, on coronary vasodilatation, inhibition of papillary muscle contraction 20: 549
effects of, on myocardial O_2 consumption, myocardial redox potential (ΔEh), venous return, cerebral blood flow, cerebro-spinal fluid pressure 20: 881
Nielsson's error correction method 10: 343
Nifedipine, as a coronary vasodilator 18: 92
cardiohemodynamic effect of 15: 126
hypotensive action and increased plasma renin activity by, hypertension 17: 479
in hypertensive crises and severe hypertension 19: 455
suppression of ventricular fibrillation with 18: 736
Nitrites, effect of, on arterial collateral vessels of dog 12: 536
long acting, effect on aortic complicance 12: 486
Nitroglycerin, 10: 240, 11: 470, 19: 719, 19: 926
as a coronary dilator 18: 92
cardiohemodynamic effect of 15: 126
effect on catecholamine metabolism 7: 430
effect of, on arterial collateral vessels of dog 12: 536
effect of, on coronary hemodynamics in man 14: 314
effects of, on the myocardial oxygen tension 20: 867
in angina pectoris induced by intravenous administration of 50% glucose 15: 218
in continuous assessment of left ventricular volume 18: 43
in cyclic fluctuation of coronary blood pressure and flow induced by coronary constriction 16: 454
suppression of excitation of afferent cardiac sympathetic nerve during myocardial ischemia by 15: 154
Nitropruside in acute myocardial ischemia 19: 926
Nitrous-oxide, for diagnosis and localization of shunts 2: 277
Nocturnal angina pectoris, all-night polygraphic study of 13: 295
Nodal, bigeminy, atrioventricular 11: 104
Nodal rhythm, 11: 460
AV, origin of 14: 273
of dog heart, induced by bethanechol, methacholine and carbachol 13: 347
Nodal tachycardia 11: 104
Nodal transmembrane action potential, effect of isoproterenol and propranolol on 14: 53
Noduli Arantii 10: 22
Non-atherosclerotic myocardial infarction, and calcified left ventricular aneurysm in a child 16: 603
Nonbacterial thrombotic endocarditis, in disseminated intravascular coagulation 18: 57
Non-cardiac factors, causing S-T and T wave changes 16: 574
Non-invasive, measurement, of subclavian arterial blood flow 15: 37
method, in echocardiographic recognition of cardiac tumor 17: 106
technique, in blood flow velocity in carotid artery as a measure of myocardial contractility 16: 22
technique, for a patient with Takayasu's arteritis 13: 99
Non-linear regression model, as applied to comparison of axis-angle of electrocardiographic system 16: 243
Non-respiratory sinus arrhythmia 10: 367
Nonspecific aortitis 9: 88
Non-thrombogenic substance, in complete intraventricular cardiac bypass (artificial heart) 12: 161
Non-traumatic flow monitor 11: 149
Noradrenaline, absence of blocking effect of quinidine on response to, in dog heart 17: 506
Norepinephrine, 10: 172, 11: 269
and blood pressure in rats 4: 567
and pressor response in hypertension 4: 417
cardiovascular reactivity to 12: 68
constriction of coronary artery 20: 75
effect of, on blood pressure, plasma renin activity and plasma aldosterone concentration in essential hypertension 16: 404
effects of, on the myocardial oxygen tension 20: 867
effect of triiodethyronine on chronotropic and inotropic actions of 20: 219
effect on beriberi heart disease 5: 153
in cardiovascular effect of a new cardioselective beta blocker, acebutolol 15: 72
in congestive heart failure 4: 13
in effect of adrenergic activation on collateral coronary blood flow 15: 289
in effect of serotonin depletion on central regulation of carotid sinus reflex in rat 16: 148
in effect of temperature on norepinephrine-

induced sinus acceleration and overdrive suppression in isolated dog atrium 17: 656
in heart 19: 125
in pheochromocytoma with renal arterial stenosis and high plasma renin activity 16: 741
negative chronotropic response to 15: 308
receptor, reactivity of, in cardiovascular system of hypertensive rat 13: 429
release of, from the heart, by nerve stimuration and drugs 20: 183
response of renal mechanoreceptor to 12: 347
turnover, slowered, in brain, associated with acute elevation in blood pressure of rat 16: 575
Normalized mean circumferential shortening rate 11: 160
Normal P loops, sex and age differences of 18: 1
Normotensive, rats 11: 365
Wistar rat, comparison of hemodynamic changes between spontaneously hypertensive rat and normotensive Wistar rat caused by exogenous catecholamine 18: 513
Nucleic acid metabolism, and depression of hexosemonophosphate pathway in experimental cardiac hypertrophy 13: 325
in myocardium 6: 443
Nucleotides and nucleosides, extractor 10: 259
Nutritional, blood flow, in heart 14: 126
circulation, in heart 14: 126

O

O_2 saturation boundary point 19: 297
Obesity, in glucose tolerance, serum insulin and lipd abnormalities in patient with coronary heart disease 16: 670
Obstruction, of the left main pulmonary artery 11: 151
of the venous return to the right heart 11: 154
Occlusion, coronary artery, in collateral blood flow through ischemic myocardium in dog 13: 241
influence of inotropic alteration on severity of myocardial ischemia after 13: 222
inhomogenous movement of left ventricle induced by 13: 150
Occlusion, massive, of main pulmonary artery, with subsequent cor pulmonale 1: 120
Occlusive disease, arterial, and pyridinolcarbamate 14: 12
of artery 7: 87
Ocular ground, in perinephritis hypertension in monkey 17: 61
Okamoto-Aoki strain, in ATPase activity of myofibril and Ca^{2+} binding ability of sarcoplasmic reticulum isolated from heart of spontaneously hypertensive rat 15: 475
Older patient, atrial septal defect in 14: 373
Oleic acid, effects of, on infarcted myocardium 20: 557
Omphalocele, a case report of 16: 211
One-kidney type hypertension, effect of propranolol in 18: 392
Onion, effect on inhibition of atherosclerosis, fibrinolytic activity and hypolipemic action of 20: 351
Open chest experiment 10: 66
Open heart surgery, 10: 372
under hypothermia 1: 375, 1: 397
Operation, in two stage, in surgical treatment of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
Operative, indication, of congenital complete atrioventricular block 14: 467
mortality, in mitral valve replacement in children and adolescents with rheumatic heart disease 17: 570
Optical density, before and after incubation 10: 259
Orifice flow 19: 271
Orthogonal direction (X, Y and Z axes) 11: 492
Orthogonalization, in QT duration and plasma electrolytes in uremic patient 13: 187
Osmolal gradient, medullary, and renal hemodynamics in ischemic acute renal failure in rabbit 16: 44
Osteomylitis, bilateral clavicular 4: 378
Ostium primum defect of interatrial septum, in echocardiographic diagnosis of encodardial cushion defect 16: 1
Ouabain, 11: 269, 12: 290
arrhythmia induced by, antiarrhythmic effect of hypertonic $NaHCO_3$ and NaCl in 17: 54
chronotropic and inotropic effects in canine atrium 19: 877

effect of, on calcium ion distribution in cardiac muscle 12: 90
effect on actomyosin 3: 46
in activation of electrogenic Na–pump by epinephrine in bullfrog atrium 18: 860
induced cardiac arrhythmia, and a new beta blocker 15: 61
in effect of hydrazine on bullfrog heart muscle in excess potassium solution 14: 366
influence of, on force-frequency relationship 20: 341
in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
sensitivity 19: 954
toxicity, relationship between heart rate and, in dog heart-lung preparation 14: 357
transmembrane potential and contraction of human heart in relation to potassium and transmembrane potential, contraction and ATP-ase activity of human heart in relation 13: 59
Ouchterony's method 10: 487
Outer half, of left ventricule. in non-uniform myocardial blood flow caused by stellate ganglion stimulation 16: 162
Outflow patch, and pulmonary regurgitation 18: 621
in total correction of tetralogy of Fallot 18: 629
Outflow tract obstruction, of right ventricle, by protruded semilunar cusp through ventricular septal defect 12: 112
Overdrive suppression, effect of temperature on norepinephrine-induced sinus acceleration and, in isolated dog atrium 17: 656
in aged patient with sick sinus syndrome 17: 290
in bradycardia-tachycardia syndrome 14: 414
Overriding, of the aorta 11: 113
Overshoot, of action potential, K-induced change of, of guinea pig heart 17: 211
Oxidative phosphorylation, in effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of infarcted heart in dog 15: 579
its uncoupling in blood-let dogs 18: 357
Oxygen, absorption 11: 74
difference, arterio-venous 11: 528
cerebral metabolic rate of, in metabolic mechanism of cerebral autoregulation in dog 12: 376, 12: 467
Oxygen consumption, after coronary occlusion 3: 245
in incubation with C^{14}-glucose 3: 556
in non-invasive measurement of subclavian arterial blood flow by Doppler ultrasonic flowmeter 15: 37
in study on rehabilitation of ischemic heart disease patient 16: 512
Oxygen consumption myocardial, 4: 133
in cardiovascular effect of a new cardioselective beta blocker, acebutolol 15: 72
in coronary blood flow and lactate metabolism during isometric handgrip exercise in heart disease 17: 742
Oxygen consumption rate, in effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of infarcted heart in dog 15: 579
Oxygen, debt, in study on rehabilitation of ischemic heart disease patient 16: 512
demand and supply of, in myocardium, balance of, and phasic coronary blood flow pattern 17: 491
myocardial, demand and supply of, in influence of inotropic alteration severity on of myocardial ischemia after experimental coronary occlusion 13: 222
100%, and regional cerebral blood flow 9: 349
saturation, of coronary vein blood, and phasic coronary blood flow pattern 17: 491
supply, myocardial, in coronary sclerosis 7: 59
tension, tissue, of ischemic myocardium, effect of allopurinol on 17: 88
toxicity, pulmonary involvement in 8: 734

P

p-Chlorophenylalanine, in effect of serotonin depletion on central regulation of carotid sinus reflex in rat 16: 148
P^{32}, measurement of coronary circulation 6: 527
P loops, age differences 18: 1
P wave, axis, frontal 9: 201

in hypertension 1: 198
re-entrant 11: 301
retrograde 11: 301
retrograde, in ventriculoatrial conduction in complete AV block 15: 1
terminal force of, in V_1 lead, in acute myocardial infarction 17: 172
Pacemaker artificial, effect on digitalis-induced arrhythmia 5: 456
to digitalis induced-arrhythmia 6: 165
Pacemaker, AV node 3: 284
cardiac 10: 474
complication, inhibition, interference 19: 159
electric, and complete AV block 29 377
endocardial, hemopericardium due to anticoagulation in a case with 17: 784
in bradycardia-tachycardia syndrome 14: 414
implantation, 4-year survival rate after, in AV block 17: 133
SA node, action potential in 3: 364
sound and murmur, in hemopericardium due to anticoagulation in a case with endocardial pacemaker 17: 784
stretch, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
true vs. pseudo-electrical alternans and other arrhythmias induced by 12: 494
Pacemaking, neonatal 11: 47
transvenous 11: 417
Pacing, artificial, effect of, on hemodynamics and energy liberation of infarcted heart in dog 15: 579
cardiac, 4-year survival rate after, in AV block 17: 133
electric, prevention of acetylcholine-induced atrial fibrillation by 15: 145
in left and right ventricular volumes in AV block and their changes induced by isoproterenol 16: 65
rate, ventricular, effect of, on left ventricular volume 13: 232
temporary, in acute anterolateral myocardial infarction with left posterior hemiblock 17: 123
ventricular, in ventriculoatrial conduction in complete AV block 15: 1
ventricular, transvenous, in drug resistant ventricular tachyarrhythmia 12: 316
Palmitic acid, effects of, on infarcted myocardium 20: 557
Palpitation, in prolapsing mitral leaflet syndrome 14: 291
Panaortitis syndrome, 4: 224, 5: 572
renovascular hypertension and 4: 496
Pancreas in hypertensive rats 4: 426
Pancreatic edema 19: 522
Pancreatitis, with congenital aneurysm of pulmonary artery 2: 404
PaO_2 11: 417
Papaverine, cardiohemodynamic effect of 15: 126
central effect of 4: 467
Papillary muscle, canine, effects of salmon calcitonin on 18: 214
dog, blood flow of, effect of selective coronary hypotension on 18: 841
dog, in enhancement of inotropic action of glucagon by small concentration of angiotensin 14: 239
dysfunction, among autopsy 18: 178
dysfunction, clinical manifestation of, in Ehlers-Danlos syndrome 16: 235
fibrosis of 18: 812
infarction, in myocardial infarction 18: 178
in prolapsing mitral leaflet syndrome 14: 291
Papilloedema 17: 151
Parabiosis, in parabiotic effect on cerebral lesion in spontaneously hypertensive rat 16: 327
Paradoxidal, bulging of left ventricle, induced by coronary artery occlusion 13: 150
contraction, myocardial, in acute infarction 12: 266
septal motion, after pericardiectomy 20: 1
Parallel elastic component, of cardiac muscle, in determination of active state of frog ventricle 12: 545
Parameter measurement, in diagnosis of arrhythmia by computer 11: 227
Paraneoplastic cardiomyopathy 14: 548
Parasystole, AV nodal 6: 145
ventricular, supressed by cardiac pacing 20: 843
Parchment-like right ventricle, functionally atrialized, with extensive fibrosis of left ventricle 17: 428
Parietal block 10: 121
Paroxysmal, atrial fibrillation, effects of digitalis on sinus node function in patients of 18: 322
hypertension 11: 423
supraventricular tachycardia, effects of digitalis on sinus node function in patients of 18: 322
tachycardia, supraventricular, bovine 5: 142
Partial absence, of the right ventricular muscle

11: 582
of right ventricular musculature, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623
Partial, compensation 19: 84
coronary constriction, in sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following sympathetic stimulation 16: 265
purification, of heart muscle antigen 10: 487
Partial thromboplastin time, 11: 259, 11: 451
in coagulofibrinolytic study of experimental pulmonary infarction 12: 251
in experimental pulmonary infarction 14: 335
in experimental study of pulmonary infarction 13: 176
Passive factors, dependent of intramyocardial tissue pressure 18: 246
tilting of 45°, plasma renin activity ratio after 18: 312
Patent ductus, and ABC lead tracings 9: 583
Patent ductus arteriosus (PDA), calcified 9: 316
in a 74-year-old woman 12: 500
intermitent continuous murmur of 8: 318
of eldery patient 8: 94
Pattern recognition 10: 343
Pathogenesis, of pulmonary hypertension with occlusion 59
Pathologic examination of myocardium 10: 58
Pathological characteristics, of the subendocardial infarction 10: 215
Pathology, of heart in a case of familial cardiomyopathy 12: 40
of primary cardiomyopathy 12: 125
Paulin's method, clinical experience 9: 258
coronary arteriography 9: 258
Protein-binding iodine (PBI), in hyperthyroidism 18: 17
Peace-meal phenomenon, of sympathetic nerve activity 10: 173
Peak, dD/dT/D, in relation to ventricular gallop or the third heart sound 18: 611
negative dp/dt, in early stage of myocardial ischemia following experimental coronary occlusion 16: 583
tension 11: 273
to peak time 10: 307
ventricular force 11: 160
Peel's prognostic index, in acute myocardial infarction 17: 172
l-Penbutolol, antiarrhythmic effects of 20: 603
Penicillamine 18: 366
Penicillin allergy, in long-term prevention of streptococcal infection among children with rheumatic heart disease in Taiwan 17: 550
Pentaerythritol tetranitrate, as a coronary vasodilator 18: 192
effect of, on blood flow through ischemic and non-ischemic myocardium 13: 502
Pentazocine, hemodynamic effects of, in acute myocardial infarction 20: 253
Pentobarbital in hypertensive rats 4: 455
Pentose, and myocardial metabolism 4: 138
monophosphate shunt, in cardiac shunt 9: 57
oxidative, in carbohydrate metabolism of heart muscle 3: 559
PEP/LVET, in progressive muscle dystrophy 20: 23
Percentage of total renal blood flow (flow ratio) 11: 309
Perfusion, pressure, coronary, in failure of dipyridamole (Persantin) in reducing infarct size following experimental coronary occlusion 13: 512
scanning, of coronary artery, with ^{131}I-MAA injected directly into coronary artery 15: 28
Perhexiline maleate, inotropic state of left ventricle during treatment with 18: 434
Pericardial, distensibility curve, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
effusion, in realt-ime two-dimensional echocardiography 17: 437
effusion, persistent, diffuse endomyocardial fibrosis of right ventricle with 17: 774
effusion, unusual diatolic heart beat in 13: 379
knock, in unusual diastolic heart beat in pericardial effusion 13: 379
pressure, relation of to chronotropic response of isolated frog heart 15: 299
tamponade, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299
Pericardiectomy, echocardiogram after 20: 1
Pericarditis, cholesterol 4: 173
Pericarditis constrictive, 2: 273, 4: 386, 19: 531
and rheumatic valvulitis 16: 749
annular, a case report or 1: 466
presystolic pulmonary valve opening in 20: 419
Pericarditis, Coxsacke myopericarditis 3: 1
in atrial septal defect in the aged 14: 373
in rubella 20: 227
pleuropericarditis 2: 300

rheumatic 2: 300
sero- or effusive-constrictive, and unusual diastolic heart beat 13: 379
traumatic 4: 489
Pericardium, disease, footprints of 3: 1
pericardial patch graft in surgical correction of left superior vena cava draining to left atrium associated with superior vena cava syndrome 12: 198
Perinephritis, hypertension due to, in monkey 17: 61
Peripartal cardiomyopathy, in Japan 13: 488
Peripartum, cardiomyopathy, in persistent atrial standstill due to atrial inexcitability 16: 639
in puerperal cardiomyopathy 14: 104
Peripheral, arteriosclerosis 11: 433
artery, in aortitis syndrome 13: 20
artery, obstructive disease of, and pyridinolcarbamate 14: 12
circulation, effect of arteriovenous fistula on 12: 392
circulatory insufficiency, in pathological study of animal replaced with artificial heart 17: 233, 17: 326
local, on systemic arterial pressure 9: 487
resistance, index 19: 66
resistance, total, and cardiac output in spontaneously hypertensive rat 14: 267
right coronary artery pressure, distal to ligation, effect of augmented left circumflex coronary artery pressure on 13: 159
Peripheral vascular resistance, in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
Peritoneal dialysis 11: 121
Permeability, increased, of retinal vessel, in perinephritis hypertension in monkey 17: 61
of membrane, to calcium ion, in effect of hydrazine on bullfrog heart muscle in excess potassium solution 14: 366
of membrane, to calcium ion, in mechanism of positive inotropic action of hydrazinium ion on bullfrog heart muscle 14: 257
vascular, increased, as a causative factor in development of cerebrovascular lesion in spontaneously hypertensive rat 16: 336
Peroxide, of fatty acid 8: 142
Persantin (dipyridamole), failure of, in reducting infarct size following experimental coronary occlusion 13: 512
Persistent, atrial standstill, due to atrial inexcitability 16: 639
left superior vena cava 9: 200, 10: 545
Perstaltic contraction, of the left ventricle 10: 95
Phase 4, block, in WPW syndrome 18: 798
depolarization, in origin of "AV nodal" rhythm 14: 273
Phase, invariant signature algorithm of ECG 19: 383
selective radiography, in new polygraph for selecting arbitrary cardiac phase 15: 349
Phenothiazine, electrophysiologic effect of, on human atrial fiber 14: 398
induced ECG change 11: 391
Phenoxybenzamine, effect of, on the pulmonary vascular bed in surgically corrected ventricular septal defect associated with pulmonary hypertension 20: 157
in effect of alpha and beta blockers on hemodynamics of spontaneously hypertensive rat 15: 166
in pheochromocytoma with renal arterial stenosis and high plasma renin activity 16: 741
Phenotolamine, 11: 17, 11: 141, 19: 66, 19: 762, 19: 926
effect of, on SA node of dog heart in situ 15: 610
hemodynamic factor conditioning hypotensive response to 14: 1
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
influence of, on hypoxic sensitivity of coronaries 17: 485
in sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following sympathetic stimulation 16: 265
oral, in angina pectoris 14: 393
Phenylalkylamines 4: 465
Phenylphrine, 19: 719
its action on arteriolar wall 18: 473
Pheocromocytoma, 11: 423
benign, with renal arterial stenosis and high plasma renin activity 16: 741
biological findings 11: 423
cystic 16: 483
familial, bilateral, associated with medullary carcinoma of thyroid 12: 405
hemodynamic factor conditioning hypotensive response to phentolamine in 14: 1
in Japan 7: 419
paroxysmal type of, increased excretion of catecholamine during normotensive phase of 12: 214

unilateral renal ischemia by tumor compression 8: 202
with carcinoma of the thyroid 8: 433
Philadelphia chromosome, in Loeffler's parietal fibroplastic endocarditis associated with blood eosinophilia 12: 581
Phonocardiogram, 11: 202
in hypertension 1: 213
related to movement of pulmonary valve 16: 107
Phonocardiographic-hemodynamic study, of left bundle branch block 13: 281
Phonocardiograph, compressor 7: 460
multi-filter system 7: 154
portable 13: 478
standardization 5: 558
Phonocardiography, 2: 421, 10: 185, 10: 397, 11: 515
acute rheumatic carditis 2: 28
aortic regurgitation 2: 7
aortitis syndrome 1: 333, 7: 3, 9: 117
diagnostic aid of methoxamine in 7: 204
frequency spectrum analysis in 20: 333
functional murmur 3: 207
history in Japan 6: 187
in arterial stenotic lesion 9: 539
in echocardiography of pulmonary valve 15: 360
in genesis of third heart sound 17: 150
in hyperthyroidism 4: 509
in Marfan's syndrome 9: 213
in normal subjects 3: 207
in patent ductus arteriosus, atypical 8: 318
in patients with Lillihei-Kaster aortic valve 20: 277
in patient with pericardial effusion 13: 379
in renovascular hypertension 9: 142
in rheumatic valvular aortic stenosis 3: 299
in studies on function of aortic valve and mechanism of the first and second sounds 18: 81
in successful replacement of thrombosed Björk-Shiley mitral valve prosthesis 17: 791
in unitary nature of cardiac vibration 14: 406
intracardiac, acoustic phenomena in coronary venous system with 18: 789
intracardiac, differential diagnosis of valvular and infundibular pulmonary stenosis by 17: 695
musical murmurs and 1: 333, 3: 505
normal, in Japanese 2: 426, 3: 207
of aortic diastolic regurgitant murmut 9: 118
of Austin Flint murmur 6: 294
pharmacodynamic test 7: 206
phasic analysis of cardiac cycle 9: 332
quadrivalvular heart disease 9: 303
standardization 5: 558
thyroid murmur 9: 247
with portable electro-phonocardiography using magnetic tape recorder equipped with patient's voice print 13: 478
Phonoechacardiography 15: 360, 16: 107, 17: 150
Phosphatidylcholine, in arterial wall 13: 43
Phosphatidylethanolamine, in arterial wall 13: 43
Phospholipase A, in arterial wall 13: 43
Phospholipid, fatty acids composition of 9: 34
in cerebrovascular diseases 5: 108
structure of, in arterial wall 13: 43
Phrenosin, action of Thudichum's white matter to
Physical, diagnosis 9: 142 [2: 354
disability stages, cardiac function in progressive muscular dystrophy in proportion to 18: 638
Physical work capacity, ST, T, in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
Physostigmine, effect of, on AV block induced by cholinergic compounds 13: 347
in responses of canine atrial muscle and SA node pacemaker activity to adenosine and acetylcholine 17: 73
Pindolol, 14: 865
effects of, on atrioventricular conduction 20: 537
its effects on hypertensive patients 18: 24
Piper and Vane's antagonist 19: 748
Pisano's method 11: 426
Pitressin and blood pressure 4: 564
Pituitary gland, in hypertensive rats 4: 426
effect of hypophysectomy on blood pressure 4: 447
Plasma, inhibition of angiotensinase in the rat 9: 494
insulin, in angina pectoris induced by intravenous administration of 50% glucose 15: 218
intima, fatty acid composition of 9: 34
Na concentration 11: 121, 541
Plasma renin activity, 11: 121
after administration of furosemide 20: 153
effect of postual change on 18: 312
high, and hypokalemia in rabbit with chronic renovascular hypertension 13: 340
high, pheochromocytoma with renal arterial stenosis and 16: 741

in normal men 20: 777
in renal hypertension 18: 112
in sponteneously hypertensive rat of early hypertensive stage 14: 168
Plasma total plasmin determination 11: 259
total protein, albumin 19: 204
volume 11: 121
volume, determination of, theoretical consideration on 1: 92
Plasmatic inhibition 9: 186
Plasmin, 11: 259
activity, plasma, total, in coagulofibrinolytic study of experimental pulmonary infarction 12: 251
activity, total, in experimental study of pulmonary infarction 13: 176
activity, total, in experimental study of pulmonary infarction 13: 176
Plateau duration, and aggregation of, in coagulofibrinolytic study of experimental pulmonary infarction 11: 251
in effects of diltiazem on action potential 18: 235
platelet adhesiveness, 11: 450, 11: 458
platelet aggregation 19: 281
Plethysmocardiography 1: 392
Plethysmograph, impedance 11: 74
impedance, measurement of intramyocardial phasic blood flow using 15: 407
in the treatment of atherosclerosis obliterans with pyridinolcarbamate 12: 335
toe 11: 433
Pleural effusion 11: 202
Pleuropericarditis 2: 300
P-M (Purkinje-muscle) junction and delay, in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
Pneumothorax, artificial, in a case with extraordinary arteriovenous shunt occupying left pleural cavity and with systemic-pulmonary arteriovenous shunt 15: 435
Pocket electrocardiograph, carried by patient for observation of various cardiac attack 14: 326
Point of maximum intensity, of murmur,
aortic regurgitation 9: 117
ventricular septal defect 10: 185
Poiseuille's law, in collateral circulation in arterial occlusion 12: 438
Polar vector 7: 121, 10: 267
Polarography, in effect of allopurinol on tissue O_2 tension of ischemic myocardium 17: 88
Polychondritis, associated with aortic insufficiency 7: 188
Polycythemia, and systemic hypertension in tetralogy of Fallot 14: 213
in tetralogy of Fallot 8: 181
Polygraph, new, for selecting arbitrary cardiac phase 15: 349
Polygraphic tracing, phasic analysis of cardiac cycle 9: 332
Polymyxin B, effects of on the release of histamine and norepinephrine from the heart 20: 183
Polysplenia, isolated levocardia with 9: 603
Pool, sodium, functional extracellular, rapidly exchangeable, slowly exchangeable and non-exchangeable, in compartmental analysis of sodium dynamics 12: 415
Population survey, on cerebrovascular and cardiovascular diseases 13: 118
Portable electro-phonocardiograph, using magnetic tape recorder equipped with patient's voice print 13: 478
Portal, hypertension 10: 561
systemic shunt 6: 123
vein flow 7: 168
Positive inotropic action 11: 25
Possible criteria, in committee report on new pediatric electrocardiographic criteria for ventricular hypertrophy 16: 189
Posterior left atrial wall motion, study of, by echocardiography and its clinical application 16: 683
Postextrasystolic ST, T change, in exercise vectorcardiogram 12: 185
myocaridial infarction syndrome 10: 485
Postoperative arrhythmia, in serum electrolyte changes during extracorporeal circulation 13: 195
Postpacing phase, abnormal, in aged patient with sick sinus syndrome 17: 290
stimulation potentiation 19: 263
Postural changes, blood distribution and cardiac output 5: 115
effect on ventricular gradient 5: 340
response of plasma aldosterone to 14: 518
Posture, and labile T wave 11: 577
Potassium, and labile T wave 11: 576
cardiac arrest by 3: 240
Potassium chloride, changes in electromechanical and ATPase activity of guineea pig heart induced by 17: 211
effect of, on myocardial hemodynamics and clearance of Rubidium 14: 126

its effects on isolated, blood-perfused canine atrial or ventricular muscle preparation 18: 379
transmembrane potential and contraction of human heart in relation to extracellular potassium and ouabain 12: 290
Potassium, effect, on cardiac function 13: 317
on digitalis-induced arrhythmia 5: 456
on electrophysiological and mechanical changes in dog heart during digitalis administration 16: 731
on free solution 11: 280
Potassium excretion, during mannitol diuresis 9: 3
renal 9: 3
Potassium, high and low, effects on ECG 8: 67
in solution, in evaluation of concept of longitudinal dissociation of His bundle 15: 248
Potassium, in effect of cesium on property of cardiac muscle 14: 454
intake, affecting relation of salt intake to hypertension 3: 319
in the mode action of catecholamines and hypertension 3: 319
ion 11: 269
oubain 11: 282
permeability, in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
rich solution 11: 280
Potassium serum, in angina pectoris induced by intravenous administration of 50% glucose 15: 218
in effect of removing clipped kidney on renovascular hypertension in rabbit 15: 615
level of, and electrocardiogram 1: 56
Potassium, solution in excess of, effect of hydrazine on bullfrog heart muscle in 14: 366
spring diuretics 10: 297
Potential, distribution, sequential change in difference of, between normal subject and simulated torso model 15: 560
extracellular, of P-M junction, in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
resting 19: 136
PO_2 19: 297
Power, left ventricular, output distribution during ejection period 20: 813
peak 20: 813
P-Q intervals, in the rat heart sensitized with the killed group A streptococci 19: 918
PR interval, change of, at acute myocardial infarction 17: 540
short and long, associated with normal and abnormal QRS complex, in his tological confirmation of AV bypass tract in rabbit heart 12: 281
Practolol, effect of, on cardiac function and myocardial oxygen consumption in isolated supported heart preparation of dog 16: 592
in effect of calcium chloride and potassium chloride on myocardial hemodynamics and clearance of rubidium 14: 126
in treatment of spontaneous angina pectoris 14: 97
Precipitation reaction, in aortitis syndrome 12: 3
in familial cardiomyopathy 12: 46
Precordial impulse, abnormal, in ultrasonic diagnosis of ventricular aneurysm 16: 394
diagnostic significance of, in complex congenital heart disease 14: 563
Precordial, leads 10: 350
mapping, in acute myocardial infarction 18: 447
ST-mapping 19: 687
Precordial vibration, 3: 176, 3: 231, 3: 408, 5: 2 and calibrated low frequency acceleration vibrocardiography 13: 2
Predestination of conducted impulse, in evaluation of concept of longitudinal dissociation of His bundle 15: 248
Prediction, of blood pressure in future, by transition probability matrix 12: 528
Prednisolone, in revival of isolated heart stopped with alcohol and glucocorticoid by nicotine and acetylcholine 14: 296
Preejection period, in influence of heart rate and age on Q-Korotkoff sound interval 17: 180
in progressive muscle dystrophy 20: 23
in relationship of left ventricular STIs and hemodynamic variable in intact and failing heart 16: 433
Pre-excitation, right ventricular, in WPW syndrome 20: 577
syndrome, in a case of cardiac rhabdomyoma in infancy 17: 669
Preferential pathway, in atrial excitation sequence during ectopic atrial beat in rabbit 15: 593
Pregnancy, in Eisenmenger syndrome complicated with thromboembolic phenomena in postpartal period 17: 114
Preload, in asynergic left ventricle 18: 729
in myocardial shortening velocity as index for

assessment of myocardial contractility 14: 193
Premature beat, atrial 11: 91
from delayed recovery of ventricular excitability 17: 760
in prolonged QRS-duration
Premature, contraction, in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
ventricular contraction 11: 195
ventricular contraction, sudden death among patients with 20: 385
Prenylamine, cardiohemodynamic effect of 15: 126
Present timer, in experimental production of ventricular complex simulating A, B and C types of WPW syndrome 15: 503
Pressor activity, in renin content in subcellular fraction of normal rat kidney extract 14: 440
in subcellular fractions of kidney extract of renovascular hypertensive rat 15: 498
of angiotensin, hemodynamic characteristics of centrally mediated 14: 226
Pressor agent, effect of, on blood pressure, plasma renin activity and plasma aldosterone concentration in essential hypertension 16: 404
Pressor response, in essential hypertension 4: 417
in midbrain stimulation 4: 118
in renin release and renal sympathetic nerve activity following vertebral artery embolism 15: 271
to norepinephrine and angiotensin 6: 416
Pressor substance, release of, from infarcted kidney 12: 79, 12: 84
renal, in hypertension-inducing potency and renin content of variously treated kidney extract 16: 433
Pressure, clamp, in correlative changes in total vascular capacity and resistance in carotid sinus reflex 17: 196
difference, in coronary arteries, in experimental myocardial ischemia 13: 502
difference, in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
elevation time, phasic analysis of cardiac cycle 9: 332
load, effect of, on cardiac function 14: 146
rate product, in study on rehabilitation of ischemic heart disease patient 16: 512
receptor, in the pulmonary artery 10: 67
transducer 18: 664
volume relationship, left ventricular, as an index of myocardial inotropism 12: 153
waves, its distortions obtained with catheter-manometer systems 18: 664
Presystolic, opening, and 'a' wave in pulmonary valve echogram 18: 421
pulmonary valve opening, in constrictive pericarditis 20: 419
step formation, in unusual pattern of mitral echocardiogram observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
Primary aldosteronism, in long-term effect of corticosteroid on cardiac function 15: 443
in response of plasma aldosterone to postural change, diuretica, angiotensin II, sodium restruction or loading and prostaglandin 14: 518
Primary cardiomyopathy, clinical spectrum of adult Japanese patients with 12: 123
in cardiac abnormality in chronic alcoholism 13: 418
in comparison with peripartal cardiomyopathy in Japan 13: 488
in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
Primary myocardial disease, 11: 19
in the aged with special references to morphological specificity and to the conduction system 12: 305
Primary, or secondary aldosteronism, in interrelationship between angiotensin and catecholamine 9: 13
pulmonary hypertension, arrhythmia in 20: 765
repair, in surgical treatment of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
rhabdomyosarcoma, a case of, replacing atrioventricular node 15: 532
Prinzmetal's angina pectoris, with normal coronary arteriogram 17: 43
Probability, transition probability, in prognosis of hypertension in population 12: 528
Procaine, effect of, on action potential of bullfrog's ventricular muscle in sodium free hydrazine solution 13: 258
Procainamide, in absence of blocking effect of quinidine on response to norepinephrine in dog atrium 17: 506
to depress AV conduction and induce reciprocal rhythm 1: 275
Proceedings, of annual scientific meeting of coun-

cil for spontaneously hypertensive rat 14: 154, 15: 173, 16: 293, 17: 338, 18: 509, 19: 552, 20: 681, suppl 1
Prognosis, long-term, of cardiac pacing in atrioventricular block 17: 133
of aortitis syndrome 13: 107, 13: 201
of chronic emphysema 4: 524
of congenital complete AV block 14: 467
of congenital heart diseases in the neonatal period 12: 442
of hypertension in population 12: 528
of nephritis 4: 25
Prognostic, index, in hemodynamic evaluation of ischemic heart disease 14: 494
value of ECG 4: 239
Progesterone and blood pressure 4: 567
Progressive muscular dystrophy, 10: 95, 11: 26
systolic time intervals in 18: 638, 20: 23
Prolapsed mutral valve, midsystolic click in 18: 652
Prolapsing mitral leaflet syndrome, clinical manifestation of, in 5 cases 14: 291
Prolongation, of crest time 11: 447
of inclination time 11: 447
Pronethanol, effect on heart 7: 494
Prongs, for measurement of ventricular segment length 13: 150
Propranolol, 11: 379, 11: 478, 11: 484, 19: 66, 19: 719, 19: 762
change of left and right ventricular volume induced by, and subsequent carotid occlusion 13: 445
dl- and d-, effect of, on AV transmission and AV nodal transmembrane action potential 14: 53
dl-, antiarrhythmic effects of 20: 603
Propranolol effect of, on coronary sinus rhythm induced by selective use of catecholamine in in-situ dog heart 13: 438
on excitation of afferent sympathetic nerve fiber during myocardial ischemia 15: 280
on heart with electrical stimulation of carotid sinus wall 13: 136
on hemodynamics and energy liberation of infarcted heart in dog 15: 579
on hypertensive patients 18: 24
on isoproterenol-induced myocardial lesions in rat 13: 168
on left ventricular function at rest and during exercise in ischemic heart during exercise in ischemic heart disease 20: 261
on severity of myocardial ischemia after experimental coronary occlusion 13: 222
Propranolol, failure of, to block intropy of glucagon 13: 268
hemodynamic effect 7: 438
hemodynamic effects, in patients with Fallot's tetralogy 9: 531
in absence of blocking effect of quinidine on response to norepinephrine in dog atrium 17: 506
Propranolol in effect of, alpha and beta blockers oh hemodynamics of spontaneously hypertensive rat 15: 166
cesium on property of cardiac muscle 14: 454
phenotolamine on SA node of dog heart in situ 15: 610
Propranolol, in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16: 548
in hemodynamics in hyperthyroidism 17: 12
in influence of β-adrenergic blocking drug Kö 1366 on hemodynamics in man 15: 455
in non-uniform myocardial blood flow caused by stellate ganglion stimulation 16: 162
in pheochromocytoma with renal arterial stenosis and high plasma renin activity 16: 741
in sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following sympathetic stimulation 16: 265
in treatment of spontaneous angina pectoris 14: 97
influence of, on hypoxic sensitivity of coronaries 17: 485
inotropic state of left ventricle during treatment with 18: 434
its effect on blood pressure and plasma renin concentration in renovascular hypertensive rats 18: 392
lack of significant central component in chronotropic effect of, in vagotomized rat 14: 432
loading test 11: 250
Prophylaxis, in group A streptococcal infection as related to rheumatic fever 17: 592
Proscillaridin A, tritiated, study on timed intracellular loaclization and distribution of, in myocardial cell by electron microscopic autoradiography 15: 374
Prostaglandin, 19: 281
response of plasma aldosterone to 14: 518
Prostaglandin E, 10: 437
effects of angiotensin II and indomethacin on 10: 437

Prostanglandin E_2, effects of, on pulmonary circulation 20: 195
Prostaglandin $E_2\alpha$, effects of, on pulmonary circulation 20: 195
Prostaglandin-like material, in renal venous blood and medulla of canine kidney, effect of saline infusion on 14: 140
Prosthesis, in mitral valve replacement in children and adolescents with rheumatic heart disease 17: 570
Prosthetic valve replacement, syphilitic aortic insufficiency treated by simultaneous aortoplasty, reversed aorto-right coronary bypass procedure and 14: 554
Prostigmin, in elective cardiac arrest 3: 258
Protection block, in evaluation of concept of longitudinal dissociation of His bundle 15: 248
Protein, atherogenesis 3: 131
losing enteropathy 19: 531
metabolism, in experimentally induced cardiac hypertrophy and heart failure 9: 393
serum concentration, in population survey on cerebrovascular and cardiovascular diseases 13: 119
serum, in rheumatoid arthritis 3: 328
Prothrombin time, 10: 289, 11: 450
and cerebroside 2: 358, 2: 361
in the coagulofibrinolytic study of experimental pulmonary infarction 12: 251
Protodiastole 9: 332
Pseudoaneurysm, of the left ventricle, diagnosed by echocardiography, radioisotope scintigraphy and angiocardiography 20: 95
Pseudoreciptocal beat 11: 301
Pseudo-WPW syndrome, observed in a patient with Lutembacher's syndrome 16: 204
Pudenz catheter, dislodged, removed from main pulmonary artery 20: 381
Puerperal, cardiomyopathy, presentation of 11 cases of 14: 104
thromboembolism, Eisenmenger syndrome complicated with 15: 114
thromboembolism, in peripartal cardiomyopathy in Japan 13: 488
Pulmogram, MAA 9: 20
Pulmonary alveolar, basement membrane, structure and function in mitral stenosis 8: 733
lesions, following open heart surgery 9: 441
Pulmonary arterial diastolic pressure, correlation between, and pulmonary vascular resistance in congenital heart disease with left-to-right shunt 16: 629
Pulmonary arterial pressure, comparison of, with left ventricular filling pressure in ischemic heart disease 17: 706
rise in, by angiotensin II and indomethacine 20: 195
simplified vector cardiographic method for assessment of, in children with chronic rheumatic mitral valve disease 17: 727
arteriography, for detection of left atrial thrombus 17: 163
Pulmonary, arteriovenous fistula 19: 439
Pulmonary artery, absence of 19: 439
anomalies 19: 167
banding, in surgical treatment of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
idiopathic dilatation 6: 273
in aortitis syndrome 13: 20
main, massive occlusion of, and subsequent cor pulmonale 1: 120
occlusion, unilateral 11: 154
pulse, indirect, diagnostic significance of, in transposition of great vessels 14: 563
pressure 10: 116
Pulmonary artery stenosis, acquired 9: 420
caused by mediastinal tumor 9: 420
Pulmonary artery, size 19: 167
unilateral distension 6: 167
Pulmonary atresia, acquired 11: 113
with ventricular septal defect, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623
Pulmonary blood flow, 6: 40, 10: 314, 11: 75
abnormal distribution of 9: 20
in patients with cardiac disorders 9: 20
increased, scoring system to assess severity of congenital heart disease with, during first year of life 14: 503
regional, and use of MAA labelled with I^{131} 5: 431
Pulmonary branch stenosis, in differential diagnosis of pulmonary stenosis by intracardiac phonocardiography 17: 691
Pulmonary capillary, permeability of 8: 690
wedge pressure, in acute myocardial infarction 17: 172
Pulmonary carcinoma 4: 294
Pulmonary circulation, 10: 307, 11: 149
airway pressure 7: 369
alveolar surface tension 7: 386
capillary flow 7: 400
collateral circulation 11: 133

effect of arteriovenous fistula on 12: 392
hydrostatic pressure 7: 350
in chronic cor pulmonale 6: 319
scintiscan 7: 349
Pulmonary component of second heart sound, in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
Pulmonary conditions, carcinoma 2: 256
endocardium in pulmonary disease 2: 220, 22: 255
Pulmonary contusion, in a case of traumatic systemic-pulmonary arteriovenous fistula 16:
Pulmonary edema, 10: 135, 11: 141
action of certain diuretics in 8: 743
after cardiac surgery 9: 526
antidiuretic substance 2: 161
ANTU 2: 164
as a cause of surfactant deficiency 8: 742
catecholamines 2: 162
classification of clinical cases 2: 149
epinephrine-induced 8: 700, 8: 718
fibrinolytic enzyme 2: 162
5-nucleotidase activity 2: 162
fluid accumulation in 8: 683
heart failure in the pathogenesis of 8: 709
histamine 2: 162
in cardiac surgery 8: 721
in cardiovascular disease 2: 298
incidence of, in autopsy cases 2: 150
lipid metabolism 2: 162
pathogenesis 8: 679, 8: 690, 8: 722, 8: 736, 8: 738, 8: 741, 8: 746
pathogenesis of central origin 2: 147
permeability of the pulmonary capillaries 2:
phosphatase activity 2: 162 ⌊162
polysaccharide metabolism 2: 162
protective effect of bromelain and crude pineapple proteases 8: 718
pulmonary lymphatic flow 2: 161
reference to pulmonary hemodynamics 8: 700
relationship to thickening of the pulmonary alveolar basement membrane 8: 733
RNA metabolism 2: 162
17-hydroxycorticosteroid 2: 161
17-ketosteroid 2: 161
sympathetic nerve 2: 162
symposium on 8: 677
treatment of 8: 744, 8: 745
vagal nerve 2: 163
VDM 2: 162
Pulmonary ejection, sound in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
systolic murmur, in echo- and phonocardiogram related to movement of pulmonray valve 16: 107
Pulmonary embolism, 11: 195, 18: 505
experimental, left ventricular function in 12: 221
peripartal cardiomyopathy in Japan 13: 488
Pulmonary emphysema 10: 365
Pulmonary fibrosis, effect of prednisolone 2: 177
regitine test 2: 175
function 11: 345
Pulmonary function, function tests and prognosis
regional 8: 559 ⌊4: 526
Pulmonary heart disease, anatomical factor 6: 220
Pulmonary hemodynamics, 8: 700, 10: 68
hemosiderosis 2: 305
Pulmonary hypertension, 2: 304, 4: 529, 9: 434, 10: 59, 19: 193, 19: 439
and anti-heart antibody 15: 223
arterial, in studies on expired alveolar CO_2 tension in chronic pulmonary emphysema 1: 37
clinical, echocardiographic and radiological evaluation of, in mitral stenosis 18: 765
echocardiogram of pulmonary valve in 15: 360
in atrial septal defect in the aged 14: 373
in correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in congenital heart disease with left-to-right shunt, 629
in echo- and phonocardiogram related to movement of pulmonary valve 16: 107
in Eisenmenger syndrome complicanted with thromboembolic phenomena 17: 114
in simplified vectorcardiographic method for assessment of pulmonary artery pressure in chronic rheumatic mitral valve disease 17: 727
pattern of echocardiogram in 18: 298
primary, familial 4: 205
primary, hemodynamics in 20: 395
result of surgical treatment of ventricular septal defect associated with, under age of two 14: 385
severe, in mitral valve replacement in rheumatic heart disease 17: 570
two cases of, with Raynaud's phenomenon 16: 354
Pulmonary infarction, 11: 258

experimental production of, coagulofibrinolytic study on 12: 251
experimental study of 14: 335
experimental study on production of 13: 176
in a case of traumatic systemic-pulmonary arteriovenous fistula 16: 196
in aortic insufficiency 2: 299
in cardiovascular disease 2: 298, 2: 304
in combined valvular disease 2: 300
in endomyocardial fibrosis 2: 301
Pulmonary lesion, in pathological study of animal replaced with artificial heart 17: 233
Pulmonary lymph flow, 8: 690, 8: 722, 8: 729
nodulation in cardiovascular disease 2: 299, 2: 304, 2: 305
Pulmonary regional ventilation-perfusion relationships, hypoxia 9: 552
in chronic cardiopulmonary disorders 9: 552
influence of body position 9: 552
inhalation scintiscanning 9: 552
perfusion scintiscanning 9: 552
Pulmonary regurgitation, 9: 303, 19: 58
acquired 9: 420
following total correction of tetralogy of Fallot 18: 621, 18: 629
Pulmonary scintiscanning 6: 268
Pulmonary stenosis, and ABC lead tracing 9: 583
in ventricular septal defect with aortic regurgitation 12: 111
microscopic and electron microscopic study of 12: 205
residual 18: 629
stenosis, ventricular septal defect with 10: 113
with cushion defect and transposition of great vessels 5: 287
Pulmonary surfactant, 9: 441
relationship to pulmonary edema 8: 742
Pulmonary systolic pressure, after digitalization 6: 194
in hyperthyroidism 6: 399
Pulmonary thromboembolism, clinical manifestations, ECG findings 5: 452
Eisenmerger syndrome complicated with 17: 114
in Japan autopsy findings 5: 453
incidence 5: 445, 8: 105
radiologic findings 5: 451
Pulmonary tuberculosis, 2: 298
in a case with extraordinary arteriovenous shunt occupying left pleural cavity and with systemic-pulmonary arteriovenous shunt 15: 435
Pulmonary valve, and endomyocardial change 2: 224
congenital quadricuspid 6: 370
echocardiogram of 15: 360, 18: 298
insufficiency, heart sound of 2: 421
movement of, echo- and phonocardiogram related to 16: 107
normal, echocardiogram of 18: 421
stenosis, heart sound of 2: 421
Pulmonary vascular obstructive disease, in correlation between pulmonary vascular resistance and pulmonary arterial diastolic pressure in congenital heart disease with left-to-right shunt 16: 629
Pulmonary vascular resistance, correlation between, and pulmonary arterial diastolic pressure in congenital heart disease with left-to-right shunt 16: 629
effect of phenoxybenzamine on, in surgically corrected ventricular septal defect associated with pulmonary hypertension 20: 157
hemodynamic and clinical significances of, in rheumatic mitral stenosis 16: 122
in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
rise in, by angiotension II and indomethacin 20: 195
Pulmonary vasoconstriction 6: 428
Pulmonary ventilatory mechanics, in cardiopulmonary disease 2: 170, 2: 325
in emphysema 2: 325
in fibrosis 2: 170, 2: 325
Pulmonary wedge pressure, 10: 134
comparison of, with left ventricular filling pressure in ischemic heart disease 17: 706
Pulmonic, stenosis, valvular and infudibular, differential diagnosis of, by intracardiac phonocardiography 17: 691
valve, echocardiographic detection of 18: 138
Pulsation, abnormalities of, after acute coronary attack 3: 85
see-saw movement in tricuspid regurgitation 3: 86
systolic depression in constrictive pericarditis 3: 87
systolic thrust in mitral regurgitation 3: 86
tremor 3: 86
Pulsatile, blood volume 11: 149
coronary blood flow 11: 470
Pulse, abnormalities of 3: 84
Hill's sign, in aortic insufficiency 3: 84

impedance 11: 149
pressure generator, in complete intraventricular cardiac bypass 12: 161
recording, arterial 11: 433
wave 11: 433
wave velocity, in influence of heart rate and age on Q-Korotkoff sound interval 12: 180
Pulsed radiation 9: 404
Pulseless disease (see: aortitis syndrome, Takayasu's arteritis, panaortitis), 9: 77, 9: 88, 10: 277
in elevated plasma renin activity in aortitis syndrome 17: 1
Pulsus alternans, involving right heart 6: 452
Pulsus paradoxus, echocardiogram of 18: 883
in patient with pericardial effusion 13: 379
in rheumatic valvulitis and constrictive pericarditis 16: 749
Pumping, aortic root balloon pumping, for assistance of coronary circulation 12: 263
Purification, of crude glycoprotein by isoelectric focusing and by semipreparative agar gel electrophoresis 12: 22
Purkinje fiber, conduction block from, to ventricular muscle under abnormal condition 14: 71
electrophysiologic effects of diltiazem on 18: 235
in evaluation of concept of longitudinal dissociation of His bundle 15: 248
inhomogeneous spread of excitation in 20: 511
membrane current change induced by digitalis in 18: 851
Purkinje-like atrial action potential, in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
Pyridinolcarbamate, 11: 433
clinical evaluation of the effect on ischemic heart diseases 9: 359
clinical trial with, in treatment of patient with obstructive disease of peripheral artery 14: 12
effect of, on cardiovascular system of dog 17: 97
effect on cerebral hemorrhage 7: 590
in new concept on atherogenesis and treatment of atherosclerotic diseases 13: 357
in prevention and treatment of atherosclerotic disorders 16: 76
in treatment of ischemic heart disease 13: 53
treatment of atherosclerosis 6: 407
treatment of atherosclerosis obliterans with 12: 335
Pyruvic acid, 10: 266
myocardial and blood contents of, in relation to thiamine deficient cardiac lesion 12: 474

Q

Q-I interval, in atrial septal defect 18: 164
in hypertension 1: 213
Q in Minnesota cord 10: 1
Q-Korotkoff sound interval, influence of heart rate and age on 17: 180
Q waves, coronary 11: 512
transient 18: 191
QRS, complex in electrophysiologic effect of phenothiazine on human atrial fiber 14: 398
configuration, in experimental production of ventricular complex simulating A, B, and C types of WPW syndrome 15: 503
duration 11: 339
duration, prolonged, resulting from delayed recovery of ventricular excitability 17: 760
loop 10: 355
loop analysis, in vectorcardiographic diagnosis of combined ventricular hypertrophy in adult patient 15: 323
pattern, atypical 4: 310
polar vector, in myocardial infarction 20: 587
vector, in left ventricular hypertrophy 5: 545
waves, of patial velocity electrocardiogram in atrial septal defect 13: 407
QS or QR type extrasystoles 11: 195
QT, duration and ratio, and plasma electrolytes (Na, K and Ca) in uremic patient 13: 187
interval, in stellate stimulation 18: 259
prolongation, and reversed splitting of the second heart sound 9: 539
prolongation, and syncopal attack 16: 610
prolongation, heritable, without deafness 14: 479
Quadricuspid pulmonary valve, congenital 6: 370
Quadrivalvular heart disease 9: 303
Quanta noise 9: 405
Quantitative scanning method, regional pul-

monary blood flow 5: 431
Quick stretch and quick release, of muscle strip preparation, in determination of active state of frog ventricle 12: 545
Quinidine, absence of blocking effect of, on response to norepinephrine in dog atrium 17: 506
in electrophysiologic effect of phenothiazine on human atrial fiber 14: 398

R

Rabbit, coronary vascular lesion 9: 473
experimental hypertension in 9: 473
hypercholesterolemia 9: 473
Radiation therapy, effect on metastasis to heart 7: 230
Radioactive, cholesterol, turn over rate of 2: 355
gold, and hepatic blood flow 2: 460
heparin 2: 282
krypton, for the diagnosis and localization of shunts 2: 277
output study 2: 309
radioiodinated serum albunin in cardiac rare gas method 8: 559
sulfate, in experimental atherosclerosis 2: 502
Radiocardiography, 10: 307
cardiac output 2: 310
pulmonary circulation 2: 310
Radioimmunoassay, of aldosterone, in response of plasma aldosterone to postural change, diuretica, angiotensin II, sodium restriction or loading and prostaglandin 14: 518
Radioisotope, Cs-glucose 3: 555
colloidal gold and hepatic blood flow 3: 155
dilution curves 3: 24
dilution method 6: 397
human serum albumin for cardiac output study 3: 25
I^{131}-Diodrast, in kidney function test 3: 333
I^{131}-Hippuran, in kidney function test 3: 33
P^{32} 3: 163
Radioisotopic scintigraphy, in pseudoaneurysm of the left ventricle 20: 95
Radiopaque material, effect of, on coronary vascular reserve 16: 57
Rapid filling, 19: 698
fraction, in echocardiographic study on hypertrophic cardiomyopathy 17: 275
phase, and a cause of production of ventricular gallop or physiological third heart sound 18: 611
phase, in exercise 6: 110
time, in subjects with ventricular gallop or third heart sound 18: 611
ventricular in genesis of third heart sound 17: 150
Rapid freezing technique 8: 683
Rat, renal transplantation study of infarcted kidney as carrier of a hypertensive factor in 13: 214
slowered turnover of norepinephrine in brain associated with acute elevation in blood pressure of 16: 575
RA test, in myocardial infarction 6: 512
Raynaud's phenomenon, two cases of pulmonary hypertension with 16: 354
Rb^{86}, clearance, effects of ATP on 18: 132
clearance, in effect of selective coronary hypotension on regional myocardial blood flow of dog papillary muscle 18: 841
distribution, effects of ATP on 18: 132
uptake, of various organs of spontaneously hypertensive rat 16: 156
Reactive hyperemia, 19: 415
after coronary occlusion 3: 245
coronary, in influence of adrenergic blockade on hypoxic sensitivity of coronaries 17: 485
duration of, prolonged by an increment of the constriction 20: 207
in effect of radiopaque material on coronary vascular reserve 16: 57
in measurement of intramyocardial phasic blood flow using impedance plethysmography 15: 407
myocardial, by aortic root balloon pumping 12: 267
participation of large conductance artery in 18: 92
studies of, by a simulation method 18: 246
Reactivity of norepinephrine receptor, in cardiovascular system of hypertensive rat 13: 428
Recalcification time, cerebroside sulfate 2: 357
Receptor, β-adrenergic, in effect of isoproterenol and propranolol on AV transmission and AV nodal transmembrane action potential 14: 53
Reciprocal beat and rhythm, in evaluation of

concept of longitudinal dissociation of His beat, pseudo 11: 301
bundle 15: 248
of downslope (ts), in a method for quantitative detection of tricuspid regurgitation 16: 11
Reciprocal rhythm, 11: 104
and tachycardia, atrial, following DC conversion of atrial flutter 13: 362
experimental study on 1: 275
Recovery, curve, in analysis of Wenckebach periodicity during atrial pacing 18: 777
period, in study on rehabilitation of ischemic heart disease patient 16: 512
Recumbent position, plasma renin activity ratio in 18: 312
Red cell fragmentation, in malignant hypertension and microangiopathic hemolytic anemia 17: 258
Redox potential, in chronic cor pulmonale 6: 323
Redistribution, of intrarenal blood flow 11: 309
Re-entrant P wave 11: 301
Re-entry, in conduction block from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
T waves 19: 415
theory 6: 387
Reflex carotid sinus, effect of, on coronary blood flow 14: 531
effect on heart of, by electrical stimulation of carotid sinus wall 13: 136
Reflex depressor effect, by kidney 8: 597
Refractory period, effective 19: 136
functional 10: 535
in effect of hydrazine on aconitine-induced atrial tachycardia in rabbit 14: 249
in Wenckebach period associated with high grade second degree AV block 16: 620
of right atrium and atrioventicular node in bifascicular block 20: 141
prolonged by verapamil 20: 789
Regional blood flow, of dog papillary muscle, effect of selective coronary hypotension on 18: 841
Regional pulmonary blood flow, in mitral stenosis 5: 438
in congestive heart failure 5: 438
use of MAA 5: 431
Regitin, and renal blood flow 6: 246
in cardiopulmonary disease 2: 175
in nitroglycerin-induced suppression of excitation of afferent cardiac sympathetic nerve during myocardial ischemia 15: 154
Regulation, cardiovascular and respiratory 4: 346
Regurgitant, area following total correction of tetralogy of Fallot 18: 621
fraction, following total correction of tetralogy of Fallot 18: 621
Regurgitant murmur, aortic, diastolic 9: 117
Rehabilitation, cardiac, in application of medical engineering for exercise test and management on ischemic heart disease 15: 47
study on, of ischemic heart disease patient 16: 512
Relatively slowly exchanging pool 10: 335
REM (rapid eye movement) sleep, in all-night polygraphic study of nocturnal angina pectoris 13: 295
Renal-adrenal, feed-back system 18: 491
inter-relationships 19: 426
Renal, and adrenal activity 10: 161
aneurysm, in hypertension due to segmental renal ischemia 14: 110
arteriole 10: 248
Renal artery constriction, 10: 149
and complete ligation of a branch of, in experimental hypertension of mouse 12: 275
Renal artery, increased hematocrit induced by clipping of 18: 386
ligation of 11: 365
Renal artery occlusion, 10: 177
in renal hemodynamics and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
Renal artery stenosis, 9: 142
effect of postural change of plasma renin activity in hypertensive patients with or without 18: 312
phenochromocytoma with, and high plasma renin activity 16: 741
Renal basis, of essential hypertension 15: 419
Renal biopsy, in renovascular hypertension 7: 308
in tetralogy of Fallot with systemic hypertension and polycythemia 14: 213
Renal blood flow, 11: 533
and electrical stimulation 6: 245
in cardiovascular effect of dopamine after experimental coronary occlusion in dog 16: 280
in essential hypertension 15: 423
percentage of total 11: 309
Renal cardiac metabolism in 9: 57
Renal circulation, and stimulation of spinal cord

5: 69
autoregulation 6: 243
nervous control 1: 288, 6: 534
Renal cortex, antiserum against microsome fraction of 9: 461
Renal cortical, extract, blood fibrinolytic activity and fibrinoid necrosis of small artery in rat treated with 17: 649
homogenate, in renin content in subcellular fractions of kidney extract of renovascular hypertensive rat 15: 498
hemorrhage, in renin content in subcellular fraction of normal rat kidney extract 14: 440
Renal denervation 8: 156
Renal failure, acute, ischemic, of rabbit, renal dynamics and medullary osmolal gradient in 16: 44
change of cardiac performance in 16: 489
chronic 11: 126, 11: 309
Renal function 10: 437
Renal hemodynamics, 7: 289
and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
Renal hypertension, 9: 180
experimental, and cerebral hemorrhage 5: 466
experimental, increase of hematocrit in 18: 386
high plasma renin activity and hypokalemia in rabbit with 13: 340
in effect of sodium intake on hypertensive vascular lesion in rabbit 14: 45
response of plasma renin to sodium load in 18: 112
Renal hypertensive rat, and cardiovascular reactivity 12: 68
by partial infarction of kidney and renin release 12: 79
Renal infarction, and hypertension in rat 13: 214
and ischemia, segmental, hypertension due to 14: 110
segmental, role of kidney in development and maintenance of hypertension by, in rat 17: 768
Renal ischemia, 9: 461
isografts, influence on blood pressure 19: 886
mechanoreceptor, response of, to vasopressor substances 12: 347
two types of 12: 233
Na excretion 11: 541
Renal nerve, 10: 161
activivity, in left stellate ganglion stimulation 9: 564
afferent impulses in 9: 517
contribution of, in renin production 13: 214
two types, of afferent inpulse of 12: 169
Renal pressor substance, in hypertension-inducing potency and renin content of variously treated kidney extract 16: 446
Renal pressure, arterial, venous, intra-renal, and renal mechanoreceptor 12: 233
venous and intra-renal, and responses of renal mechanoreceptor 12: 347
Renal, renin content, effects of aldosterone and spirolactone on 9: 3
of spontaneously hypertensive rat, effect of sodium intake and angiotension administration on 14: 165
sodium and potassium excretion, during mannitol diuresis 9:
sympathetic nerve activity, following vertebral artery embolism, and renin release 15: 271
tissue fluid osmolality 10: 177
Renal transplantation, in role of kidney in development and maintenance of hypertension by renal segmental infarction in rat 17: 772
of infarcted kidney as carrier of a hypertensive factor in rat 13: 214
Renal tubular function, nervous control of 9: 564
Renal vascular, changes, in hypertension 10: 249, 10: 277
pathology, in essential hypertension 15: 420
perfusing pressures 18: 491
resistance 6: 543
Renin, accelerator, increase of 6: 424
activity 8: 148, 8: 156, 8: 607, 19: 468, 19: 741, 19: 886
aldosteron system 19: 852
and uremic plasma 6: 416
angiotensin system 19: 151, 19: 741, 19: 783, 19: 791, 1: 799, 19: 806
Renin activity plasma, 11: 121
effect of pressor agent on, in essential hypertension 16: 404
elevated, in aortitis syndrome 17: 1
in role or kidney in development and maintenance of hypertension by renal segmental infarction in rat 17: 768
in spontaneously hypertensive rat of early hypertensive stage 14: 168
increase of, in perinephritis hypertension in monkey 17: 61

increased, by nifedipine in hypertension 17: 479
Renin-aldosterone, responses to dietary sodium and posture 20: 631
Renin-angiotensinogen reaction, acid and alkali treatment 9: 494
Renin content, hypertension-inducing potency and, of variously treated kidney extract 16: 446
in subcellular fractions of kidney extract of renovascular hypertensive rat 15: 498
in subcellular fraction of normal rat kidney extract 14: 440
of kidney, in role of kidney in development and maintenance of hypertension by renal segmental infarction in rat 17: 768
renal, of spontaneously hypertensive rat, effect of sodium intake and angiotensin administration on 14: 165
Renin determination of, 6: 51
extrarenal 19: 791
hepatic inactivation of 11: 510
high molecular weight 18: 571
high plasma activity of, and hypokalemia in rabbit with chronic renovascular hypertension 13: 340
in contrastive profile in two types of renovascular hypertension in rabbit 14: 445
in effect of removing clipped kidney on renovascular hypertension in rabbit 15: 615
in effect of sodium intake on hypertensive vascular lesion in rabbit 14: 45
in hypertension due to segmental renal ischemia 14: 110
in kidney of spontaneously hypertensive rat with accelerated hypertension 16: 346
in renal transplantation study of infarcted kidney as carrier of a hypertensive factor in rat 13: 214
increased permeability of arteriolar wall caused by lysosomal fraction of 18: 473
inhibitor, decrease of 6: 424
plasma, effect of propranolol on 18: 392
plasma, in essential hypertension 15: 428
pure submaxillary gland 19: 522
Renin release, and nervous system 17: 521
and renal sympathetic nerve activity following vertebral artery embolism 15: 271
by mesencephalic stimulation 8: 498
from infarcted kidney 12: 79
Renin response to upright posture, in varying sodium balance 20: 777
Renin secretion, 11: 121, 11: 506
in elevated plasma renin activity in aortitis syndrome 17: 1
in renin release and renal sympathetic nerve activity following vertebral artery embolism 15: 271
Renovascular hypertension, 10: 277
and hypertension due to segmental renal ischemia 14: 110
collateral vessels in 18: 722
effects of propranolol in 18: 392
evaluation of abdominal murmur in 9: 134
experimental 10: 328
in aortitis syndrome 9: 77, 9: 88, 9: 539
in rabbit, contrastive profile in two types of 14: 445
in rabbit, effect of removing clipped kidney on 15: 615
increase of hematocrit in 18: 386
of rat, sympathetic nervous activity in 16: 36
with aplasia of kidney 5: 373
Renovascular hypertensive rat, renin content in subcellular fractions of kidney extract of 15: 498
Repetition, of long ventricular cycles 11: 240
Repolarization, disturbance of, in Friedreich's ataxia 17: 459
in electrophysiologic effect of phenothiazine on human atrial fiber 14: 398
Reproducibility, in continuous assessment of left ventricular volume 18: 43
Reserpine, 3: 67
effect on uptake and metabolism of H_3-catecholamine 5: 224
Residual ratio, right-ventricular, a new method for measurement of, using ^{131}I-MAA 15: 543
Resistance, of collateral vessel in arterial occlusion with and without nitrites 12: 536
peripheral, total, and cardiac output in spontaneously hypertensive rat 14: 267
vessel, in correlative changes in total vascular capacity and resistance in carotid sinus reflex
Resistivity index 11: 447 ⌊17: 196
Respiration, change of, in neurocirculatory asthenia 1: 72
change of, induced by electrical stimulation of thalamus 1: 1
mitochondrial 8: 132
Respiratory, auscultation 11: 515
change, in continuous assessment of left ventricular volume 18: 43

conduction time response 11: 559
Respiratory control index, 19: 505
in blood-let dogs 18: 357
in effect of isoproterenol, propranolol and artificial pacing on hemodynamics and energy liberation of infarcted heart in dog 15: 579
Respiratory, heart rate response (RHR) 11: 559
in atrioventricular conduction time 11: 559
movement, of split second heart sound 11: 337
variation and residual defect in RBBB 11: 338
Response, of plasma aldosterone, to postural change, diuretica, angiotensin II, sodium restriction or loading and prostaglandin 14: 518
of the buffer nerves, to the vertebral embolism 10: 171
of the sympathetic nerves, to vertebral embolism 10: 163
Resting potential, K-induced change of, of guinea pig heart 17: 211
membrane 11: 58, 11: 61, 11: 297, 11: 379, 11: 478
Restricted right ventricular relaxation, in a case with extraordinary arteriovenous shunt occupying left pleural cavity and with systemic-pulmonary arteriovenous shunt 15: 435
Reticulosarcomatosis, and AV dissociation 5: 180
Retinal finding, and cerebral circulation 2: 139
in hypertension 2: 448
vessel, increased permeability of, in perinephritis hypertension in monkey 17: 61
Retrograde, block, in complete AV block 15: 1
conduction, in complete AV block due to AH block 15: 1
P wave 11: 301
Revascularization, chemical, in effect of allopurinol on tissue O_2 tension of ischemic myocardium 17: 88
syndrome, in an analysis of 115 surgical procedures of arterial embolism 15: 554
Reversed, aorto-right coronary bypass procedure, syphilitic aortic insufficiency treated by simultaneous prosthetic valve replacement, aortoplasty and 14: 554
splitting, methoxamine induced "non-paradoxical" 8: 642
Reversible myocardial infarction, after blood transfusion 18: 191
Revised Jones criteria, problems in the clinical application of, for rheumatic fever 12: 436
Rhabdomyoma, cardiac, a case of, in infancy 17: 669
Rhabdomyosarcoma, of pleomorphic type, a case of, replacing atrioventricular node 15: 532
Rheumatic carditis, effect of steroid hormone on 17: 545
of an insidious onset, and revised Jones criteria 12: 436
Rheumatic disease, and liver function 6: 12
Rheumatic fever, 2: 239, 2: 279, 9: 110, 19: 1
acute, group A streptococcal infection as related to 17: 592
antihyaluronidase level in children with 17: 580
autoimmunity in 4: 407
in effect of steroid hormone on rheumatic carditis 17: 545
in Japanese children 1: 149
in rheumatic valvulitis and constrictive pericarditis 16: 749
natural history of, in the Orient 20: 237
outcome of children with, not diagnosed by revised Jones criteria 17: 560
recurrence, in long-term prevention of streptococcal infection among children with rheumatic heart disease in Taiwan 17: 550
underdiagnosis of, in the clinical application of revised Jones criteria 12: 436
Rheumatic heart disease, 4: 407, 9: 110
activated by metopirone 5: 532
carditis, phonocardiographic study on 2: 28
endocardial change 2: 220
in group A streptococcal infection as related to rheumatic fever 17: 592
in high school and college students 18: 457
in outcome of children with rheumatic fever not diagnosed by revised Jones criteria 17: 560
long-term prevention of streptococcal infection among children with, in Taiwan 17: 550
mitral valve replacement in children and adolescents with 17: 570
natural history of, in the Orient 20: 237
pericarditis 2: 300
streptococcal antibody in 6: 4, 7: 244
Rheumatic mitral, stenosis, hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in 16: 122
valve disease, chronic, simplified vectorcardiographic method for assessment of pulmonary artery pressure in 17: 727

valvulitis, primary angisarcoma of left atrium with 20: 375
Rheumatic valvulitis, and constrictive pericarditis 16: 749
in calcified left ventricular aneurysm and non-atherosclerotic myocardial infarction in a child 16: 603
Rheumatoid, agglutination factor, in myocardial infarction 6: 511
Rheumatoid arthritis, ECG in 6: 367
heart involvement in 3: 325
Rhythm, AV junctional, in ventriculoatrial conduction in complete AV block 15: 1
coronary sinus rhythm 12: 60
heart rhythm analyser ("Andros-R"), for left atrial rhythm 12: 60
quantitative characterization of heart rhythm disturbances 12: 575
Rhythmical and non-rhythmical impulses, in the renal nerves 10: 161
Rib fracture, in a case of traumatic systemic-pulmonary arteriovenous fistula 16: 196
Right, aortic arch, associated with aortic atresia 17: 265
atrial pressure, in cardiohemodynamic effect of nitroglycerin and several vasodilators 15: 126
Right atrium, dilatation, with endocardial fibroelastosis 5: 85
ventricle delay (RV interval) 11: 559
Right axis deviation, histological study on conduction system of right bundle brahch block associated with 15: 113
in electrical axis of heart in 1,000 autopsied cases 17: 25
Right bundle branch block, 11: 334, 11: 460
and left axis deviation, specific combination of conduction disturbance with 9: 411
complete, histopathological study, configulation of QRS complex 20: 831
histological study on conduction system of associated with right axis deviation 15: 113
in QRS waves of spatial velocity electrocardiogram in atrial septal defect 13: 407
spatial velocity electrocardiogram in 9: 64
with first degree AV block, in a case of cardiodiomyopathy and hereditary cerebellar ataxia 13: 369
with left anterior or posterior fascicular block, in an aged case of trifascicular block with histological study of conduction system 15: 314
with left axis deviation 11: 5, 11: 460
Right bundle branch main 19: 12
Right coronary artery, fistula from, to left evntricle 14: 184
Right heart blood volume, in a method for quantitative detection of tricuspid regurgitation 16: 11
Right heart bypass, 19: 84
preparation, in hemodynamic characteristics of centrally mediated pressor activity of angiotensin 14: 226
Right heart catheterization, in a case of membranous septal aneurysm associated with a small defect 14: 80
in acoustic phenomena in coronary venous system with intracardiac phonocardiography 18: 789
in comparison of pressure in lesser circulation with left ventricular filling pressure in ischemic disease 17: 706
in differential diagnosis of pulmonary stenosis by intracardiac phonocardiography 17: 691
in two cases of pulmonary hypertension with Raynaud's phenomenon 16: 354
Right heart failure, in primary pulmonary hypertension 20: 395
Right-sided, aortic diastolic murmur 9: 117
pre-ejection period, in normal pulmonary valve echogram 18: 421
Right ventricle, blood flow of 12: 50
fistula of sinus of Valsalva to 1: 239
hypoplastic, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623
Right ventricular, apexcardiogram 11: 214
end-diastolic and end-systolic volume, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
hypertension 11: 213
Right ventricular hypertrophy, and ABC lead tracings 9: 583
committee report on new pediatric electrocardiographic criteria for 16: 189
in atrial septal defect, and QRS waves of spatial velocity electrocardiogram 13: 407
in clinical, electrocardiographic and radiological evaluation of pulmonary hypertension in mitral stenosis 18: 765
spatial electrocardiogram in 9: 64
Right ventricular muscle, partial absence of 11: 582
Right ventricular pressure, 9: 531
estimation of 10: 113
external determination of 11: 221

Right ventricular, residual ratio, a new method for measurement of, using ^{131}I-MAA 15: 543
systolic pressure 11: 231
volume overload, its correlation with Q-I interval in atrial septal defect 18: 164
Rinehart's dialyzed ion method 11: 463
RISA, intravenously injected, in study of brain circulation 5: 127
Risk factor, committee report on incidence and, of myocardial infarction in hospitalized patients 16: 465
their correlation with ΣST 18: 447
RNA (ribonucleic acid), content of, in experimental cardiac hypertrophy in rat 13: 325
in cardiac hypertrophy 7: 566
metabolism, in ventricle 6: 446
Rodbard's index 6: 102
Roentgenogram, in experimental chronic mitral regurtigation in dogs 18: 823
Roentgenography, and point of maximum intensity of aortic diastolic murmur 9: 118
of pulmonary complication in cardiovascular disease 2: 297
Romano-Ward syndrome, a case of 16: 610
two cases of 14: 479
Rose Waaler test, in rheumatoid arthritis 3: 328
RR intervals, coefficient of variation of 11: 238
Rubella, with cardiac involvement 20: 227
Rubidium, effect of, on cardiac function 13: 317
myocardial clearance of, effect of calcium chloride and potassium chloride on 14: 126
Rupture, of congenital aneurysm of right coronary sinus of Valsalva, into left ventricle 1: 106

S

Saddle embolism, left atrial infarction with 18: 272
Saddle, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Sakura isodensity recorder, in new polygraph for selecting arbitrary cardiac phase 15: 349
Saline, hypertronic, constant infusion of, in the dog 9: 281
infusion 11: 74
infusion, effect of, on prostaglandin-like material in renal venous blood and medulla of canine kidney 14: 140
kinetic analysis 9: 281
preloading 11: 541
Salmon calcitonin, its effects on SA nodal pacemaker activity and contractility 18: 214
Salt, contents, estimation of, with plasma sodium, protein concentrations and hematocrit 20: 853
depletion, formula for the estimation of changes in water and salt contents of the body based on 20: 853
in renal failure 16: 489
intake of Japanese, hypertension and 3: 313
loading and restriction, effect on urinary aldosterone and electrolytes 3: 7
retention, in change of cardiac performance
Sarcoma, primary cardiac, with acute cardiac tamponade 8: 545
Sarcoplasmic reticulum, 2: 278
in cardiomyopathy in myotonic dystrophy 14: 202
of cardiac muscle, and calcium ion 12: 90
Scanning, perfusion, of coronary artery, with ^{131}I-MAA injected directly into coronary artery 15: 28
Scarlet fever 9: 110
Scintillation counter, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
Scintiscanning, hepatopulmonary 6: 115
inhalation 9: 552
pulmonary 6: 268
pulmonary perfusion 9: 552
Sclerosis, and hypertension in ECG 4: 477
cerebral and cardiac, in renal hypertension 4: 69
coronary atherosclerosis, statistical analysis of 4: 537
Scoring, method to evaluate sensitivity of congestive heart failure, in clinical study of effect of congestive heart failure, in clinical study of effect of coenzyme Q on congestive heart failure 17: 32
system to assess severity of congenital heart disease during first year of life 14: 503
Second, degree A-V block, high grade, associated with Wenckebach period 16: 620
derivative of action potential, in nature of His

potential in His electrogram 13: 521
Second heart sound, 11: 334
arterial stenotic lesions in 9: 539
in left bundle branch block, cause of change of 13: 281
mechanism of 18: 81
reversed splitting of 9: 539, 18: 329
IIA-IIP interval 18: 329
split pattern of 18: 329
splitting of, due to shortened electromechanical systole, in a case of tense pericardial effusion without constriction 13: 379
Secondary, hypertension, in follow-up observation of aortitis syndrome 13: 201
suppression, in postpacing phase in sick sinus syndrome 17: 290
thrombosis, in experimental pulmonary infarction 14: 335
Segment length, of asynergic ventricle 18: 729
Segmental renal infarction and ischemia, hypertension due to 14: 110
Seldinger's technic 5: 302
Selective, cardioangiography, with transseptal left catheterization 5: 306
coronary arteriography, in a case of congenital coronary artery fistula involving bilateral coronary artery branches 15: 52
Self-guiding catheter 10: 59
Semi-automated sphygmomanometer, comparison of, with clinical sphygmomanometer 16: 118
Semiconductor radiation detector, catheter type 11: 345
Semiselective coronary arteriography 9: 258
Senile, dementia, in cyclic AMP phosphodiesterase-inhibitor in prevention and treatment of atherosclerotic disorder 16: 76
ectasia of the aorta 10: 59
Sensitized red cells 10: 487
Sensory fiber, cardiac, excitation of, following sympathetic stimulation 16: 265
Septal, fibrosis 11: 5
hypertrophy, asymmetric, in echocardiographic classification of hypertensive heart disease 16: 377
Septal perforation, 9: 265
following acute myocardial infarction 9: 411
with special reference to types of infarction and a study of conduction system 9: 411
Septal type, in echocardiographic finding in WPW syndrome 18: 329
Septum, intraventricular, blood flow of 12: 50
Series elastic component, of cardiac muscle, in determination of active state of frog ventricle 12: 545
Serological diagnosis of streptococcal infection, in antihyaluronidase level in children with rheumatic fever and other streptococcal infections 17: 580
Serologic test for syphilis, in the elderly 17: 452
Serotonin, 10: 226
depletion of, effect of, on central regulation of carotid sinus reflex in rat 16: 148
response of renal mechanoreceptor to 12: 347
Serum, albumin, its correlation to serum digitoxin level 20: 623
catecholamine concentration, in pheochromocytoma with renal artery stenosis and high plasma renin activity 16: 741
cholesterol, protein, in experimental pulmonary edema, 2: 158
electrolyte 10: 297
insulin, in patient with coronary heart disease 16: 670
LDH, its peak activity based on a single post-peak level after acute myocardial infarction 18: 202
lipids, effects of chondroitin sulfates in atherosclerotic patients 9: 453
lipid, in patient with coronary heart disease 16: 670
protein pattern, in myocardial infarction 6: 514
Servocontrolled computation 11: 45
Severe cyanotic heart disease 11: 130
Sex differences, of normal P loops 18: 1
SG 75, 19: 112
Shallowed negative T 11: 330
Shipley-Wilson rotameter 7: 79
Shock, 10: 177
cardiogenic, and a large dose of corticosteroid 14: 281
cardiogenic, experimental, and aortic root balloon pumping 12: 263
hemorrhagic, no protective action of infarcted kidney against 12: 84
hypovelemic, in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
Shunt, intraventricular, in ventricular septal defect 12: 112
left-to-right, and congestive heart failure in infants and children (clinical and hemodyanmic study) 12: 138

portal systemic 6: 115
Trueta juxtamedullary, in renin release and renal sympathetic nerve activity following vertebral artery embolism 15: 271
Sick sinus syndrome, and bradycardia-tachycardia syndrome 14: 414
clinicopathological study on 17: 731
familial 20: 441
sinoatrial conduction in 18: 143
sinus node recovery time and abnormal postpacing phase in 17: 290
Side effect, of glucagon 13: 269
of pyridinolcarbamate 11: 444
Signal converging method, recording of the fourth heart sound by 18: 340
Silent zone, in ventricular par ystole 20: 843
Simplified model, of human torso 10: 350
Simultaneous blind method, in comparison of semi-automated sphygmomanometer with clinical sphygmomanometer 16: 118
Simulated map, in sequental change in difference of potential distribution between normal subject and simulated torso model 15: 560
Simulation, of sodium metabolism in man 12: 415
SIN-1A(N-nitroso-morpholino-aminoacetonitrile), cardiohemodynamic effect of 15: 126
Single, coronary artery 9: 509
massive cerebral hemorrhage 9: 186
fixed-location dipole, in sequential change in difference of potential distribution between normal subject and simulated torso model 15: 560
Sinoatrial (SA) block, 19: 544
in bradycardia-tachycardia syndrome 14: 414
in clinicopathological study on sick sinus syndrome 17: 731
in the aged 18: 143
induced by digitalis 18: 322
Sinoatrial conduction, 19: 677
time, digitalis effect on 18: 322
Sinoatrial (SA) node, 11: 392
canine, effect of apomorphine on 16: 143
effect of phentolamine on, in dog heart in situ 15: 610
effect of salmon calcitonin on 18: 214
effect of stretch on 18: 398
in clinicopathological study on sick sinus syndrome 17: 731
in effect of verapamil on blood-perfused, isolated canine atrium 16: 709
in prevention of acetylcholine-induced atrial fibrillation by electric pacing 15: 145
intracellular electrogram 6: 75
intracellular potentials in 3: 357
pacemaker activity of, chronotropic response of, to adenosine and acetylcholine 17: 73
pacemaker activity of, in absence of blocking effect of quinidine on response to norepinephrine in dog heart 17: 506
response types, sinoarterial 19: 677
significance of, on mechanism of occurrence of atrial fibrillation 13: 84
suppression of, for induction of coronary sinus rhythm by selective use of catecholamine in in-situ dog heart 13: 438
Sinus, arrest, familial 20: 441
arrhythmia 10: 365
arrhythmia, ventriculophasic, reappraisal of 12: 401
block with AV pacemaker 10: 117
bradyarrhythmia, in sinus node recovery time and abnormal postpacing phase in 17: 290
bradycardia, familial 20: 441
nerve, stimulation of, effect on aortic compliance 12: 486
tachycardia, in incidence of myocardial abnormalities in man related to level of ethanol consumption 15: 337
Sinus node artery, 19: 263
calcitonin injected into 18: 214
in absence of blocking effect of quinidine on response to norepinephrine in dog atrium 17: 506
in effect of verapamil on blood-perfused, isolated canine atrium 16: 709
in effect of apomorphine on canine SA node 16: 143
in negative chronotropic response to norepinephrine 15: 308
Sinus node, automaticity, in the aged 18: 143
dysfunction 19: 677
dysfunction, in bifascicular block 20: 141
dysfunction in electrophysiologic study on WPW syndrome in aged cases 18: 798
recovery time 19: 677
recovery time, in aged patient with sick sinus syndrome 17: 290
recovery time digitalis effect on 18: 322
Sinus of Valsalva, aneurysm ruptured into the left ventricle 19: 954
fistula of, to right ventricle 1: 239
right coronary, congenital aneurysm of 1: 106
ruptured, hemodynamic-angiocardiographic-

electrocardiographic-vectorcardiographic study of 12: 11
unruptured, acquired, syphilitic 12: 105
Sinus rhythm 11: 58, 11: 379
Situs inversus, abdominal, with levocardia 5: 243
isolated levocardia with 9: 603
totalis, with anomalous inferior vena cava 8: 428
viscerum, partial 12: 96
Size of ischemic injury, in maximal rate of left ventricular pressure fall in early stage of myocardial ischemia following experimental coronary occlusion 16: 583
SK & F 24260, cardiohemodynamic effects of 18: 120
Skeletal, abnormalities in a family of Holt-Oram syndrome 16: 480
anomalies, congenital 4: 205
Sleep stage, in all-night polygraphic study of nocturnal angina pectoris 13: 295
Slow channel, in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
inhibition, by diltiazem 18: 235
Slow, conduction velocity, of AV node, in nature of His potential in His electrogram 13: 521
filling 19: 698
inward current, change of, induced by digitalis in Purkinje fiber 18: 851
scale digital computer 11: 223
Smooth muscle, of aorta, effect of nitrite on 12: 486
Smoothing and storing, of electrocardiographic data 11: 226
Sodium bicarbonate, hypertonic, antiarrhythmic effect of 17: 54
Sodium chloride, hypertonic, antiarrhythmic effect of 17: 54
in diet, treated and untreated with, and vascular lesion in spontaneously hypertensive rat 14: 174
Sodium, dietary 11: 365
dihydroxytartrate osazone, for subcellular localization of calcium ion 12: 90
dodecylsulfate (SDS)-polyacrylamide gel electrophoresis, analysis of structual proteins extracted from myocardial tissues with 18: 705, 18: 711
excretion 11: 365, 11: 533
excretion, renal, and during mannitol, diuresis 9: 3
homeostasis 9: 281
inactivation, in prolonged QRS duration resulting from delayed recovery of ventricular excitability 17: 760
intake, effect of, on renal renin content and blood pressure in spontaneously hypertensive rat 14: 165
intake of, effect of, on hypertensive vascular lesion in rabbit 14: 45
ions 11: 269
load, response of plasma renin to 18: 112
plasma Na^+: disappearance curve in compartmental analysis of sodium dynamics in nonedematous, edematous and uremic patients 12: 415
pool, functional extracellular, rapidly exchangeable, slowly exchangeable, non-exchangeable, in compartmental analysis of sodium dynamics 12: 415
pump, in reduction of hypoxia-induced depression in intracellular potential of ventricular muscle fiber by crataegutt 17: 512
reabsorption, thereshold theory of 9: 281
reabsorption in stellate ganglion stimulation diuresis 9: 564
restriction and loading, response of plasma aldosterone to 14: 518
restriction in rats 11: 365
transport in stellate ganglion stimulation diuresis 9: 564
Software for phonocardiographic interpretation 18: 482
Solid angle, in reevaluation of solid angle approach in electrocardiography 1: 325
Somato-autonomic reaction, in bradykinin-induced excitation of afferent cardiac sympathetic nerve fiber 15: 84
Spacial velocity electrocardiogram 9: 64
Spasm, in Prinzmetal's angina pectoris with normal coronary arteriogram 17: 43
Spatial, magnitude electrocardiogram 10: 516
ST, T changes 11: 400
vector, maximum, right, in vectorcardiographic assessment of pulmonary artery pressure in chronic rheumatic mitral valve disease 17: 727
velocity electrocardiogram, QRS waves of, in atrial septal defect 13: 407
Specific resistance, in measurement of intramyocardial phasic blood flow using impedance plethysmography 15: 407
Sphygmogram, of functional diastolic murmur

6: 314
Sphygmomanometer, semi-automated, comparison of, with clinical sphygmomanometer 16: 118
Spinal cord, electrical stimulation, and renal circulation 5: 69
Spironolactone, and blood pressure 4: 567
effects on renal sodium and potassium excretion 9: 3
Splenic, arterial aneurysms 10: 561
circulation, effect of arteriovenous fistula on 12: 392
contraction 9: 487
nerve, in effect of clonidine on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
nerve in sympathetic nervous activity in renal and DOC hypertensive rat 16: 36
Split second heart sound, respiratory movement of 11: 337
Splitting of H, in experimental evaluation of some controversial point regarding AV conduction disturbance in clinical His bundle electrogram 16: 564
of the second heart sound, in right bundle branch block 11: 336
Spontaneous, angina pectoris, propranolol and practolol in treatment of 14: 97
breathing, in study on carotid body and carotid sinus 14: 539
closure of ventricular septal defect, of persistent common AV canal type 14: 88
electrical activity induced by deporalizing current, in canine ventricular myocardium 17: 246
Spontaneous hypertensive rat (SHR) 8: 168, 19: 552
and endocrine organ 5: 57
animal model for hypertension research 14: 182
ATPase activity of myofibril and Ca^{2+}binding ability of sarcoplasmic reticulum isolated from heart of 15: 475
cardiac hypertrophy in 16: 174
cardiac output and total peripheral resistance in 14: 267
cardiovascular reactivity of 12: 68, 13: 428
comparison of hemodynamic changes in, with those in normotensive Wistar rat caused by exogenous catecholamine 18: 513
effect of alpha and beta blockers on hemodyanmics of 15: 166
effect of clonidine on sympathetic discharge rat of 15: 401
effect of increasing age on hemodynamics of 16: 257
hemodynamics of, in conscious state 16: 719
proceeding of 15: 173, 16: 293, 17: 338, 18: 509, 19: 552, 20: 681, Suppl I
Rb^{86} uptake of various organs of 16: 156
sympathetic discharge rate in 14: 350
Spontaneous rupture of chordae tendineae, two aged cases of mitral insufficiency due to 13: 457
SQ 14: 225, 20: 367
Square-like echo, from anomalous septum in cor triatriatum 18: 266
S-RNA, metabolism in cardiac failure 9: 395
ST, change, post-extrasystolic, in exercise vectorcardiogram 12: 185
depression 11: 91, 11: 328
vector 11: 401, 11: 403
ST elevation, 11: 329
in cyclic fluctuation of coronary blood pressure and flow induced by coronary constriction 16: 454
in thiamine deficient rat, in relation to myocardial and blood pyruvic acid contents 12: 474
modification of, by coronary collateral circulation 20: 485
ST exercise vector, in Frank's lead exercise VCG 17: 139
ST segment, displacement 11: 291
electrical alternans 19: 396
elevation 19: 493
in angina pectoris induced by intravenous administration of 50% glucose 15: 218
surface map 19: 687
ST-T change, 11: 325
ischemic, in all-night polygraphic study of nocturnal angina pectoris 13: 295
spatial 11: 400
Stanley B-200, semi-automated sphygmomanometer, comparison of, with clinical sphygmomanometer 16: 118
Starling's law 11: 168
Starr-Edwards ball valve (prosthesis) 8: 29, 10: 372, 19: 324
mitral valve replacement with 12: 507
Starvation, effect on ECG 3: 343
Statistical model, in non-linear regression model as applied to comparison of axis-angle of electrocardiographic system 16: 243

Static high magnetic field, applied externally to body for measuring cardiac output 18: 225
Steal, coronary, in a case of congenital coronary artery fistula involving bilateral coronary artery branches 15: 524
Stellate ganglion, 10: 79
in effect of adrenergic activation on collateral coronary blood flow 15: 289
Stellate ganglion stimulation, diuresis 9: 564
effect on ECG and VCG
in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
left, 5: 363
non-uniform myocardial blood flow caused by 16: 162
right, 5: 360
sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following 16: 265
Stellectomy, in hemodynamic characteristics of centrally mediated pressor activity of angiotensin 14: 226
influence of, on ventricular compliance 17: 222
Stenosis, coronary ostial, in a case of syphilitic aortic insufficiency treated by simultaneous prosthetic valve replacement, aortoplasty and reversed aorto-right coronary bypass procedure 14: 554
coronary ostium, in syphilitic aortic regurgitation in the aged 14: 22
critical 19: 271
mitral and aortic, effect of digitals 6: 189
mitral, patho-anatomy 6: 206
pulmonary artery 9: 420
renal arterial branch, and hypertension 14: 11
Stenotic index 11: 462
Stepwise centrifugation, in renin content in subcellular fractions of kidney extract of renovascular hypertensive rat 15: 498
in renin content in subcellular fraction of normal rat kidney extract 14: 440
Stepwise inflation , of a balloon 10: 59
Stereostethoscope 11: 517
Steroid, and cardiac metabolism 4: 136
DCA and blood pressure 4: 565
myopathy and cardiomyopathy, in long-term effect of corticosteroid on cardiac function 15: 443
17 KS, in orthostatic hypotension 6: 524
17 OHCS, in orthostatic hypotension 6: 523
Steroid hormones, 10: 277
effect of, on rheumatic carditis 17: 545
effect on AV dissociation 5: 180
in aortitis syndrome 9: 76
in follow-up observation of aortitis syndrome 13: 201
Steroid therapy, and circulating anticoagulant in cardiomyopathy 12: 40
in aortitis syndrome 12: 5
Stethoscope 11: 515
Stimulation cardiac sympathetic, and vagal, effect on ventricular arrhythmias after coronary occlusion 12: 368
effect on left ventricular volume 12: 383
Stimulation of carotid, chemoreceptor, in study on circulatory effect of carotid chemoreflex 14: 539
sinus nerve, in central modulation of baroreceptor reflex by angiotensin 14: 135
Stimulation of central nervous system, cardiac nervous 4: 356
medullary, and renal circulation 4: 364
medullary, in dog 4: 346
midbrain and pressor responses 4: 118
Stimulation electrical, of diencephalon, and renal circulation 1: 288
Stimulation of sinus nerve, effect on aortic compliance 12: 486
of stellate ganglion, in isoproterenol-induced non-uniform myocardial blood flow in dog 14: 32
Stimuli, stressful environmental, influence of, on change of catecholamine and blood pressure of spontaneously hypertensive rat 14: 170
Stocks Adams, attack 10: 369
syndrome, in ventriculoatrial conduction in complete AV block 15: 1
Strain gauge, 11: 17
for clinical measurement of myocardial shortening velocity 14: 193
Strength-duration curve 11: 391, 11: 395
Streptococcal antibody, in rheumatic heart disease 6: 4, 7: 244
Streptococcal infection, 9: 110
antihyaluronidase level in children with 17: 580
group A, as related to rheumatic fever 17: 592
in the development of aortitis syndrome 12: 1
long-term prevention of, among children with rheumatic heart disease in Taiwan 17: 550
Streptococcal type-specific antibody, in aortitis syndrome 12: 1

Streptococcus, glomerulonephritis 9: 110
viridans 9: 210
Streptokinase-streptodornase, erythrocytes sensitized with 9: 110
Stressful environmental stimuli, influence of, on change of catecholamine and blood pressure of spontaneously hypertensive rat 14: 170
Stretch-induced sinus acceleration, of isolated dog atrium 18: 398
Stroke, 19: 151
genetical analysis of, in spontaneously hypertensive rat 16: 326
observer variations in diagnosis of 18: 171
Stroke volume, 7: 556
after digitalization 6: 194
determination of, ejection times from 9: 339
from left ventricular isovolumetric contraction 9: 339
in hyperthyroidism 6: 397
Stroke volume index, 19: 212
influence of β-adrenergic blocking drug Kö 1366 on, in man 15: 455
Stroke work, 11: 160
after digitalization 6: 198
in experimental pulmonary embolism 12: 221
in hyperthyroidism 6: 400
Structual proteins, in myocardial infarction 18: 711
of the normal canine and human hearts 18: 705
Succinic dehydrogenase activity, of thoracic aorta 6: 135
Sucrose-gap method 11: 172
Suction electrode, for study of the mode of AV conduction 12: 281
in prolonged QRS duration resulting from delayed recovery of ventricular excitability 17: 760
Sudden cardiac death 19: 332
Sudden death, among patients with premature ventricular contractions 20: 385
in primary pulmonary hypertension 20: 765
in tetralogy of Fallot 20: 53
Sugar, dietary intake of 11: 459
Superior mesenteric flow 9: 487
Superior vena cava, left, in surgical correction of, draining to left atrium associated with superior vena cava syndrome 12: 198
persistent 9: 200
Superior vena caval syndrome 4: 378
Supernormal, conduction, due to generalized diastolic depolarization, in tachycardia- and bradycardia-dependent left bundle branch block associated with first degree AV block 17: 717
excitation, phase of, in relation to strength of subthreshold stimuli 17: 315
Superprecipitation, effect of ouabain on 3: 48
Supine exercise, in relationship of left ventricular STIs with hemodynamic variable in intact and failing heart 16: 433
Supraventricular, arrhythmia due to left atrial infarction 18: 272
arrhythmias, in primary pulmonary hypertension 20: 765
tachycardia, symptomatic, aneurysmectomy for 16: 98
Surface, electrocardiogram, unipolar, in collateral blood flow through ischemic myocardium in dog 13: 241
electrode, in magnetorheography 16: 694
electrogram 11: 63, 11: 293, 11: 296, 11: 478, 11: 481, 11: 484
potential distribution, in left bundle branch block 20: 7
Survival rate, of aortitis syndrome 13: 201
Survival time, of implanted artificial heart in a calf 15: 485
after hemorrhage, effect of infarcted kidney on 12: 84
Surgery, aortic aneurysm 2: 119
cardiac 2: 277
cardiovascular, development of 3: 297
coronary artery disease 2: 473
superior vana cava-pulmonary artery anastomosis 2: 187
Surgical treatment, of cardiac lesions, of infants 5: 297
of hypertension due to segmental renal ischemia 4: 110
result of, of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
Sustained hypertension 11: 423
Subacute bacterial endocarditis 9: 208, 9: 219
Subaortic stenosis, idiopathic hypertrophic 9: 228
muscular 5: 574
Subarachnoid hemorrhage 7: 32
Subcellular fraction, of normal rat kidney extract, renin content in 14: 440
renin content in, of kidney extract of renovascular hypertensive rat 15: 498
Subclavian, artery, left, anomalous, in aortic

regurgitation with ventricular septal defect 1: 113
arterial blood flow, non-invasive measurement of, by Doppler ultrasonic flowmeter 15: 37
baroreceptor 7: 543
nerve, stimulation, effect on renal circulation
Subendocardial, infarction 10: 215 [3: 261
plexus 10: 203
Subjective symptoms, in study of dl-alpha-tocopheryl nicotinate for treatment of symptoms in hypertension and cerebral arteriosclerosis 18: 277
Subarachnoid hemorrhage, and abnormal ECG 5: 583
Subclinical rheumatic activity, activated by metopiron 5: 532
Subsidiary pacemaker rhythm, in origin of AV nodal rhythm 14: 273
Subthalamus, stimulation, effect on renal circulation 3: 57
Subthreshold stimuli, phase of supernormal excitation in relation to strength of 17: 315
Subvalvular, aortic stenosis, surgical treatment of 9: 97
supporting tissue of mitral valve, insignificance of echocardiographic evaluation on surgery of mitral stenosis 18: 751
Swan-Ganz catheter, in hemodynamic evaluation of ischemic heart disease 14: 494
Sydnonimine compound, effect of, on carotid collateral resistance 12: 539
Symmetric hypertrophy, in echocardiographic classification of hypertensive heart disease 16: 377
Symmetrical heart, in isolated levocardia 9: 603
Sympathectomy, and blood pressure 4: 455
cervical, and pulmonary hypertension 6: 432
cervical, effect of, in spontaneously hypertensive rats 18: 544
Sympathetic activity, in cardiac output and total peripheral resistance in spontaneously hypertensive rat 14: 267
Sympathetic blocking agents, effect on vasomotor responses 3: 64
guanethidine 3: 65
hydergine 3: 64
Sympathetic discharge rate, in spontaneously hypertensive rat 14: 350
of spontaneously hypertensive rat, effect of clonidine on 15: 401
Sympathetic, hypertension, in hemodynamics of spontaneously hypertensive rat in conscious state 16: 719
innervation, influence of, on carotid sinus activity 1: 169
Sympathetic nerve, activity 10: 173, 10: 318
activity, dopamine betahydroxylase activity as an indicator of 20: 322
activity, renal, following vertebral artery embolism, and renin release 15: 271
cardiac, afferent, bradykinin-induced excitation 15: 84
cardiac, afferent, effect of propranolol on excitation of, during myocardial ischemia 15: 280
cardiac, afferent, nitroglycerin-induced suppression of excitation of, during myocardial ischemia 15: 154
fiber, afferent cardiac, excitation of, induced by vagal stimulation 16: 548
Sympathetic nervous activity, in renal and DOC hypertensive rat 16: 36
its augmentation after acute myocardial infarction 18: 348
Sympathetic nervous system, and cardiovascular reactivity in hypertensive rat 12: 68
in effect of increasing age on hemodynamics of spontaneously hypertensive rat 16: 257
inhibitory mechanism of, to protect against hypertensive state 9: 11
reactivity of, in hypertensive rat 13: 248
Sympatheic stimulation, 19: 281
cardiac, effect of ganglionic blockade on response of coronary blood flow to 12: 169
cardiac, effect on left ventricular volume 12: 383
effect of arteriovenous fistula on 12: 368
influence of, on ventricular compliance 17: 222
prolongation of ventricular action potential due to 18: 259
sustained decrease in coronary blood flow and excitation of cardiac sensory fiber following
Sympathetic tone, 19: 712 [16: 265
in effect of alpha and beta blockers on hemodynamics of spontaneously hypertensive rat 15: 166
in effect of clonidine on sympathetic discharge rate of spontaneously hypertensive rat 15: 401
of spontaneously hypertensive rat 14: 350
Sympatho-adrenal discharge 11: 147
Sympatho-inhibitory effect, of the buffer nerves
Sympatholytic agents 19: 281 [10: 174
Symposium, on nutrition and cardiovascular

disease 3: 107
Syncopal attack, and QT prolongation 16: 610
in primary pulmonary hyptertension 20: 765
Syncope, 10: 369
in bradycardia-tachycardia syndrome 14: 414
Syndrome, Bland-White-Garland, coronary artery perfusion scanning with ^{131}I-MAA injected directly into coronary artery of 15: 28
bradycardia-tachycardia, treatment of, with cardiac drug and adrenal corticosteroid 14: 414
Cushing's, in long-term effect of corticosteroid on cardiac function 15: 443
Ehlers-Danlos, and prolapsing mitral leaflet syndrome 14: 291
Holt-Oram, a family of 16: 480
of sick sinus, and bradycardia-tachycardia syndrome 14: 414
prolapsing mitral leaflet, clinical manifestation of 14: 291
revascularization, in an analysis of 115 surgical procedures of arterial embolism 15: 554
Romano-Ward, a case report of 16: 610
Romano-Ward, two cases of 16: 479
Stokes-Adams, in ventriculoatrial conduction in complete AV block 15: 1
WPW, experimental production of ventricular complex simulating A, B, and C types of 15: 503
WPW, in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
WPW, pocket electrocardiograph carried by patient for observation of 14: 326
Synovial tissue, endoangitis, periangitis and thromboangitis 3: 400
pathology of, in rheumatic heart disease 3: 398
Syphilis, and its cardiovascular complications in the elderly 17: 452
prevalence of, in the elderly 17: 452
Syphilitic, aneurysm of the aortic sinus, with aortic regurgitation 12: 105
aortic insufficiency, treated by simultaneous prosthetic valve replacement, aortoplasty and reversed aorto-right coronary bypass procedure 14: 554
aortic regurgitation, in the aged 14: 22
cardiac change 2: 233
mesoaortitis, in clinicopathological study on syphilitic aortic regurgitation in the aged 14: 22
roentgenology of pulmonary complication 2: 298 ⌈231
System operation, and computation time 11:
Systemic, arterial resistance, in hyperthyroidism 6: 400
arterial thrombosis, due to atrial infarction 18: 272
circulation, effect of arteriovenous fistulation 12: 392
coronary anastomosis, extracorporeal circulation 6: 558
hypertension, and polycythemia in tetralogy of Fallot 14: 231 ⌈487
pressure, and local peripheral resistance 9:
Systemic lupus erythematodes (SLE), primary pulmonary hypertension and 16: 354
Systemic-pulmonary arteriovenous, fistula, traumatic, a case report of 16: 196
shunt, a case with extraordinary arteriovenous shunt occupying left pleural cavity and with 15: 435
Systemic vascular resistance, in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
Systole, mechanical 9: 332
Systolic, anterior motion (SAM), in echo source of systolic hump in hypertrophic obstructive cardiomyopathy 18: 743, 19: 175
anterior movement of mitral valve, in echocardiographic study on hypertrophic cardiomyopathy 17: 275
Systolic bulge, in collateral blood flow through ischemic myocardium in dog 13: 241
in cyclic fluctuation of coronary blood pressure and flow induced by coronary constriction 16: 454
in effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during myocardial ischemia 15: 280
in excitation of afferent cardiac sympathetic nerve fiber induced by vagal stimulation 16:
of the ventricle 9: 295 ⌊548
Systolic click, in clinical manifestation of papillary muscle dysfunction in Ehlers-Danlos syndrome 16: 325
Systolic, ejection rate, mean 11: 528
ejection type 10: 476
expansion, of regional ventricular wall 11: 26
gradient 10: 476
hump, echo source of, in hypertrophic obstructive cardiomyopathy 18: 743
Systolic murmur, and click, in prolapsing mitral

leaflet syndrome 14: 291
clinical manifestation of papillary muscle dysfunction in Ehlers-Danlos syndrome 16: 235
differentiation of, in the elderly, by amyl nitrite test using double microphones 15: 16
in puerperal cardiomyopathy 14: 104
in the pulmonary area 11: 113
retraction 11: 215
Systolic, pressure, effect of a new coronary dilator (Bay-a 1040) on 13: 128
Systolic tension, after digitalization 6: 197
Systolic time intervals (STIs), 19: 226, 19: 485
effects of sustained isometric handgrip on 18: 434
in echocardiogram in pulsus paradoxus 18: 883
in hemodynamics in hyperthyroidism 17: 12
in long-term effect of corticosteroid on cardiac function 15: 443
in patients with Lillihei-Kaster aortic valve prosthesis 20: 217
in progressive muscular dystrophy 18: 638, 20: 23
left ventricular, relationship of, with hemodynamic variable in intact and failing heart 16: 433

T

T, augmentation 11: 330
deeply inverted, in echocardiographic classification of hypertensive heart disease 16: 377
T loop, 11: 405
change of, in Frank's lead exercise vectorcardiogram 17: 139
in hypertension 5: 547
T wave, maximal T vector, post-extrasystolic change of, in exercise vectorcardiogram 12: 185
T, negative, shallowed 11: 330
T vector, half maximal 11: 400, 11: 408
maximal 11: 401, 11: 407
T wave, abnormality 11: 573
atrial, normal 11: 91
by exercise 8: 83
by high and low potassium, and the ST segment changes 8: 81
change of, induced by insulin 1: 56
in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
in hyperthyroidism 18: 17
in stellate simulation 18: 259
inversion 11: 573
labile 11: 573
negative 19: 712
Ta wave, dome-shaped 11: 93
marked, in a case of cardiomyopathy and hereditary cerebellar ataxia 13: 369
Tachyarrhythmia, atrial, in bradycardia-tachycardia syndrome 14: 414
ventricular, in right atrial myxoma complicated with acute myocardial infarction 12: 316
Tachycardia, atrial, in rabbit, induced by aconitine, effect of hydrazine on 14: 249
AV nodal 6: 146
dependent left bundle branch block, associated with first degree AV block 17: 717
in prolonged QRS duration resulting from delayed recovery of ventricular excitability 17: 760
nodal 4: 358
supraventricular, in a case of idiopathic cardiomegaly 1: 248
supraventricular, treated with verapamil 20: 789
ventricular, in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
Tachysystole, and cardiac fibrillation 6: 389
Takayasu's arteriopathy 19: 358
Takayasu's arteritis, 9: 573
blood flow velocity in a patient with 13: 99
in elevated plasma renin activity in aortitis syndrome 17: 1
in follow-up observation of aortitis syndrome 13: 201
Takayasu's disease, 8: 4, 8: 107, 9: 77, 10: 277
blood zinc level in patient with 16: 664
Taking a bath, its effect on computer averaged phonocardiogram 18: 340
T-AMCHA, 11: 259
effect of, on experimental pulmonary infarction 14: 335
Tamponade, pericardial, in relation of pericardial pressure to chronotropic response of isolated frog heart 15: 299

Tangential method, in rapid estimation of area under thermodilution curve 14: 306
Tannic acid 9: 110
Tanushimaru, a farming village, in population survey on cerebrovascular and cardiovascular diseases 13: 118
Target organ, of the sympathetic nerve 10: 168
TCA cycle, in hypertrophied muscle 6: 450
Technique, fluorescent antibody technique, in aortitis syndrome 12: 1
thermodilution technique, in left ventricular function in experimental pulmonary embolism 12: 221
Telemetry 4: 81
Telemetering, 11: 183
of exercise ECG 5: 312
Television camera 9: 404
Temperature, effect of, on norepinephrine-induced sinus acceleration and overdrive suppression in isolated dog atrium 17: 656
field, of heated cross-thermocouples, for assessment of regional myocardial blood flow 12: 562
gradient, transmural, and heated cross-thermocouples for assessment of regional myocardial blood flow 12: 562
in rearing of stroke-prone spontaneously hypertensive rats in a different temperature 18: 523
Ten year experience, in population survey on cerebrovascular and cardiovascular diseases 13: 118
Tension curve, isotonic 11: 269
Tension time index, 5: 331 6: 102
in myocardial shortening velocity as index for assessment of myocardial contractility 14: 193
Terminal cisternae, of cardiac muscle, and calcium ion 12: 90
Terminal delay, of atrial septal defect, in electrocardiogram 13: 407
Terminal maximum 19: 12
Test, amyl nitrite, using double microphones for differentiation of systolic murmurs in the elderly 15: 16
chemical and pharmacological, in pheochromocytoma 12: 214
complement fixation test, in aortitis syndrome 12: 1
complement fixation test, in familial cardiomyopathy 12: 45
exercise, application of medical engineering for, and management on ischemic heart disease 15: 47
hemagglutination test, in aortitis syndrome 12: 1
hemagglutination test, in familial cardiomyopathy 12: 46
Testosterone 4: 567
Tetralogy of Fallot, 10: 28, 11: 113, 19: 84
anatomic correlate of ventricular dysfunction in 20: 53
in a case of omphalocele 16: 211
microscopic and electron-microscopic study of, in usual and advanced stages 12: 205
operative prognosis of 8: 181
systemic hypertension and polycytemia in 14: 213
with left ventricular hypertrophy 13: 563
Tetrodotoxin, 9: 161, 11: 269
effect of, on action potential of bullfrog's ventricular muscle in sodium free hydrazine solution 13: 258
effect of, on coronary sinus rhythm induced by selective use of catecholamine in in-situ dog heart 13: 438
in effect of phentolamine on SA node of dog heart in situ 15: 610
in significance of sinoatrial node on mechanism of occurrence of atrial fibrillation 13: 84
in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
modification of SA node response to stretching with 18: 398
Thromboplastin generation test, in coagulofibrinolytic study of experimental pulmonary infarction 12: 251
Thalamus, electric stimulation of, circulatory and respiratory changes induced by 1: 1
stimulation, arrhythmia by 3: 455
effect on renal circulation 3: 57
Thalidomide 19: 823
Thebesian vein thrombosis, in mural thrombosis extending into myocardium through Thebesian vein 18: 191
Theophyline ethylenediamine 11: 470
Therapeutic schedule, in effect of steroid hormone on rheumatic carditis 17: 545
Therapy, in a case of Romano-Ward syndrome 14: 479, 16: 610
Thermal dilution, for measurement of left ventricular volume 13: 232
Thermocouples, cross, heated, for assessment of regional myocardial blood flow 12: 562
Thermodilution, 19: 252

curve, rapid estimation of area under 14: 306
for measurement of left ventricular volume 12: 383
left ventricular function in experimental pulmonary embolism 12: 221
Thermodilution method, 11: 160
in effect of nitroglycerin on coronary hemodynamics in man 14: 314
in left and right ventricular volumes in AV block and their changes induced by isoproterenol 16: 65
in rapid estimation of area under thermodilution curve 14: 306
Thermodilution technique, for measurement of left and right ventricular volume 13: 445
Thermoelectromotive force, generated in cross-thermocouples, for assessment of regional myocardial blood flow 12: 562
Therrien's method 11: 38
Thiamine deficiency, effect of alcohol on thamine deficient cardiac lesion 12: 354
relationship between thiamine deficient cardiac lesion and myocardial and blood pyruvic acid contents 12: 474
Thiamine, in treatment of beriberi heart disease 5: 150
Thiazide 10: 297
Thiobarbituric acid method, determination of fatty acid peroxides 6: 131
Thioridazine, electrophysiologic effect of, on human atrial fiber 14: 398
Third heart sound, genesis of 17: 150
in relation to left ventricular filling and wall movement 18: 611
Three vessel disease, in severity of coronary sclerosis in the aged 17: 471
Threshold, of tachycardia, effect of hydrazine on, in rabbit 14: 249
Threshold theory, of Na reabsorption 9: 281, 10: 428
Thrombin-fibrinogen reaction, and cerebroside sulfate 2: 358, 2: 361, 2: 362
Thrombi, minced, in experimental pulmonary infarction 13: 176
Thromboangiitis obliterans, blood zinc level in patient with 16: 664
treatment with pyridinolcarbamate 6: 407
Thromboembolic phenomenon, in serum electrolyte changes during extracorporeal circulation 13: 195
Thromoembolism, 19: 324
Eisenmenger syndrome complicated with 17: 114
in mitral valve replacement in children and adolescents with rheumatic heart disease 17: 570
in pathological study of animal replaced with artificial heart 17: 233, 17: 326
puerperal, in peripartal cardiomyopathy in Japan 13: 488
Thrombogenesis, in new concept on atherogenesis and treatment of atherosclerotic diseases 13: 537
in stroke-prone spontaneously hypertensive rats 18: 598
Thromboplastin, anti-, action of cerebroside sulfate 2: 355
generation test 2: 358, 2: 361
time, partial 11: 259, 11: 451
Thrombosed Björk-Shiley mitral valve proshtesis, successful replacement of 17: 791
Thrombosis 9: 453
Thrombosis cerebral, 2: 349, 7: 30
in population survey on cerebrovascular and cardiovascular diseases 13: 118
Thrombosis, secondary, in experimental pulmonary infarction 14: 335
Thromboxane A_2 19: 748
Thrombus, formation time 9: 453, 10: 289
in complete intraventricular cardiac bypass (artificial heart) 12: 161
left atrial, echocardiography and angiocardiography of detection of 17: 163
Thymus, and acute cardiac death 3: 452
immunobiological function 8: 58
Thyroid, disease and catecholamines 4: 577
in hypertension 4: 426
medullary carcinoma of, associated with familial bilateral pheochromocytoma 12: 405
murmur, origin and clinical significance 9: 247
powder and blood pressure 4: 567, 4: 570
radiothyroidectomy and blood pressure 4: 571
thyroidectomy and blood pressure 4: 450
Thyroidectomy, for hyperthyroidism 18: 17
Thyrotoxicosis, 19: 754
cardiac output in 2: 308
heart failure 2: 279
Thyroxine, effect on (Na–, K–)-ATPase 19: 754
Time to peak tension 11: 273
Tissue, activation 11: 259, 11: 273
activator, free and bond types of, in coagulofibrinolytic study of experimental pulmonary infarction 12: 251

oxygen tension, of ischemic myocardium, effect of allopurinol on 17: 88
plasminogen activator, in blood fibrinolytic activity and fibrinoid necrosis of small artery in rat treated with renal cortical extract 17: 649
Tocopherol, antioxidants 6: 132
Toe plethysmography 11: 433
Total anomalous pulmonary vein 10: 82
Total artificial heart, implanted, a case report of 17 days survival with, in a calf 15: 485
Total peripheral resistance, and cardiac output in spontaneously hypertensive rat 14: 267
effect of a new coronary dilator (Bay-a 1040) on 13: 128
in experimental chronic mitral regurgitation in dogs 18: 823
in effect of increasing age on hemodynamics of spontaneously hypertensive rat 16: 257
in Fallot's tetralogy 9: 531
in hemodynamics of experimentally hypertensive rat 17: 80
Total plasmin activity, in experimental pulmonary infarction 13: 176
in experimental pulmonary infarction 14: 335
Total vascular, capacity change of, in carotid sinus reflex 17: 196
resistance change of, in carotid sinus reflex 17: 196
Toxicity, of ouabain, relationship between heart rate and, in dog heart-lung preparation 14: 357
Tracheal divider 10: 59
Transfer, impedance 11: 81
study, of uremic plasma 6: 417
vector 11: 183, 11: 489
Transient, depolarization, induced by digitalis in Purkinje fiber 18: 851
ischemic attack, cerebral, brain circulation in 16: 654
Transistor control, in biplane cinefluorography 9: 404
Transit time, brain circulation 5: 130
Transition, time sequential transition probability in prognosis of hypertension in population 12: 528
Transmembrane action potential, and contraction of human heart in relation to potassium and ouabain 12: 290
nodal, effect of isoproterenol and propranolol on 14: 53
of human heart, in relation to ouabain 13: 59
Transmural temperature gradient, and heated cross-thermocouples, for assessment of regional myocardial blood flow 12: 562
Transplant rejection, of kidney, and renin content 13: 214
Transplantation, of heart, in dog, immunosuppressive effects 8: 58
renal, of infarcted kidney as carrier of a hypertensive factor in rat 13: 214
Transport, of amino acid, increased in experimentally hypertrophied rat heart 12: 177
Transposition, 19: 346
of great arteries, differential conal growth hypothesis of 18: 690
of great vessels, in direct pulmonary artery pulse in 14: 563
of great vessels with cushion defect and pulmonary stenosis 5: 287
Transseptal, catheterization, of left heart 5: 301
left atriography, for detection of left atrial thrombus 17: 163
left heart catheterization 8: 709
left heart catheterization, effect of digitalis 6: 189
Transthoracic electrical impedance 11: 149
Transvenous pacemaking 11: 417
Trapymin, cardiohemodynamic effect of 15: 126
Trauma, and pulmonary artery aneurysm 2: 408
Traumatic systemic-pulmonary arteriovenous fistula, a case report of 16: 196
Treadmill exercise ECG test, and pyridinolcarbamate 13: 53
Treatment, of angina pectoris 9: 359
of atherosclerosis, and new concept on atherogenesis 13: 537
of bradycardia-tachycardia syndrome, with cardiac drug and adrenal corticosteroid 14: 414
surgical, result of, ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
Tricuspid incompetence, in diffuse endomyocardial fibrosis of right ventricle with persistent pericardial effusion 17: 774
in two cases of atrial septal defect in the aged 14: 373
Tricuspid insufficiency (regurgitation) 10: 194
Tricuspid regurgitation, diagnosis of 18: 31
method for quantitative detection of 16: 11
insufficiency, heart sounds of 2: 421
insufficiency of, functional, and annuloplasty or valve replacement in mitral valve diseases

12: 507
see-saw movement in regurgitation 3: 86
Tricuspid valve, and endocardial change 2: 226
atresia, superior vena cava-pulmonary artery anastomosis 2: 191
ultrasound cardiogram of, in healthy subject 13: 394
Trifascicular block, an aged case of, with histological study of conduction system 15: 314
in a case of complete heart block 18: 287
in anterolateral infarction with left posterior hemiblock 17: 123
in histological study on conduction system 15: 113
Triglyceride, 19: 103
fatty acids composition of 9: 34
hydrolase, in aorta and skin 18: 606
in cerebrovascular diseases 5: 101
Trihydroxyindole method, 11: 426
determination of catecholamine 6: 337
Triiodothyronine, chronotropic and inotropic effects of 20: 219
Trimetazidine, cardiohemodynamic effect of 18: 120
Triple product, in patients with ischemic heart disease during treatment with perhexiline maleate and propranolol 18: 434
Tritiated, catecholamine, effect of some drugs on uptake and metabolism of 5: 224
digitoxin and proscillaridin A, study on timed intravellular localization and distribution of, in myocardial ceil by electron microscopic autoradiography 15: 374
True right ventricular dilution curve, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
Trueta, juxtamedullary shunt, in renin release and renal sympathetic nerve activity following vertebral artery embolism 15: 271
Truncus arteriosus communis 19: 346
Trypsin inhibitor 11: 450
Thyroid stimulating hormone, as a hypertensive factor of pituitary 5: 64
Tension time index/cerebral blood flow 11: 470
T-U junction vector 5: 350
Tuberculous pericarditis, in rheumatic valvulitis and constrictive pericarditis 16: 749
Tuberculosis, pulmonary, in a case with extraordinary arteriovenous shunt occupying left pleural cavity and with systemic-pulmonary arteriovenous shunt 15: 435
Tumor, cardiac, in a case of rhabdomyoma in infancy 17: 669
embolism, of coronary artery, resulting in myocardial infarction and cardiac rupture 17: 269
metastasis to heart, pericardium and aorta 7: 227
mural, cardiac, echocardiographic recognition of 17: 106
Turnover, slowered, of norepinephrine, in brain associated with acute elevation of blood pressure in rat 16: 575
Two-dimensional echocardiography, real-time, clinical application of 17: 437
Two-kidney hypertension, effect of propranolol in 18: 392
increase of hematocrit and its reversal in 18: 386
Two stage operation, in surgical treatment of ventricular septal defect associated with pulmonary hypertension under age of two 14: 385
Two step test 11: 325
Type of arterial lesions, in relation to its localization 10: 281
Tyramine, blood pressure response to, before and after angiotensin infusion 9: 17
test, in paroxysmal type of pheochromocytoma 12: 405

U

U vector loop, in myocardial infarction 5: 353
in right ventricular hypertrophy 5: 348
in right bundle branch block 5: 348
of ventricular premature beat 7: 597
U wave, etiology 5: 284
recurrent ventricular fibrillation 8: 652
U/L (Upper/lower) ratio, of pulmonary arterial blood flow 9: 20
Uhl's anomaly, 11: 582
in atrialized parchment-like right ventricle with extensive fibrosis of left ventricle 17: 428
Ultramicroelectrode, arrangement of 6: 74
Ultrasonic analogue conversion system, in continuous assessment of left ventricular volume

18: 43
in instantaneous assessment of left ventricular dimensions 18: 70
Ultrasonic, diagnosis of ventricular aneurysm 16: 394
Doppler method, in study of valve movement in mitral valvular disease 1: 261
nebulizer 9: 552
technique, intracardiac scanning 8: 569
tomography for the heart and great vessels 8: 331
Ultrasono-cardiogram, in prolapsed mitral valve 18: 652
-cardiography, real time observation of echo source of systolic hump in hypertrophic obstructive cardiomyopathy with 18: 743
-cardiotomogram, in prolapsed mitral valve 18: 652
-cardiotomography, in echocardiogram of pulmonary valve 15: 360
-cardiotomography, in unusual pattern of mitral echocardiogram observed in cases of congestive cardiomyopathy and other myocardial disease 16: 500
Ultrasonography (see, echocardiography), cardiac, in ultrasonic diagnosis of ventricular aneurysm 16: 394
Ultrasound, in anomalous origin of the coronary artery 19: 46
cardiogram, in unusual diastolic heart beat in pericardial effusion 13: 379
cardiogram, of tricuspid valve in healthy subject 13: 394
cardiography, in diagnosis of prolapsing right atrial myxoma 17: 798
cardiography, of pulmonary valve 15: 360
in congenital pulmonary regurgitation 19: 58
Unidirectional block, in ventriculoatrial conduction in complete AV block 15: 1
Unilateral pulmonary artery occlusion 11: 154
Unipolar lead, in variations of timing of deflection in His bundle electrogram 15: 239
Unmyelinated fiber, in effect of propranolol on excitation of afferent cardiac sympathetic nerve fiber during myocardial ischemia 15: 280
in nitroglycerin-induced suppression of afferent cardiac sympathetic nerve during myocardial ischemia 15: 154
Upstroke velocity, of action potential, of human atrial fiber, electrophysiologic effect of phenothiazine on 14: 398
Uptake, block of sympathomimetic amine, at nerve terminals of hypertensive rat 13: 428
C^{14}-cholesterol, by the aortic wall 9: 180
effect of "short-term' hypertension on 9: 180
Urea excretion 10: 452
Uremia, compartmental analysis of sodium dynamics in uremic patients 12: 415
in change of cardiac performance in renal failure 16: 489
heart sounds in 5: 201
ZT duration and plasma electrolyte in 13: 177
Uremic, cardiotoxic substance, in change of cardiac performance in renal failure 16: 489
human plasma, and renin activity 6: 416
Ureteral pressure elevation, effects of indomethacin on renal hemodynamic alterations caused by 20: 523
Urethane coated electrode, in measurement of intramyocardial phasic blood flow using impedance plethysmography 15: 407
Urinary, excretion of electrolytes 11: 369
in hypertension 11: 365
K/Na ratio 9: 3
of sodium, in hypertension 11: 365
osmolality 10: 447
volume, and excretion of sodium and potassium 10: 298
Urine concentrating ability, in renal hemodynamics and medullary osmolal gradient in ischemic acute renal failure in rabbit 16: 44
Urokinase, effect of, on experimental pulmonary infarction 14: 335
in successful replacement of thrombosed Björk-Shiley mitral valve prosthesis 17: 791
Ushibuka, a fishing village, in population survey on cerebrovascular and cardiovascular disease 13: 118

V

Vmax, in hemodynamic and clinical significances of atrial fibrillation, pulmonary vascular resistance and left ventricular function in rheumatic mitral stenosis 16: 122
Vagal, activity efferent 11: 559
nerve and arrhythmia by brain stimulation 3:

467
Vagal stimulation, effect of, on renal vascular resistance 6: 550
effect of, on ventricular arrhythmia after coronary occlusion 12: 368
effect on renal circulation 3: 260
in thiamine deficiency, role of 3: 349
excitation of afferent cardiac sympathetic nerve fiber induced by 16: 548
Vagotomy, and effect on heart of electrical stimulation of carotid sinus wall 13: 136
cervical, and pulmonary hypertension 6: 432
cervical, bilateral, effect of pyridinolcarbamate on cardiovascular system of dog after 17: 97
Valsalva maneuver, and labile T wave 11: 573
Valve movement, in mitral valvular disease, studied by ultrasonic Doppler method 1: 261
Valve replacement, aortic 8: 19
mitral and tricuspid, in mitral valve diseases with functional tricuspid insufficiency 12: 507
mitral in children and adolescents with rheumatic heart disease 17: 570
Valvular disease, acquired, lung blood volume in 1: 442
in clinicopathological study on heart disease in the aged 16: 526
in the aged 10: 20
in two aged cases of mitral insufficiency due to spontaneous rupture of chordae tendineae 13: 457
myocardial fatty acid metabolism 7: 130
Valvular endocarditis 10: 372
Valvular heart disease, 9: 228
and vectorcardiography 2: 210
combined, roentgenology of pulmonary complication 2: 297
in clinicopathological study on syphilitic aortic regurgitation, in the aged 14: 22
Valvular stenosis, surgical treatment 9: 97
Valvular theory, in genesis of third heart sound 17: 150
Valvulitis, rheumatic, and constrictive pericarditis 16: 749
Vanillyl mandelic acid (VMA) 11: 426, 11: 429
Variant angina, effect of diltiazem on 20: 613
with normal coronary arteriogram, acute myocardial infarction arteriogram, acute myocardial infarction and cerebral embolism 20: 907
Variant form of angina pectoris, 11: 243
pocket electrocardiograph carried by patient for observation of 14: 330
suppression of ventricular fibrillation with nifedipine in 18: 736
Varidase, erythrocytes sensitized with 9: 110
Vasa vasorum, in aortitis syndrome 13: 20
Vascular, adaptation, in positive feedback hypothesis on development of 17: 527
capacity, total, correlative changes in total vascular resistance and, in carotid sinus reflex 17: 196
change, in spontaneously hypertensive rat, treated and untreated with sodium chloride in diet 14: 174
Vascular disease, cerebral, experimental 4: 1
ECG 4: 481
in hypertension 4: 69
profile chart and hypertension 4: 71
Vascular lesions, by collagenase 8: 378
hypertensive, effect of sodium intake on, in rabbit 14: 45
in spontaneously hypertensive rats 18: 590
vascular permiability factor 9: 461
Vascular pathology, renal, in essential hypertension 15: 420
Vascular permeability, 10: 328
factor from the kidney cortex 9: 461
in hyperactive arterial endothelial cell in atherogenesis 16: 76
Vascular reserve, coronary, effect of radiopaque material on 16: 57
Vascular resistance, cerebral, in metabolic mehcanism of cerebral autoregulation in dog 12: 376, 12: 467
coronary, cardiovascular effect of a new beta blocker, acebutolol 15: 72
in hypertensive patients 18: 24
intrahepatic portal 3: 572
mesentetic 3: 572
peripheral, in effect of pyridinolcarbamate on cardiovascular system of dog 17: 97
pulmonary, correlation between, and pulmonary arterial diastolic pressure in congenital heart disease with left to right shunt 16: 629
systemic and pulmonary, in hemodynamic factor conditioning hypotensive response to phentolamine 14: 1
total, correlative changes in total vascular capacity and, in carotid sinus reflex 17: 196
Vascular smooth muscle, in correlative changes in total vascular capacity and resistance in carotid sinus reflex 17: 196
in positive feedback hypothesis on development

of essential hypertension 17: 527
Vascular volume, in correlative changes in total vascular capacity and resistance in carotid sinus reflex 17: 196
Vascular waterfall, in coronary circulation 18: 246
Vasoactive agents, 11: 506
atypical response of intermittent continuous murmur of patent ductus arteriosus to 8: 318
in functional phonocardiography 7: 205
Vasoactive substances, central effect of 4: 462
Vasoconstriction, coronary, in effect of adrenergic activation on collateral coronary blood flow 15: 289
in pathological study of animal replaced with artificial heart 17: 326
in positive feedback hypothesis on development of essential hypertension 17: 527
reflex, to cold stimulus 20: 301
Vasoconstrictor response 7: 318
Vasodilators, cardiohemodynamic effect of 15: 126, 18: 120
coronary, 7: 524, 8: 211, 11: 470
coronary, and myocardial catecholamine 6: 335
in cerebral circulation 2: 142
treatment of left-sided heart failure with chlorpromazine 20: 33
Vasomotoricity, of cerebral vessel 1: 181
Vasomotor fibers, coronary, effect of ganglionic blockade on the response of coronary blood flow to cardiac sympathetic stimulation 12: 169
Vasopressin, 4: 564
its primary role in genesis of essential hypertension 18: 491
positive chronotropic and negative inotropic actions of 18: 221
Vasopressor, effect of angiotensin II, in man 10: 243
substance, response of renal mechanoreceptor to 12: 347
Vce, max, in myocardial shortening velocity as index for assessment of myocardial contractility 14: 193
Vector components 11: 187
Vector concept, in electrocardiography 1: 317, 1: 432
Vector loops 10: 346
Vectorcardiogram (VCG), 11: 26, 11: 400, 20: 267, 20: 517
by Frank's lead system 9: 65
computor analysis of, in myocardial infarction 20: 587
diagnosis and classification of combined ventricular hypertrophy with, in adult patient 15: 323
exercise vectorcardiogram and post-extrasystolic ST, T change 12: 185
for ejection time measurement 6: 498
ideal lead 8: 401
in chronic rheumatic mitral valve disease 17: 727
in cyanotic heart disease 8: 264
in diagnosis of myocardial infarction 8: 522
method for reconstruction of 6: 346
in exercise, T-loop change of 17: 139
in Friedreich's ataxia 17: 459
in non-linear regression model as applied to comparison of axis-angle of electrocardiographic system 16: 243
in simplified vectorcardiographic method for assessment of pulmonary artery pressure
in ventricular septal defect with aortic regurgitation and ruptured aneurysm of sinus of Valsalva 12: 120
in QRS waves of spatial velocity electrocardiogram in atrial septal defect 13: 407
of persistent common atrioventricular canal 8: 529
of tetralogy of Fallot 8: 181
of true and false left anterior hemiblock 17: 302
of various congenital heart disease 8: 620
of ventricular premature beats 8: 388
quantitative analysis of, of normal heart and left ventricular hypertrophy 1: 226
rotation of heart 7: 331
Vectorcardiography, 2: 20
development of, in Japan 4: 103
effect of cardiac nerve stimulation 5: 359
influence of lung on 11: 503
in left ventricular hypertrophy 5: 543
standardization of lead system of 3: 391
T-loop in cardiac hypertrophy 4: 586
vector concept in electrocardiography 2: 112
Vegetation, of pulmonic valve 18: 138
Velocity myocardial shortening, as index for assessment of myocardial contractility 14: 193
in ischemic heart disease 14: 494
Velocity, of blood flow, in a patient with Takayasu's arteritis 13: 99
of conduction, effect of hydrazine on, in rabbit

14: 249
of conduction, from Purkinje fiber to ventricular muscle under abnormal condition 14: 71
Vena cava catheterization, in pheochromocytoma with renal artery stenosis and high plasma renin activity 16: 741
Vena contracta 19: 271
Ventilation-perfusion relationships, 9: 552
regional, in chronic cardiopulmonary disorders 8: 559
Venoarterial bypass with intra-aortic balloon pumping in cardiogenic shock 19: 938
Venous, bypass graft, in experimental study on blood flow direction in anomalous left coronary artery arising from pulmonary artery 13: 250
flow in magnetorheography 16: 694
return curve 19: 775
return in cardiohemodynamic effect of nitroglycerin and several vasodilators 15: 126
return, in use of hypotensive agent and coronary vasodilators 18: 120
Venticle, electrical activation of, in cattle and goat 1: 418
excitability, effect of hypoxia and acidosis on 3: 34
fibrillation, auto- and cross correlation of ECG 3: 269
in effects of potassium chloride on isolated, blood-perfused canine ventricle 18: 379
left and right, blood flow of 12: 50
left ventricular volume (end-diastolic, end-systolic and stroke), effect of left atrial pressure and myocardial contractility on 12: 383
of frog, in determination of active state by graphical, experimental and instantaneous methods 12: 545
Ventricle septal defect, conduction system of the heart in 2: 377
endocardial change 2: 226
with congenital aneurysm of pulmonary artery 2: 404
Ventricle single, common 19: 346
superior vena cava-pulmonary artery anastomosis 2: 191
Ventricle, systolic bulge of 9: 295
Ventricular, abnormal precordial impulse 16: 394
action potential, prolongation of 18: 259
activation sequence, correlation between areas of ventricular pre-excitation and types of WPW QRS patterns by means of computer simulation of 18: 462
Ventricular aneurysm, in real-time two-dimensional echocardiography 17: 437
location of, and left ventricular function 18: 867
ultrasonic diagnosis of 16: 394
Ventricular, arrhythmia, 10: 421
after coronary occlusion, effect of cardiac nerve stimulation on 12: 368
in primary pulmonary hypertension 20: 765
Ventricular automaticity, effects of dilitiazem on 18: 235
in effect of hydrazine on aconitine-induced atrial tachycardia in rabbit 14: 249
Ventricular, bigeminy in artificial pacemaker-induced pseudoelectrical alternans 12: 494
Ventricular compliance, 11: 373
sympathetic influence on 17: 222
Ventricular contractility, and calibrated low frequency acceleration vibrocardiography 13: 1
sympathetic influence on 17: 222
Ventricular contraction, asynchronism of 11: 26
ectopic, and automatic rhythms 6: 144
initial phase of 9: 332
premature 11: 195
ventricular dp/dt, right 9: 531
Ventricular distensibility, 10: 509, 11: 373
end-diastolic volume 11: 166
elastance 10: 509, 11: 373
Ventricular excitability, prolonged QRS duration resulting from delayed recovery of 17: 760
Ventricular fibrillation, 7: 110, 10: 53, 10: 535, 19: 415, 19: 493
and artificial heart 12: 161
due to hypopotassemia 18: 652
in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
induced by aminophylline 20: 177
pathogenesis in acute coronary occlusion 18: 1
suppression of with nifedipine 18: 736
Ventricular filling, rapid, slow and active 9: 332
Ventricular force, peak 11: 160
Ventricular function, 11: 160, 11: 167
curve 19: 84
curve, and location of myocardial infarction and ventricular aneurysm 18: 867
curve, in inhomogenous movement of left ventricle induced by coronary artery ligation 13: 150
in change of cardiac performance in renal fail-

ure 16: 489
left, and location of myocardial infarction and ventricular aneurysm 18: 867
Ventricular fusion beat, computer simulation of ventricular activation sequence of WPW syndrome attempted by producing 18: 462
in experimental production of ventricular complex simulating A, B, and C type of WPW syndrome 15: 503
Ventricular gradient, amyl-nitrite 5: 341
Aschner's reflex 5: 339
effect of KCl on 6: 463
in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
postural change 5: 340
with Frank's lead, and change of heart rate effect of atropine 5: 340
Ventricular hypertrophy, combined, vectorcardiographic diagnosis of, in adult patient 15: 323
committee report on new pediatric electrocardiographic criteria for 16: 189
hypertrophy, left 11: 5
left, in a case of Ehlers-Danlos syndrome 13: 272
left, in cerebral arteriovenous malformation of adults 13: 471
left, in tetralogy of Fallot 13: 563
left, quantitative analysis of vectorcardiogram of 1: 226
defect, and QRS waves of spatial velocity electrocardiogram 13: 407
Ventricular, isovolumetric contraction, left, and determination of stroke volume 9: 339
load, power output 20: 813
muscle, conduction block from Purkinje fiber to, under abnormal condition 14: 71
muscle fiber, reduction of hypoxia-induced depression in intracellular potential of, by crataegutt 17: 512
muscle strip 11: 175
output curve, studied with coronary arterial pressure 9: 46
Ventricular pacing, cineangiographic observation on the asynchronism of cardiac contraction 9: 295
in ventriculoatrial conduction in complete AV block 15: 1
rate, effect of, on left ventricular volume 13: 232
transvenous, in drug resistant tachyarrhythmias 12: 316
Ventricular, paroxysmal tachycardia, with abnormal P waves 5: 380
performance, in relationship of left ventricular STIs with hemodynamic variable in intact and failing heart 16: 433
pre-excitation, its ocrrelation with types of WPW QRS patterns 18: 462
pumping model 10: 509
Ventricular premature, beats, spatial velocity electrocardiogram in 9: 64
beats, vectorcardiogram of 8: 388
contraction 19: 493
Vencticular pressure, 11: 478
left, effect of ganglionic blockade on, to cardiac sympathetic stimulation 12: 169
right 9: 531
volume relationship, left 11: 373
volume relationship, left ventricular time-varying pressure/volume ratio in systole, as an index of myocardial inotropism 12: 513
Ventricular, rate during atrial fibrillation, in correlation oj electrophysiological and mechanical changes ɪu dog heart during digitalis administration and effect of potassium on it 16: 731
refractory period 19: 415
return extrasystoles 11: 301
rupture 9: 265
Ventricular septal defect (VSD), 7: 488
ABC electrocardiographic diagnosis of 9: 583
and subacute bacterial endocarditis 9: 219
angiography of 9: 434
aneurysm of membranous ventricular septum in an aged woman 14: ip
associated with aortic insufficiency 1: 113
associated with aortic regurgitation, hemodynamic-angiocardiographic-electrocardiographic-vectorcardiographic study of 2: 111
correction of, effects of phenoxybenzamine on the pulmonary vascular bed 20: 157
cross-sectional anc M-mode echoardiography in 20: 127
in conjoined thoracopagus twins 20: 897
in Eisenmenger syndrome complicated with thromboembolic phenomena 17: 114
in real-time two-dimensional echocardiography 17: 437
in the aged 9: 219
intracardiac phonocardiography in the diagnosis of 10: 198
its closing process 9: 219
of infant, surgical treatment 5: 298

of persistent common atrioventricular canal type 14: 88
patch echo in the postoperative patients 20: 127
result of surgical treatment of, associated with pulmonary hypertension under age of two 14: 385
sizes of the great arteries 9: 434
surgical significance of preoperative assessment 9: 434
with aortic insufficiency, surgical treatment 8: 19
with pulmonary atresia, in fetal cardiac failure resulting from endocardial fibroelastosis 15: 623
with pulmonary stenosis 10: 113
Ventricular septum, aneurysm of the membranous 8: 309
Ventricular stroke work, left 11: 528
Ventricular tachyarrhythmia, drug-resistant, in right atrial myxoma complicated with acute myocardial infarction 12: 316
Ventricular tachycardia, 7: 42
in relationship between heart rate and ouabain toxicity in dog heart-lung preparation 14: 357
of dog heart, induced by bethanechol, methacholine and carbochal 13: 347
threshold, effects of l-penbutolol and dl-propranolol on 20: 603
Ventricular type, in echocardiographic finding in WPW syndrome 18: 329
Ventricular volume, 11: 160
change of left and right, induced by propranolol and subsequent carotid occlusion 13: 445
right and left, in AV block, and their changes induced by isoproterenol 16: 65
Ventricular wall, systolic expansion of 11: 26
thickness, in giant T wave inversion in asymmetric apical hypertrophy of left ventricle 17: 611
Ventricular work, left, effect of a new coronary dilator (Bay-a 1040) on 13: 128
Ventriculoatrial conduction, in complete AV block 15: 1
Ventriculophasic sinus arrhythmia, in Wenckebach period associated with high grade second degree AV block 16: 620
reappraisal of 12: 401
Verapamil, 19: 409, 19: 913
as a coronary vasodilator 18: 92
effect of, on blood-perfused, isolated canine atrium 16: 709
effects on children, reentrant supraventricular arrhythmia 20: 789
electrophysiologic effects of 18: 235
in spontaneous electrical activity induced by depolarizing current in canine ventricular myocardium 17: 246
modification of SA node response to stretching with 18: 398
Vertebral, and aortic catheterization 10: 243
embolism 10: 163, 10: 318
Vertebral artery, embolism of, renin release and renal sympathetic nerve activity following 15: 271
infusion, of angiotensin, in central modulation of baroreceptor reflex by angiotensin 14: 135
Vesicular transport, after injection of lysosomal fraction of renin, phenylephrine and angiotensin II 18: 473
Vibration, cardiac, unitary nature of 14: 406
precordial, and calibrated low-frequency acceleration vibrocardiography 13: 2
Vibrocardiogram, comparison with intracardial pressure record 5: 414
low-frequency 3: 176, 3: 231, 3: 408, 5: 3
Vibrocardiography, and diastolic blood pressure 3: 414
calibrated low-frequency acceleration 13: 1
in cold pressor test 3: 415
in exercise 6: 105
in hypertension 3: 408
in normal subjects 3: 231
in unitary nature of cardiac vibration 14: 406
method of recording 3: 176
precordial, low-frequency apparatus of recording 3: 177
Vicious cycle of cardiac deterioration 9: 46
Viscoelasticity, of contractile component, in determination of active state of frog ventricle 12: 545
Vitacamphor, effect on beriberi heart disease 5: 152
Vitamins, dietary, affecting hypercholesterolemia and atherogenesis 3: 133
Vitamin B_2, beriberi heart disease 2: 274
deficiency and secretion of xanthurenic acid 2: 283
experimental study on 2: 42
lipid metabolism 2: 281
serum, in Loeffler's parietal fibroplastic endocarditis 12: 581
treatment of arteriosclerosis 2: 281
Viral myocarditis, in peripartal cardiomyopathy

in Japan 13: 488
Virus, Coxsackie 3:1
like particle, in morphological study of conduction system of a case of lupus erythematodes with arrhythmia 15: 92
Voice print, patient's, portable electro-phonocardiograph using magnetic tape recorder equipped with 13: 478
Voltage clamp, in membrane current change induced by digitalis in Purkinje fiber 18: 851
Volume, end-diastolic and end-systolic, of right ventricle, in a new method for measurement of right ventricular residual ratio using ^{131}I-MAA 15: 543
left ventricular (end-diastolic, end-systolic and stroke), effect of left atrial pressure and myocardial contractility on 12: 383
load, principle of adaptation of heart size to 17: 663
loading, in importance of location of myocardial infarction and ventricular aneurysm on left ventricular function 18: 867

W

Waaler-Rose reaction, in myocardial infarction 6: 513
Walk of a (cardiologist) editorial 6: 101
Wall, to lumen ratio, in correlative changes in vascular capacity and resistance in carotid sinus reflex 17: 196
tension, of dog heart, after experimental coronary occlusion 13: 222
Walton-Brodie strain gauge 11: 17
Wandering pacemaker 11: 301
Warfarin, hemopericardium due to, in a case with endocardial pacemaker 17: 784
Washout, of metabolites in myocardium 18: 366
Water, and electrolyte balance in stroke-prone spontaneously hypertensive rat 18: 579
depletion, formula for the estimation of changes in water and salt contents of the body based on 20: 583
electrolyte balance study, and cardiac surgery in childhood 9: 520
intake 11: 368
intake, in effect of removing clipped kidney on renovascular hypertension in rabbit 15: 615
loss, in cardiac surgery in childhood 9: 520
retention, inchange of cardiac performance in renal failure 16: 489
Wedensky phenomenon, in tachycardia- and bradycardia-dependent LBBB associated with first degree AV block 17: 717
Wenchebach, exit block 11: 104
period, after DC conversion of atrial flutter 13: 362
period, associated with high grade second degree AV block 16: 620
periodicity, analysis of, during atrial pacing 18: 777
phenomenon, in effect of isoproterenol and propranolol on AV transmission and AV nodal transmembrane action potential 14: 53
phenomenon, of ventriculoatrial conduction in complete AV block 15: 1
type HV block, in experimental evaluation of some controversial point regarding AV conduction disturbance in clinical His bundle electrogram 16: 564
type intra-Hisian block, in experimental evaluation of some controversial point regarding AV conduction disturbance in clinical His bundle electrogram 16: 564
White rami 10: 71
WHO classification, of ischemic heart diseases 9: 359
Willis, circle of, well developed collateral circulation through, in carotid artery occlusion 12: 537
Windkessel theory, 11: 54
in measurement of aortic compliance in vivo 12: 482
Work, stroke work in experimental pulmonary embolism 12: 221
work done by ventricle, in congenital heart diseases with left-to-right shunt in infants and children 12: 138
cardiac, in effect of nitroglycerin on coronary hemodynamics in man 14: 314
of left ventricle, effect of a new coronary dilator (Bay-a 1040) on 13: 128
load, maximal, effect of, on cardiac function 14: 146
Wolff-Parkinson-White syndrome, 7: 255, 9: 208, 19: 332
computer simulation of ventricular activation

sequence of 18: 462
electrophysiologic study on, in aged cases 18: 798
experimental production of ventricular complex simulating A, B, and C types of 15: 503
histological confirmation of AV bypass tracts in rabbit heart 12: 281
in new conduction pathway from left atrium to right atrium and to ventricle in rabbit heart 15: 385
in subaortic stenosis 5: 581
of bovine 5: 140
pocket electrocardiograph carried by patient for observation of 14: 226
right ventricular anterior wall motion in 20: 577
split pattern of second heart sound in 18: 329
with attacks of paroxysmal atrial fibrillation, familial 20: 441
Wrist, magnetorheogram from, in man 15: 469

X

Xanthine oxidase inhibitor, in effect of allopurinol on tissue O_2 tension of ischemic myocardium 17: 88
Xe^{133}, measurement of hepatic blood flow 6: 115
washout curve 11: 309

Y

Y46 (pridinolcarbamate) 11: 434
Young population, in comparison of semiautomated sphygmomanometer with clinical sphygmomanometer 16: 118
Young's solution, in elective cardiac arrest 3: 254
Young subject 10: 113

Z

Zinc level, blood, in patient with arteriosclerosis obliterans, thromboangitis obliterans and Takayasu's disease 16: 664
Zytomegale virus myocarditis, an autopsy case of 15: 99

JAPANESE HEART JUORNAL

Twenty Year Author Index

A

Abdullah AK 19: 687
Abe Hiroshi 13: 394, 16: 500, 18: 202
Abe Hiroyuki 20: 83
Abe Kazuo 17: 265
Abe Keishi 12: 405, 14: 110, 17: 1, 17: 258
Abe Ken 13: 118, 18: 277
Abe M 20: 83
Abe Tohru 6: 12, 6: 521
Abe Toshio 1: 375
Abe Y 14: 467
Abedin Z 18: 765
Abildskov JA 19: 415
Ageta M 13: 118
Agishi T 15: 262, 15: 485
Agress CM 5: 414, 6: 104, 6: 497, 7: 103, 9: 169, 9: 339
Ahmad M 19: 687
Aizawa C 8: 32, 10: 177, 20: 523
Aizawa T 2: 133, 4: 1, 5: 495
Aizawa Y 20: 301
Akaike A 15: 47
Akaoka I 1: 361
Akasu K 13: 118
Akasu M 9: 241
Akasu T 18: 860
Akatsuka J 2: 28
Akatsuka N 10: 307, 15: 435, 15: 443, 16: 196, 17: 685, 18: 638
Akazome T 5: 12
Akiyama F 12: 528
Akiyama T 11: 573, 14: 286
Akiyoshi T 13: 118, 16: 377
Akizuki T 17: 172
Aldinger EE 8: 507
Al-Doory Y 20: 427
Alimurung MM 3: 108, 11: 1
Alipour M 20: 117
Allison JL 14: 146
Amamiya T 1: 361
Amano K 17: 150, 17: 611, 18: 298, 18: 421, 18: 883
Amatatsu K 15: 1
Ameli M 16: 603
Anazawa Y 2: 473
Ando J 20: 907
Ando T 12: 205, 14: 213
Ando Y 11: 243, 14: 479
Ang MK 3: 34
Angrish K 20: 375
Antalóczy Z 20: 7
Antani JA 14: 104, 14: 291, 16: 235, 18: 406
Aoki E 8: 211, 10: 395, 10: 552, 14: 554
Aoki H 9: 57
Aoki Kazuko 13: 394
Aoki Kyuzo 4: 426, 4: 443, 4: 561, 5: 57, 15: 475, 17: 479
Aoki T 3: 442
Aoki Y 4: 294, 5: 180
Aoi W 19: 946
Aoyagi H 14: 110, 17: 1
Aoyagi T 4: 386
Aoyama S 6: 128, 6: 335, 8: 142
Apikoglu A 13: 195, 20: 381
Arai C 20: 83
Arai Y 14: 306
Arakawa K 11: 515, 19: 151, 20: 153, 20: 407
Arakawa T 17: 691, 18: 743, 18: 789, 20: 537
Araki H 20: 549
Araki K 2: 147
Araki Y 9: 3, 10: 335
Argano B 10: 133, 10: 142
Arima T 13: 118
Arita M 7: 505, 11: 391, 14: 398, 17: 246, 17: 760, 18: 235
Arslan E 20: 333
Aryanpur I 16: 603, 16: 749, 17: 54, 17: 727, 18: 690, 19: 1, 19: 346, 19: 439, 20: 53, 20: 117, 20: 271
Asada S 20: 157
Asahina K 8: 291
Asai K 3: 325, 6: 367
Asano K 2: 187, 7: 513, 8: 19, 8: 196, 8: 211, 8: 309, 8: 487, 8: 582, 8: 632, 9: 97, 9: 134, 9: 441, 10: 82, 10: 395, 10: 478, 10: 545, 10: 552, 12: 205, 12: 507, 14: 213, 14: 554, 17: 422, 17: 676, 18: 751
Asano T 9: 368
Asayama J 18: 611

Astardjian G 12: 575
Atsuchi Y 16: 639, 17: 798, 18: 138, 18: 266
Atsumi K 17: 233, 17: 326
Atsumi T 1: 157, 6: 407, 11: 433, 12: 335, 16: 664
Avery ME 8: 742
Aviado DM 8: 746
Awane Y 8: 538, 10: 561
Awata N 20: 557
Aya S 16: 57
Aygen N 20: 381
Azuma J 18: 357, 19: 505, 20: 557
Azuma K 13: 84

B

Baba K 16: 1, 19: 58
Baba N 17: 190
Baines JM 8: 67, 11: 57, 11: 291, 11: 379, 11: 478
Bakran I Jr 17: 753
Banerjee CM 8: 742
Bannai S 14: 314, 16: 361
Basta LL 16: 433
Bastaroli J 2: 524
Bean JW 8: 734
Belan A 20: 823
Belletti DA 10: 267
Benchimol A 13: 99
Benli K 20: 381
Beppu H 8: 428
Beppu S 16: 500
Bertelli G 3: 505
Bette L 5: 301, 9: 404, 20: 253
Bharadwaj B 18: 823
Bhat PK 18: 81
Bidwai PS 18: 765
Bing RJ 2: 277, 16: 22, 19: 513
Blaufox MD 11: 506
Blömer H 17: 459
Blümchen G 9: 258
Böke E 15: 554
Boku S 9: 531
Bozer AY 13: 195, 13: 572, 15: 554, 20: 381
Brooks CM 3: 34
Brown JA 8: 507
Bruce DW 10: 142
Buggs H 16: 22
Bukosza I 20: 7
Burgess MJ 19: 415
Burunam M 19: 376

C

Caceres CA 8: 438
Cady LD 8: 438
Callaghan JC 12: 290
Calleja HB 17: 540
Calo AA 3: 299
Camm AJ 20: 571
Camanas A 20: 43
Caniggia A 3: 505
Caponnetto S 18: 434
Carasca E 19: 479
Carase C 15: 485
Castellanos A Jr 6: 144
Chaint L 6: 497
Chang JK 20: 289
Chang S 20: 289
Chang SY 9: 117, 9: 539, 10: 185, 10: 379
Chen C Lin 12: 138, 17: 550, 17: 560, 20: 237
Chen C Maou 11: 400, 12: 185, 13: 295, 15: 239
Chen C Ming 12: 138
Chen JS 3: 126
Chen L 3: 126
Cherian G 17: 570
Chiariello M 19: 732, 20: 385
Chiba C 2: 277
Chiba M 4: 577
Chiba S 13: 347, 13: 438, 15: 145, 15: 308, 15: 610, 16: 143, 16: 709, 17: 73, 17: 506, 17: 656, 18: 214, 18: 221, 18: 379, 18: 398, 19: 263, 19: 409, 19: 877, 20: 219
Chida A 19: 954
Chino M 18: 246

Chopra P 19: 358, 20: 375, 20: 897
Chung DK 12: 494
Chung EK 9: 504, 9: 593, 10: 363, 10: 409, 11: 104, 12: 316, 12: 401, 12: 494
Chung KY 5: 171
Chyong Y 12: 263
Coleman B 17: 222, 18: 81
Coto EO 20: 43
Cotoi S 19: 479
Courtice FC 8: 729

D

Dadgar SK 20: 63
Daimon S 5: 562
Danzig MD 18: 812
Datey KK 4: 403
DdGuia R 11: 521
Dean HM 12: 316
Delaunois A 8: 736
Dempster WJ 18: 491, 19: 426
DeQuattro V 11: 423
Desai DB 20: 351
de Schaepdryver AF 2: 1
Deverall PB 20: 43
de Vries A 14: 12
Dharmasakti D 20: 237
Dilieto M 11: 521
Doba N 8: 700
Dock DS 18: 812
Dohi I 1: 275
Dohi Y 1: 275, 19: 946
Donomae I 3: 423
Dreifus LS 7: 110
Dubois AB 7: 400
Durakovic Z 17: 753

E

Ebeling J 9: 404
Ebihara A 5: 260, 6: 325, 6: 614, 11: 365, 12: 275, 15: 271, 16: 342
Ebihara T 8: 331, 18: 652, 19: 175
Eguchi S 8: 19, 8: 196, 8: 211, 8: 487, 8: 582, 8: 632, 9: 97, 10: 552, 12: 507
Eguchi T 19: 741
Eich RH 14: 226, 14: 239
Endo M 15: 28, 17: 133, 19: 252
Endo N 9: 247, 11: 559, 18: 611
Endo S 7: 130
Eng AG 10: 823
Eng D 20: 7
Eng M 19: 829
Enomoto K 19: 829
Eslami B 19: 366, 20: 1, 20: 117
Eto T 17: 649, 18: 473

F

Fabian J 17: 706, 20: 823
Fano A 5: 369
Fatourechi V 19: 366
Fauvel JM 16: 22
Feigen LP 14: 406
Ferro G 19: 732
Fiorentini C 13: 272, 14: 1, 14: 97
Fröhlig G 20: 253
Fu L 5: 337, 6: 463, 13: 222, 13: 512, 16: 583
Fu S 7: 130
Fuchs G 5: 558
Fujii Jun 5: 466, 10: 328, 13: 73, 13: 340, 14: 45, 14: 445, 15: 615, 18: 112, 18: 386, 18: 722, 19: 712, 19: 895
Fujii Junichi 13: 222, 14: 414, 17: 630
Fujii M 18: 132
Fujii R 4: 542
Fujikawa S 17: 545
Fujimasa I 17: 233, 17: 326
Fujimi S 5: 101
Fujimoto K 1: 442

Fujimoto S 3: 423
Fujimoto T 20: 227
Fujinami T 4: 426
Fujino M 16: 480, 19: 193
Fujino T 7: 331, 11: 57, 11: 478, 16: 480, 17: 774, 18: 329, 19: 193
Fujisawa T 3: 423
Fujise Y 15: 455
Fujishima M 5: 127, 12: 376, 12: 467, 13: 471, 16: 654
Fujishiro N 8: 142
Fujita J 6: 256, 6: 452
Fujita K 11: 213
Fujiyama K 5: 127
Fujiwara C 11: 202
Fujiwara Hideomi 19: 271
Fujiwara Hisayoshi 18: 272, 19: 371
Fukamachi M 8: 301
Fukami T 11: 325, 13: 118
Fukaya H 1: 181
Fukiyama K 14: 135, 16: 654, 17: 61, 20: 631, 20: 777
Fukuda J 16: 354
Fukuda K 20: 831
Fukuhara N 8: 652, 8: 661
Fukui S 18: 202
Fukui Y 17: 691, 18: 743, 18: 789
Fukukawa K 20: 419
Fukukei I 1: 375
Fukumoto A 6: 483
Fukumoto Terunori 13: 118
Fukumoto Teruo 16: 480, 17: 774, 20: 461
Fukunaga FH 10: 11
Fukushige J 16: 629, 17: 665
Fukushima I 16: 480
Fukushima K 5: 337, 6: 463, 7: 121
Fukushima Y 6: 220
Fukuta S 18: 696
Fukuyama T 16: 156
Fukuzaki H 20: 485
Funabiki T 5: 583
Funaki E 6: 243
Funatsu T 13: 128, 17: 12
Furukawa I 18: 277
Furukawa K 14: 563, 17: 465, 18: 611
Furukawa S 18: 679
Furukawa T 8: 301, 18: 638, 20: 75
Furukawa Y 19: 263, 19: 409, 19: 877, 20: 219
Furumi C 5: 37
Furuse A 6: 558, 8: 58, 8: 181, 8: 264, 8: 529, 8: 620, 8: 670, 9: 200, 9: 316, 9: 434, 9: 531, 11: 113, 11: 417, 12: 111, 17: 88, 17: 163, 18: 621, 18: 629, 20: 843
Furuta N 17: 163
Furuta S 19: 297, 19: 938
Furuya H 4: 81
Furuyama T 8: 202, 17: 258
Futamura Y 5: 574, 18: 664

G

Ganz W 19: 376
Garner D 20: 359
Gatchalian ET 17: 540
Geddes LA 7: 556
Gelinov C 12: 575
Genda A 5: 108, 3: 563
Georgescu C 19: 479
Getzen JH 16: 22
Giuliani MG 10: 372, 10: 467, 11: 17, 11: 141
Go T 6: 558
Gonda N 16: 354
Gondaira T 4: 224, 9: 349, 10: 243
Gomi T 19: 308
Gomprecht RF 14: 393
Gorbman A 19: 783
Gordon DB 15: 419
Gore I 6: 20
Goto A 20: 367
Goto H 1: 1, 1: 135, 3: 455, 4: 118, 4: 346, 5: 323
Goto K 9: 13
Goto M 16: 211
Goto Y 13: 43
Gotoh H 19: 918
Gould L 10: 369, 10: 372, 10: 467, 10: 474, 11: 17, 11: 141, 11: 521, 14: 393
Graham BL 19: 383
Grandison D 17: 97
Grant KB 18: 447
Greenless L 20: 359
Gregorini L 13: 272

Grollman A 11: 365
Grosz G 15: 289
Guazzi M 13: 272, 14: 1, 14: 97
Gulati RB 18: 447
Gupta MM 19: 383
Guyton AG 9: 46, 14: 146
Guzman SV 13: 53

H

Hachiya T 9: 247
Hada Y 17: 150, 18: 298, 18: 421 18: 883, 19: 455
Haebara H 16: 336, 18: 272
Hagino Y 19: 775
Hamada M 18: 277
Hamaya S 2: 133
Hanada S 4: 599, 6: 543
Hanada Y 19: 236
Hanafiah A 20: 237
Hanai T 13: 502
Hanano H 14: 385
Hanaoka W 5: 497, 8: 252
Hanawa M 9: 520
Hanazono N 11: 243, 14: 479, 16: 610, 17: 43
Handa S 15: 543
Hanada T 19: 376
Hannya H 1: 300, 7: 188
Hara A 18: 24,
Hara Michiko 14: 440
Hara Momosuke 1: 361
Hara S 13: 128
Harada K 19: 531
Harada Y 2: 119, 6: 558, 17: 163
Haraoka S 19: 926, 20: 207
Harasawa M 6: 220
Harbauer G 5: 301
Hardman HF 14: 126
Harigawa S 7: 68
Harlan WR 8: 742
Harumi K 1: 157, 1: 348, 2: 210, 2: 397, 2: 538, 3: 269, 4: 303, 4: 356, 4: 537, 4: 586, 5: 312, 5: 359, 7: 255, 8: 83, 9: 295, 10: 1, 10: 535, 11: 26, 11: 400, 13: 295, 15: 239, 15: 503, 17: 139, 18: 259, 19: 415
Harvey SC 19: 125, 20: 183
Hasegawa Hiroshi 11: 258, 13: 176, 14: 335
Hasegawa Hiroshi 20: 557
Hasegawa Morimasa 8: 142
Hasegawa Motoharu 20: 83
Hasegawa N 3: 569
Hasegawa Tsuneo 4: 1
Hasegawa Tsuguo 2: 377, 8: 58, 8: 181, 8: 264, 8: 529, 8: 620, 9: 200, 11: 113
Hasegawa Y 7: 130, 7: 524
Hashiba K 6: 174, 6: 256, 6: 452, 11: 202, 19: 946, 20: 23
Hashida E 19: 839
Hashida J 15: 92
Hashimoto H 18: 736, 19: 396
Hashimoto Keiichi 18: 679, 19: 434
Hashimoto Keitaro 19: 762
Hashimoto Koroku 3: 240, 5: 1, 13: 347, 13: 438, 15: 126, 15: 145
Hashimoto M 5: 549, 6: 558
Hashimoto T 19: 762
Hashimoto Yoshiteru 4: 426
Hashimoto Yuji 11: 57, 11: 379, 11: 478
Hashizume M 19: 396
Hasui K 3: 5
Hata T 17: 43
Hata Y 18: 340
Hatanaka H 13: 369
Hatanaka Y 18: 357, 19: 505, 20: 557
Hatano S 2: 297, 4: 524, 5: 445, 6: 428, 8: 559, 9: 349, 9: 552, 18: 171
Hatta S 14: 326
Hattori E 10: 47, 10: 218
Hattori K 3: 494
Hattori Masao 8: 94
Hattori Mitsuo 8: 67
Hattori S 13: 150, 18: 729
Hayakawa H 4: 313, 18: 679, 19: 434, 20: 227
Hayase S 9: 431
Hayashi Akinori 11: 57, 11: 379, 11: 478
Hayashi Akinori 14: 531
Hayashi C 20: 105
Hayashi Hiroshi 11: 91
Hayashi Hisae 19: 159, 19: 252
Hayashi N 18: 457, 19: 315
Hayashi S 2: 92
Hayashi Takeo 17: 742
Hayashi Terumi 11: 582, 13: 379, 15: 360,

16: 107, 17: 150, 17: 611, 18: 298, 18: 421, 18: 883
Hayashi Tetsuo 15: 37
Hayashi Toshiyuki 11: 213
Hayashi Y 19: 371
Hazama F 18: 272
Hejhal L 20: 823
Henry RL 17: 97
Heymans C 2: 5, 8: 736
Hibi N 17: 695, 18: 743, 18: 789, 20: 127
Hibino S 5: 549, 7: 448
Hidaka H 14: 518
Hidaka T 1: 135
Hiejima K 9: 208, 11: 301, 13: 362, 14: 273, 16: 564
Higasa Y 16: 204
Higuchi M 19: 913, 20: 667
Hikasa Y 8: 715
Hikichi H 18: 652, 19: 175
Himori N 18: 120, 18: 214
Hinohara S 14: 494
Hirahashi T 10: 516
Hirai T 4: 577
Hiramaru M 11: 450
Hirano M 13: 478
Hiraoka K 9: 265, 9: 603, 10: 20, 10: 121, 14: 22, 14: 510, 15: 113, 16: 526, 17: 25, 17: 269, 17: 290, 17: 452, 17: 471, 17: 731, 18: 57, 18: 154, 20: 163
Hiraoka M 17: 681, 18: 851
Hirasawa K 9: 564, 16: 489
Hirasawa Y 20: 301
Hirata T 17: 106
Hirata Y 20: 367
Hiroki T 8: 388, 9: 64, 15: 323, 19: 151
Hirono T 10: 552
Hirosawa K 17: 798, 18: 138, 18: 266
Hirose K 16: 204
Hirose M 16: 629, 18: 679
Hirose T 4: 378
Hirota K 2: 297, 13: 20, 13: 107
Hirota Y 5: 12, 7: 26, 19: 719
Hisada S 7: 448
Hisanaga K 18: 743
Hishida H 10: 350, 20: 577
Hishimoto Y 9: 247, 11: 559
Hoff HF 7: 556
Hoffman MS 2: 524
Hogaki M 11: 417
Hojo Y 19: 775
Holldack K 5: 558, 6: 313, 15: 16
Honda K 14: 467, 19: 94, 19: 204
Honda N 7: 289, 8: 32, 10: 177, 16: 44, 20: 523
Honda S 16: 629, 17: 665
Honda T 14: 314, 16: 361
Honda Y 18: 736
Homma T 10: 59
Homma Y 13: 43
Hope RR 20: 495
Hori Kazuhiko 7: 331, 11: 57, 11: 379, 11: 478
Hori Kenjiro 19: 719
Hori M 17: 133, 18: 202, 18: 225, 19: 159
Hori T 3: 373
Horiba M 4: 333, 6: 59, 6: 71, 8: 67
Horibe H 6: 71
Horigome R 1: 375
Horiguchi Y 10: 53
Horii D 16: 421
Horikawa M 15: 407, 16: 57, 18: 246
Horikoh U 8: 459
Horikoshi Kazuhiko 20: 157
Horikoshi Kazuo 7: 448
Horio Y 20: 75, 20: 549
Hoshi A 4: 577
Hoshina H 14: 467
Hoshino K 8: 19, 8: 211, 8: 309, 8: 632, 9: 134, 9: 441
Hosoda S 5: 466, 5: 543
Hosono K 6: 318, 9: 20, 14: 494
Hotta K 15: 475, 17: 479
Hotta S 4: 105, 7: 448, 8: 354
Hufnagl HD 20: 253
Hukuoka T 5: 272
Hukushima Y 11: 74, 11: 149

I

Iannetti M 18: 434
Ichikawa S 12: 325
Ichinose S 9: 247
Ichiyasu H 15: 360, 16: 107, 17: 150,

17: 611, 18: 298, 18: 421, 18: 883
Ideishi M 19: 151
Iguchi K 11: 400, 12: 40, 15: 503
Ihori M 7: 277, 7: 318, 7: 487, 8: 498
Iida J 11: 130
Iida Y 9: 161
Iijima M 1: 149
Iimura O 4: 417
Iino S 4: 599, 6: 543
Iino K 18: 277
Iio M 1: 17, 2: 309, 2: 460, 3: 24, 3: 154, 3: 332, 5: 431, 5: 445, 6: 40, 6: 115, 6: 268, 6: 527, 6: 534, 8: 369, 8: 559, 9: 552, 11: 345, 12: 50, 12: 60
Iizuka H 10: 203, 11: 460, 13: 457, 19: 762
Iizuka M 3: 284, 5: 115, 7: 277, 7: 318, 7: 438, 7: 487, 13: 498, 20: 813
Iizuka T 7: 277, 8: 498, 9: 411, 12: 305, 16: 670
Iizumi T 19: 271
Ijichi H 18: 611
Ijiri Y 8: 242
Ikai M 8: 291
Ikeda H 13: 118
Ikeda Masaharu 20: 153
Ikeda Masao 1: 339, 2: 404, 5: 373, 5: 466, 5: 543, 8: 419, 8: 514, 8: 522, 10: 328, 12: 460, 13: 34, 14: 45, 16: 741, 19: 212
Ikeda Nobuko 15: 475
Ikeda Noriaki 20: 853
Ikeda S 17: 746
Ikeda Takao 1: 288, 1: 308, 2: 443, 3: 617, 4: 25, 5: 260, 5: 399, 6: 325, 7: 308, 19: 308
Ikeda Tetsutaro 1: 189
Ikegami H 3: 423
Ikeshima T 3: 563, 5: 108
Ikoma T 4: 13
Ikui H 17: 61
Ikuno Y 20: 419
Ilicin G 13: 195
Ilyas M 16: 118
Imachi K 17: 233, 17: 326
Imai M 8: 607
Imai S 16: 421, 18: 92, 19: 762, 20: 881
Imai T 6: 20
Imai Y 18: 120
Imamura N 20: 511
Imanishi S 11: 391, 18: 329, 19: 193
Inasaka T 11: 309, 16: 433, 16: 489
Ino T 5: 583
Inoguchi T 8: 722
Inoh T 8: 690
Inoue F 19: 136
Inoue G 1: 288, 2: 65, 2: 368, 2: 443, 3: 57, 3: 259, 3: 332, 4: 224, 4: 364, 5: 254
Inoue H 17: 88, 17: 163, 20: 33, 20: 141, 20: 843
Inoue Kiyomi 4: 92, 4: 285
Inoue Kiyoshi 6: 294, 7: 204, 7: 318, 7: 487, 8: 459, 8: 642, 9: 117, 13: 379, 14: 226, 14: 239, 18: 43, 18: 70
Inoue M 18: 202, 20: 441
Inoue N 2: 505
Inoue S 9: 219, 16: 670
Inoue T 11: 417, 13: 118
Inoue Y 3: 494
Inui M 8: 652, 8: 661
Irisawa T 8: 19, 8: 196, 8: 211, 8: 309, 10: 478, 10: 552
Iriuchijima J 5: 49, 9: 487, 12: 486, 12: 536, 14: 267, 14: 350, 15: 166, 15: 401, 16: 36, 16: 257, 16: 719, 17: 80, 17: 196
Irokawa N 14: 110, 17: 1, 17: 258
Iseki F 20: 307, 20: 321
Ishiba J 1: 181
Ishibashi M 16: 741
Ishibe Y 18: 1
Ishida H 14: 479, 17: 43
Ishida M 9: 520
Ishihara T 12: 169
Ishihara Y 6: 20, 7: 474
Ishii H 9: 110
Ishii K 7: 430
Ishii M 2: 538, 3: 332, 4: 364, 5: 254, 6: 325, 6: 416, 7: 308, 8: 156, 12: 22, 17: 114, 20: 367
Ishikawa I 11: 309
Ishikawa Kazuo 5: 199, 6: 71, 8: 67
Ishikawa Kinji 16: 11, 16: 22
Ishikawa N 17: 265, 19: 775
Ishikawa S 8: 744
Ishikawa T 6: 273
Ishikawa Y 8: 234
Ishioka T 11: 433
Ishise S 13: 128
Ishiyama T 15: 579, 17: 32, 18: 357, 19: 505, 20: 557

Ishizawa K 16: 204
Ishizawa Y 17: 428
Ishizuka K 3: 544
Isoda T 20: 441
Isogawa H 8: 19, 8: 211, 8: 582
Isokane N 11: 433, 12: 335
Isomura S 20: 577
Itagaki S 7: 3
Itakura A 5: 474
Ito A 14: 432, 15: 593, 16: 148, 16: 575
Ito F 18: 340
Ito H 8: 632
Ito I 1: 113, 1: 157, 2: 77, 2: 309, 4: 118, 4: 224, 4: 346, 4: 489, 5: 115, 6: 189, 6: 396, 6: 527, 7: 438, 8: 4, 8: 107, 8: 121, 9: 88, 9: 228, 9: 573, 10: 95, 10: 277, 12: 1, 12: 40, 12: 123, 13: 20, 13: 107, 13: 201, 16: 122, 16: 221
Ito K 1: 1, 1: 135, 3: 455, 4: 118, 4: 346, 4: 577, 5: 323, 8: 58, 8: 181, 8: 264, 8: 529, 8: 620, 8: 670, 9: 316, 9: 434, 9: 531
Ito M 5: 380, 7: 505, 16: 480, 17: 774, 18: 329
Ito S 16: 480, 17: 774
Ito T 12: 517
Ito Takashi 15: 47
Ito Takayuki 20: 195
Ito Takeshi 8: 98, 8: 142
Ito Teizo 5: 497, 8: 252, 9: 3, 9: 281, 10: 335, 10: 428, 11: 533, 11: 541, 14: 518, 16: 620
Ito U 13: 379
Ito Y 1: 135, 1: 157, 3: 442, 3: 555, 4: 92, 4: 285, 5: 101, 6: 443, 7: 130, 7: 524, 8: 242, 14: 184, 15: 47, 16: 538, 20: 623
Itoh Kouichi 13: 136, 14: 531, 15: 92, 20: 675
Itoh Kuniaki 10: 485
Iwabuchi K 12: 96
Iwahashi H 8: 142
Iwai J 10: 149
Iwai N 17: 233, 17: 326
Iwai S 20: 157
Iwakami M 6: 128
Iwaku T 19: 918
Iwama M 15: 623
Iwamoto S 18: 696
Iwamura N 19: 865
Iwane H 13: 84
Iwasaki T 20: 33
Iwase T 4: 509
Iwatsuka T 4: 105, 18: 482
Iwatsuki K 15: 610, 16: 143
Iwazu A 4: 542
Iyomasa Y 1: 375
Iyori S 19: 741
Izuka K 9: 453, 10: 289
Izumi Kaiichi 2: 147
Izumi Koichi 16: 620
Izumi T 13: 394

J

Jandová R 17: 706, 20: 261
Januszewicz W 19: 468
Jebavý P 17: 706, 20: 261
Jen S 14: 53
Jimenez MQ 20: 43
Jinnai I 17: 669
Jogi S 1: 113
John S 17: 570
Johnson JL 16: 22
Juhász-Nagy A 15: 289, 17: 485

K

Kabasawa M 18: 751
Kabei N 12: 263
Kadioglu Y 13: 572
Kaihara S 4: 386, 5: 431, 6: 40, 6: 268, 6: 534, 8: 369, 8: 559, 12: 50, 12: 60
Kaihotsu N 17: 791
Kaito G 1: 113, 1: 198, 1: 213, 6: 206, 6: 294, 7: 3, 7: 154
Kaji M 5: 380

Kajihara T 3: 442, 4: 92, 7: 430
Kajimoto N 18: 340
Kajiwara N 14: 531, 15: 92
Kakihana M 16: 122, 16: 221, 18: 366, 20: 813
Kakizaki H 11: 258, 12: 251, 13: 176, 14: 335
Kako K 2: 277
Kaku I 9: 393
Kakusui K 20: 441
Kallal JE 17: 222
Kamata C 17: 290, 18: 143, 18: 178, 18: 798, 19: 455, 19: 677, 20: 141
Kamata S 18: 751
Kambe T 17: 691, 18: 743, 18: 789, 20: 127, 20: 537
Kameda H 1: 17, 2: 309, 2: 460, 3: 154, 4: 386, 6: 115
Kamei F 15: 349
Kamii K 3: 569
Kamisaka K 8: 597, 10: 70, 10: 161, 10: 225, 12: 233, 12: 347, 15: 524
Kamiya A 12: 161, 12: 383, 13: 232
Kamiyama A 7: 494, 14: 71, 15: 248, 19: 136, 19: 918
Kamyar GAR 15: 47, 16: 512
Kanai T 10: 82
Kanamaru M 19: 396
Kanaya H 20: 407
Kanaya S 17: 774, 18: 329, 19: 193
Kanayama R 4: 378
Kanazawa M 13: 464
Kaneda M 3: 5
Kanehisa T 13: 369, 14: 202, 15: 1, 16: 639, 7: 717
Kaneko H 6: 376
Kaneko K 16: 340
Kaneko Y 8: 156
Kanemoto N 15: 543, 16: 354, 17: 172, 20: 395, 20: 765
Kanie T 4: 313, 12: 581, 13: 464
Kaniike K 19: 595
Kanita K 8: 733
Kanno T 17: 512
Kano T 19: 297, 19: 938
Karamehmetoglu A 13: 195
Kariya S 18: 277
Karp RB 20: 1
Kasahara K 16: 322
Kasahara T 18: 751
Kase M 2: 338
Kaseno K 16: 489
Kashima T 13: 369
Kashani IA 20: 789
Kashiwagi M 18: 652, 19: 175
Kashiwagi T 1: 361
Kashiwakura Y 20: 83
Kasuya S 10: 478, 10: 552, 14: 213
Katada Y 20: 485
Katagiri T 18: 705, 18: 711
Katanazako H 15: 1
Katano Y 16: 421, 18: 92, 20: 881
Kataoka N 10: 59
Katayama F 5: 574, 11: 325, 13: 118
Katayama K 8: 709, 14: 494, 15: 543, 17: 123
Katayama S 1: 1, 1: 135, 3: 455, 4: 118, 4: 346, 5: 323, 6: 174, 6: 256, 6: 452, 10: 243, 13: 295
Kato A 18: 43, 19: 332, 20: 813
Kato C 20: 227
Kato E 19: 741
Kato H 16: 1, 16: 394, 16: 683 18: 31, 19: 46, 19: 58, 20: 95
Kato I 17: 791
Kato Kanemasa 13: 394
Kato Katsumi 4: 542
Kato Kazuaki 18: 298, 18: 421
Kato Kazuzo 1: 157, 2: 397, 3: 73, 3: 284, 3: 455, 4: 356, 5: 37, 7: 235, 13: 222, 13: 512, 14: 414, 16: 583, 17: 491, 17: 630
Kato N 13: 369
Kato R 9: 303, 13: 295, 15: 239
Kato Setsuko 17: 479
Kato Shigeo 1: 375
Kato Sho 3: 494
Kato Tadayuki 17: 691, 18: 743, 18: 789
Kato Tatsuo 14: 518
Kato Y 20: 153
Katori R 16: 11, 17: 742
Katrodia KM 20: 351
Katsu M 6: 12, 16: 354
Katsube Y 17: 43
Katsuki S 5: 12, 5: 101, 5: 127, 7: 26, 10: 248
Katz J 19: 376
Kawabe A 4: 294, 5: 180
Kawabe K 6: 51, 13: 214, 17: 768, 19: 886
Kawada S 17: 437
Kawagoe S 19: 434
Kawaguchi K 17: 106
Kawai C 18: 272, 18: 392, 19: 371

Kawai N 1: 466, 4: 509, 6: 206, 6: 294, 7: 3, 7: 204, 8: 318, 8: 459, 8: 642, 9: 117, 9: 303, 10: 185
Kawai S 14: 563, 17: 465, 20: 419
Kawai T 11: 258
Kawaike K 13: 369
Kawakami K 11: 149, 12: 486
Kawakita S 17: 592
Kawamura M 9: 57
Kawanishi M 9: 57
Kawaratani H 17: 150
Kawasaki T 20: 83, 20: 631, 20: 777
Kawashima S 8: 142
Kawashima Taketsugu 18: 812
Kawashima Tsunenori 14: 563
Kelser GA Jr 17: 784
Kembig H 15: 485
Kestellot H 20: 461
Khatter JC 18: 823
Khattri HN 18: 765
Khosla MCK 19: 799
Khozain R 19: 366
Kiang T 3: 126
Kido R 1: 189
Kiefer H 9: 258
Kikuchi Takenori 7: 130
Kikuchi Tetsunaru 4: 577
Kikuchi Yoshimitsu 8: 331
Kikuchi Yutaka 15: 517
Kikuta R 6: 376
Kimata S 5: 466, 8: 428
Kimoto S 2: 119, 2: 187, 3: 297
Kimura E 3: 167, 4: 201, 4: 313, 4: 469, 5: 212, 5: 549, 7: 188, 8: 219, 8: 438, 10: 485, 12: 581, 13: 464, 14: 326, 16: 538, 18: 679, 18: 736, 19: 434, 20: 105, 20: 227
Kimura Hiromu 13: 394
Kimura Hiroyuki 18: 277
Kimura Ken 20: 157, 20: 367
Kimura Kiyoji 7: 227
Kimura M 17: 123
Kimura N 3: 107, 3: 391, 5: 549, 5: 574, 9: 241, 11: 325, 13: 118, 16: 377, 17: 275
Kimura S 19: 297, 19: 938, 20: 907
Kimura Yoshio 18: 696
Kimura Yoshitami 10: 485
Kin T 13: 128, 14: 80
Kino I 17: 233, 17: 326
Kinoshita S 7: 536
Kinoshita Y 8: 700
Kinouchi T 8: 252, 9: 3, 9: 281, 10: 335, 10: 428, 11: 533, 11: 541, 12: 415, 13: 187, 19: 94, 19: 204
Kinjo K 3: 46
Kira J 16: 446, 18: 392
Kira S 7: 369, 8: 728, 11: 149
Kiraly R 15: 485
Kiriyama T 9: 247, 11: 559, 20: 441
Kishida H 14: 326
Kishii T 3: 442, 3: 555, 6: 443, 7: 130, 7: 524
Kitagawa S 16: 489
Kitagawa Tetsundo 6: 243, 7: 168
Kitagawa Toshikazu 20: 881
Kitahara O 12: 405
Kitahonoki K 1: 189
Kitamura Kazuo 1: 408, 2: 256, 2: 473, 4: 81, 7: 136
Kitamura Kazuto 5: 562
Kitamura Kenji 6: 543, 9: 473
Kitamura N 15: 28
Kitamura S 6: 220, 11: 149
Kitani K 6: 115
Kitano K 18: 798
Kleinberg M 20: 289
Kobayashi K 14: 467
Kobayashi Kaizo 4: 542
Kobayashi Kazuyuki 5: 69
Kobayashi Masahiko 19: 748
Kobayashi Miyoharu 19: 263, 19: 409, 19: 877, 20: 219, 20: 803
Kobayashi R 3: 423
Kobayashi Tachio 1: 157, 3: 442, 3: 555, 4: 92, 4: 285, 6: 4, 6: 101, 6: 443, 7: 130, 7: 244, 7: 430, 7: 524, 9: 110
Kobayashi Tadashi 11: 213
Kobayashi Takeshi 16: 59, 20: 907
Kobayashi Tohru 1: 113, 1: 248, 1: 333, 3: 176, 3: 231, 3: 408, 4: 509, 5: 3, 6: 206, 6: 294, 7: 3, 7: 331, 9: 404
Kobayashi Toshiji 6: 71, 8: 401
Kodama I 19: 865
Kodama K 18: 202
Kodama S 1: 456
Kaga Y 16: 377, 17: 275
Kogame H 8: 242
Kogure T 9: 57
Kohashi K 14: 479
Koide K 1: 106, 1: 181
Koide N 15: 435
Koide R 3: 423
Koide T 2: 309, 3: 24, 4: 489,

5: 115, 6: 189, 6: 396, 6: 527, 7: 438, 8: 121, 9: 228, 9: 349, 12: 123, 12: 177, 13: 418, 13: 488, 15: 337, 15: 524, 16: 122, 16: 221, 17: 114, 18: 43, 20: 813
Koide Y 17: 791
Koike H 16: 204
Koike M 15: 37
Koike S 2: 325, 4: 524, 6: 428, 8: 559, 9: 552, 11: 345
Koike T 3: 373
Koike Y 18: 462, 20: 577
Koiso K 15: 262, 15: 485
Koiwaya Y 20: 613
Koizumi F 15: 99
Kojima N 4: 313
Kojima Y 7: 56, 7: 524
Koketsu K 11: 172, 13: 258, 18: 860
Kokubu T 3: 423
Kokubun M 15: 126
Kolb P 17: 459
Kolev NS 19: 485
Komai T 15: 485
Komatsu Y 17: 798, 18: 138, 18: 266
Komizo U 3: 442, 7: 430
Kondo K 19: 741
Kondo S 3: 147
Kondo Teruo 20: 577
Kondo Toshihiko 11: 121
Kondo Y 4: 13, 8: 242
Kones RJ 13: 266, 14: 281
Konishi N 16: 446
Konno K 18: 652, 19: 175
Konno S 3: 537, 10: 30, 13: 563, 15: 28
Kono H 13: 418
Kono R 3: 442
Koro T 15: 47
Kosaka K 5: 380
Kosaka S 8: 331, 18: 652, 19: 175
Koshikawa S 10: 297
Koshino M 14: 531
Kotoda T 8: 58, 9: 200, 11: 113, 12: 111
Kotohada K 20: 675
Koyama Shintaro 3: 269, 3: 544, 4: 233, 4: 323, 5: 37, 7: 235, 13: 512
Koyama Shohji 1: 275
Kozaki T 15: 623
Kozmann G 20: 7
Krashow N 13: 325
Kubo F 15: 223
Kubo S 19: 852
Kubo T 6: 243, 7: 168
Kubota K 13: 347
Kuchii M 20: 307, 20: 321
Kudo H 13: 362
Kudo S 17: 422, 18: 17
Kuhn E 4: 205, 5: 81
Kumagai H 4: 462
Kumagai N 6: 4, 7: 244, 9: 110
Kumakura S 16: 592
Kumamoto K 20: 631, 20: 777
Kumar S 13: 281
Kumazawa A 12: 486
Kunieda R 1: 442
Kunieda T 9: 20, 15: 543
Kunishige H 11: 559
Kuramochi M 13: 34, 13: 340, 14: 45, 14: 445, 15: 615, 18: 112, 18: 386
Kuramoto K 1: 239, 3: 183, 6: 370, 8: 291, 8: 419, 8: 514, 18: 191, 19: 455, 20: 33
Kurata E 19: 193
Kuribayashi T 20: 441
Kurihara H 1: 239, 5: 373, 5: 466, 5: 543, 8: 419, 8: 514, 8: 522, 10: 328, 16: 741
Kurita A 13: 464
Kuriyama G 14: 531
Kuroda Masako 5: 37
Kuroda Mitsuhiko 14: 80
Kuroda Y 8: 291
Kuroiwa A 2: 397, 3: 73, 4: 118, 4: 346, 4: 356, 5: 323, 5: 359, 6: 428, 10: 1, 10: 535, 15: 503, 16: 156, 18: 841
Korokami K 17: 791
Kurosaki M 11: 121
Kurosawa T 8: 252, 9: 3, 10: 437
Kusaba T 18: 277
Kusachi S 20: 207
Kusaka T 17: 1
Kushima H 12: 545
Kusahara S 19: 926
Kusanoki R 18: 277
Kutsuna F 13: 168
Kuwajima I 17: 25, 17: 290, 19: 455, 20: 33
Kuwato K 18: 154
Kuzuoka T 15: 99
Kuzuya T 1: 239
Kyo S 19: 297, 19: 938

L

Laccarino V 19: 732
Laddu AR 14: 126, 14: 357, 15: 61, 15: 72
Lahiri PK 14: 357
Laks MM 20: 359
Lapiccirella V 9: 321
Larsen NP 3: 151
Lázár P 19: 479
Lazzara R 20: 495
Lee KK 18: 812
Lee TY 16: 243
Lefer AM 20: 643
Lehman EH Jr 6: 497
Levy MN 15: 308, 17: 656
Levey S 8: 743
Lewis GBH 18: 102
Lie HY 19: 212
Lindsay J 17: 784
Line E 11: 130
Lo HY 14: 467
Longhini C 20: 333
Lowenberg EC 8: 438
Lue Hc 12: 138, 17: 550, 17: 560, 20: 237
Luisada AA 2: 425, 5: 558, 8: 743, 10: 133, 10: 142, 13: 281, 14: 406, 17: 222, 18: 81
Lusted LB 8: 438
Lyon AF 10: 267

M

Mabilangan LM 20: 237
Mabuchi G 14: 326
Mac Canon DM 10: 133, 10: 142
Machida K 8: 121, 8: 369, 9: 228, 11: 160, 12: 40, 12: 123, 12: 221, 13: 418, 13: 445, 16: 65, 16: 122, 16: 221
Machii K 1: 120, 19: 698
Maddox K 6: 1
Madoery R 8: 743
Maebashi M 8: 202, 9: 13
Maeda Masahiro 13: 128
Maeda Masamori 1: 361
Maeda T 8: 252, 10: 437
Maehara Tadayuki 15: 435
Maehara Toshihito 1: 397
Maekawa K 20: 385
Maekawa M 5: 549
Maekawa T 17: 685
Maezawa H 3: 579
Magrini F 13: 272, 14: 1, 14: 97
Makino M 10: 59
Makino T 15: 16
Makuuchi H 20: 843
Manabe H 8: 445
Manchanda SC 20: 375
Manmi S 11: 450
Mano I 17: 233, 17: 326
Martz BL 11: 365, 12: 275
Marumoto S 9: 247, 11: 559
Marutani Y 10: 59
Maruyama R 1: 275
Maruyama Yuji 2: 119, 5: 512, 6: 558
Maruyama Yukio 19: 513
Masaki H 13: 407, 14: 385, 17: 669
Mashiba H 1: 392, 2: 487, 3: 193, 5: 380, 7: 505, 12: 545, 16: 480, 17: 774, 18: 329
Mashima S 1: 56, 2: 210, 4: 303, 4: 356, 4: 586, 5: 337, 5: 359, 6: 463, 7: 121, 13: 295, 13: 418, 15: 239, 15: 503, 18: 259
Mashima T 4: 294, 5: 180
Mashimo K 7: 536, 11: 213
Masperone MA 18: 434
Massie E 5: 171
Massumi RA 16: 603
Masuda S 3: 563, 9: 461
Masuyama Y 1: 169, 2: 505, 8: 148, 20: 307, 20: 321
Matoba N 8: 433
Matoba S 2: 473
Matoba T 6: 483, 11: 712, 13: 258, 14: 249, 14: 257, 14: 366, 20: 477
Matsubara F 5: 474
Matsuda H 19: 762, 20: 867
Matsuda Kojiro 4: 505, 7: 494

Matsuda Kunio 1: 339
Matsuda M 15: 443, 16: 196, 18: 638, 19: 698
Matsuda S 5: 108
Matsuda T 11: 450, 18: 57
Matsuhisa M 15: 360, 16: 107
Matsui E 8: 98
Matsukawa T 8: 487, 9: 441, 10: 395, 10: 552, 12: 205, 14: 213
Matsukubo H 18: 611
Matsumo S 13: 407
Matsumoto A 4: 173
Matsumoto E 5: 583
Matsumoto Kazuyuki 3: 563, 5: 108
Matsumoto Keizo 7: 87, 7: 590
Matsumoto Masao 8: 168
Matsumoto Masayuki 16: 500
Matsumoto S 3: 555, 4: 131, 6: 443, 13: 325, 14: 184, 15: 218
Matsumoto T 4: 13
Matsumoto Y 3: 423
Matsumura N 13: 150, 16: 57
Matsunaga M 16: 446, 18: 24, 18: 392,
Matsuo Hideyo 17: 428
Matsuo Hirohide 13: 394, 16: 500
Matsuo Hiroshi 9: 186, 11: 26, 13: 295, 15: 239, 17: 290, 17: 731, 18: 143, 18: 287, 18: 798, 19: 677, 19: 843, 20: 141
Matsuo N 12: 442, 13: 307, 14: 503
Matsuo S 6: 174, 6: 256, 6: 452, 11: 202, 13: 99, 20: 23
Matsuoka H 20: 367
Matsushita S 8: 94, 8: 428, 8: 514, 8: 522, 18: 191, 18: 287, 19: 455, 20: 33
Matsutani K 5: 85
Matsuura T 4: 509, 9: 247, 18: 611
Matsuura Y 1: 275
Matsuya S 15: 532
Matsuyama K 3: 284, 4: 224, 4: 489, 5: 115
Matsuzaki T 13: 1, 16: 196, 17: 452, 18: 457, 18: 583
Matsuzawa H 8: 487, 10: 545, 10: 552
McCanon DM 17: 222
McCarthy L 12: 517
McCubbin JW 2: 132
McKusick VA 3: 1
Mead M 20: 277
Meguro T 18: 652, 19: 175
Mehranpur M 20: 789
Mello A 7: 556
Merrill JP 13: 214
Mibukura Y 4: 469, 5: 212
Midha KK 13: 317, 14: 454
Mifune J 13: 128, 18: 798, 19: 544, 19: 677, 20: 33, 20: 141
Migita T 2: 460
Miike Y 13: 118
Mikami M 17: 258
Mikami T 16: 349
Mikawa K 13: 407
Millar K 19: 415
Minagawa E 13: 118
Minamikawa O 1: 397
Minamino T 18: 202
Minamitani K 4: 81
Mineshita T 1: 189
Minota S 11: 172, 13: 258
Misawa T 16: 480
Mise J 7: 45, 15: 223, 18: 696
Mishima Y 1: 120
Mita Y 1: 275
Mitsui T 7: 35, 7: 181, 11: 417
Mitsuoka T 19: 946
Mitsuya S 2: 28
Miura I 12: 263
Miura K 6: 174, 6: 256, 6: 452
Miura S 4: 469, 5: 212, 12: 263
Miura Yasusada 3: 183
Miura Yukio 12: 214, 12: 405
Miwa A 17: 691, 18: 743, 18: 789
Miyabo S 3: 5
Miyagawa S 2: 92
Miyahara H 20: 853
Miyahara M 3: 46, 4: 417, 9: 359, 15: 455, 19: 954
Miyake N 11: 213
Miyamoto S 8: 733
Miyamoto T 2: 524, 3: 83
Miyamoto Y 19: 662, 20: 321
Miyasato Y 2: 368
Miyashita H 5: 497, 13: 187
Miyashita M 8: 291
Miyata K 15: 28
Miyauchi A 3: 357, 3: 376, 6: 71
Miyawaki K 8: 438
Miyazaki A 4: 426
Miyazaki S 14: 110, 17: 1
Miyazaki T 10: 47, 10: 218, 10: 259, 18: 277
Miyazawa K 16: 11, 17: 742
Miyazu T 8: 142, 9: 441
Mizogami S 6: 233, 12: 68, 13: 428, 16: 36, 17: 768

Mizoguchi T 15: 47
Mizugaki Y 17: 43
Mizuguchi T 9: 34, 13: 118
Mizuhira V 12: 90
Mizuno A 8: 670, 9: 200, 9: 316, 9: 434, 11: 113, 12: 111, 17: 88, 17: 163, 18: 621, 18: 629
Mizuno K 18: 736
Mizuno Yasushi 7: 448
Mizuno Yoshiko 18: 482
Mizunœ A 13: 118
Mizutani Takaaki 20: 414, 20: 485
Mizutani Tetsuo 5: 583
Mochizuki S 13: 394
Moezzi B 19: 366
Mohsini AA 19: 687
Momma K 5: 243
Momose T 2: 297, 2: 325, 4: 524, 5: 445, 6: 428
Mookherjee S 20: 277
Morgan EJ 10: 363
Mori A 8: 234
Mori F 1: 456, 4: 39
Mori H 5: 380, 10: 516, 13: 407
Mori J 17: 233, 17: 326
Mori Kiyoo 19: 226
Mori Kiyoshi 11: 202, 14: 406
Mori Masaki 15: 623
Mori Masashi 9: 552, 11: 345, 12: 40, 17: 114
Mori Masayoshi 1: 261
Morii T 9: 219, 9: 265, 9: 509
Morikawa T 7: 289, 8: 32
Morimoto K 3: 373
Morimoto M 5: 583
Morimoto S 3: 5, 18: 312
Morinari H 8: 559, 9: 552, 11: 345
Morisawa A 1: 181
Morisawa Y 4: 92
Morishima A 14: 184, 18: 457, 20: 623
Morishima Toshiaki 11: 36, 12: 325
Morishima Toshihito 3: 494
Morita Y 8: 132, 15: 579, 17: 32, 18: 357, 19: 505, 20: 557
Morito T 15: 435
Morooka S 7: 608, 8: 4, 8: 107, 9: 573, 10: 95, 10: 277, 12: 1, 12: 123, 13: 20, 13: 107, 13: 201, 16: 122, 16: 221, 19: 332, 19: 748, 20: 813
Morotomi Y 16: 316
Morrone G 20: 385
Motohara S 18: 24
Motoki K 19: 662
Motoki T 8: 369
Motomiya T 11: 433, 12: 335, 17: 784
Motoyama N 8: 19, 8: 211
Mucha E 14: 239
Mukai N 3: 442
Mukaino S 15: 346
Mukoyama K 8: 234
Munsi S 17: 570
Muraguchi I 17: 742
Murai I 7: 168
Murakami E 5: 474, 13: 128, 14: 80, 14: 373
Murakami Kazuhiko 10: 53
Murakami Keiji 19: 829
Murakami Masao 5: 108
Murakami Mototaka 3: 5, 3: 563, 5: 108, 5: 398, 5: 474, 9: 461, 11: 450, 13: 128, 14: 80, 17: 290, 18: 57, 18: 191, 19: 455, 20: 33
Murakami S 5: 474
Murakami T 18: 638
Murakami Y 17: 265
Muraki H 6: 71, 7: 331, 15: 623, 17: 531
Murao H 6: 220
Murao M 1: 37, 2: 297, 2: 325, 4: 524, 5: 445, 6: 428, 8: 105, 8: 559, 9: 552, 10: 59, 11: 258, 12: 251, 13: 176, 14: 335
Murao S 1: 248, 1: 348, 1: 418, 2: 210, 2: 397, 3: 13, 3: 73, 3: 284, 3: 455, 4: 356, 4: 537, 5: 140, 5: 312, 5: 359, 8: 1, 8: 83, 8: 369, 10: 1, 10: 535, 11: 400, 12: 50, 12: 60, 12: 123, 12: 185, 13: 295, 13: 488, 15: 84, 15: 154, 15: 239, 15: 280, 15: 305, 16: 265, 16: 454, 16: 548, 16: 670, 17: 114, 17: 139, 18: 259, 18: 366, 19: 112, 19: 281, 19: 332, 19: 493, 19: 904, 20: 637, 20: 813
Muraoka K 15: 37
Murata H 12: 251, 13: 176, 14: 335
Murata Katsumi 2: 198, 2: 493, 9: 453, 10: 289, 15: 532
Murata Kazuhiko 5: 543, 8: 94, 8: 419, 8: 428, 8: 522, 12: 460, 13: 34, 17: 190, 17: 428
Murata Kiyoshi 8: 545
Murata T 2: 505, 8: 148
Murayama M 4: 537, 5: 312, 8: 83, 11: 400, 12: 40, 12: 185, 13: 295, 15: 524, 17: 139, 17: 611, 18: 259, 19: 415

Murooka H 14: 306
Muto N 14: 314, 16: 361

N

Nachev Ch 12: 575
Nadas AS 11: 334
Nagae K 20: 477
Nagai M 16: 204
Nagai T 9: 461
Nagai Y 17: 798, 18: 138, 18: 266
Nagaishi C 8: 741
Nagaki H 2: 92
Nagami H 17: 592
Nagamoto Y 17: 246, 17: 760, 18: 235
Nagano H 8: 683
Nagano M 9: 57
Nagano T 3: 5
Naganuma M 12: 198, 12: 442, 13: 307, 14: 503
Nagao T 13: 407
Nagaoka A 16: 326, 16: 327, 19: 604, 19: 655, 19: 660
Nagasaka M 3: 220, 5: 497, 8: 252, 9: 3, 9: 281, 10: 335, 10: 428, 11: 533, 11: 541, 13: 187, 19: 94, 19: 204
Nagasaki Y 3: 46
Nagasawa K 20: 105
Nagase K 13: 187
Nagase Masao 8: 715
Nagase Mitsumasa 16: 44
Nagata S 16: 500
Nagata Y 11: 183, 11: 489
Nagataki S 3: 183
Nagatani M 9: 420
Nagatsu I 18: 583
Nagatsu T 20: 469
Nagaya T 7: 448, 19: 396
Nagayama T 10: 516
Nagoshi H 11: 470, 13: 150, 18: 246
Naguchi A 18: 17
Naito C 9: 180
Nakada Y 6: 243
Nakagaki O 16: 156
Nakagawa S 16: 196
Nakagawa T 13: 118
Nakagawa Y 18: 92, 20: 881
Nakai M 13: 521
Nakajima A 1: 113
Nakajima Katsuhiko 16: 122, 16: 221
Nakajima Kouji 1: 308, 2: 265, 2: 443, 4: 25, 5: 399, 6: 416
Nakajima T 19: 799
Nakajo T 9: 520
Nakakura S 1: 456, 5: 414, 6: 104, 6: 497, 17: 275, 18: 277
Nakamichi E 13: 118
Nakamura C 19: 324
Nakamura Haruo 9: 564, 13: 43
Nakamura Hidezo 4: 496, 9: 142, 9: 539
Nakamura I 18: 277
Nakamura Kazumichi 8: 252, 9: 3, 9: 281, 10: 335, 10: 428, 11: 533, 11: 541, 13: 187, 19: 94
Nakamura Kazunori 13: 118, 18: 277
Nakamura Kazuo 3: 240, 8: 58
Nakamura Kenji 17: 798, 18: 138, 18: 266
Nakamura Kozo 1: 106
Nakamura M 4: 53, 6: 20, 7: 474, 8: 553, 10: 47, 10: 218, 10: 259, 15: 517, 16: 156, 17: 61, 17: 106, 18: 132, 18: 841, 19: 66, 20: 613
Nakamura R 19: 741
Nakamura T 7: 415
Nakamura Yasushi 8: 700
Nakamura Yoshiro 11: 470, 13: 150, 16: 57, 17: 172, 18: 729
Nakamura Yuji 16: 342, 20: 367
Nakanishi Akio 3: 275
Nakanishi Atsuo 1: 92, 1: 157, 2: 77, 2: 309, 3: 24, 4: 173, 4: 489, 6: 189, 6: 396, 6: 527, 8: 121, 9: 219, 9: 228, 9: 265, 9: 411, 10: 95, 13: 418, 16: 122, 16: 221
Nakanishi K 1: 261
Nakao Y 5: 549
Nakao K 10: 328, 11: 149
Nakano J 7: 78, 12: 392
Nakajima M 11: 291, 11: 379, 11: 478, 19: 396
Nakajima T 18: 812
Nakata T 5: 85
Nakata Y 20: 831
Nakatsuka T 15: 37
Nakayama Royu 13: 464

Nakayama Ryu 7: 227, 8: 67
Nakayama S 1: 288, 1: 308, 2: 65, 2: 368, 2: 443, 3: 259
Nakayama Y 11: 325, 13: 118, 18: 277
Nakazawa K 9: 453, 10: 289
Nakazono M 15: 262, 15: 485
Nalbantgil I 11: 195
Namba H 8: 438
Namiki T 8: 433
Nanbu S 13: 118
Nase Y 18: 841
Nash FD 11: 506
Natu MN 20: 351
Nawata Y 1: 456
Nayak NC 19: 358
Nazarian I 19: 1, 19: 167, 19: 346, 19: 439, 20: 53, 20: 117
Neyazaki T 3: 523
Nihei H 16: 44
Nii T 13: 407
Niimi N 20: 603
Niimura T 13: 369, 14: 202
Niita K 18: 652
Niitani H 1: 339
Niitsu K 12: 96
Niizaki T 13: 118
Niki I 2: 247, 11: 559
Niki T 13: 407
Nimura Y 1: 261, 5: 85, 13: 394, 16: 500
Nishi K 11: 550, 20: 667
Nishi S 16: 639
Nishide K 9: 473
Nishimoto M 20: 419
Nishimoto S 1: 456
Nishimoto Y 18: 202
Nishimura H 4: 386, 8: 42, 8: 378, 9: 494, 19: 806
Nishimura K 17: 691, 18: 743, 18: 789
Nishimura M 14: 385
Nishimura O 19: 829
Nishimura T 6: 4, 7: 244
Nishino T 14: 373
Nishio I 20: 307, 20: 321
Nishio Takashi 14: 479
Nishio Tetsuo 11: 450
Nishioka A 19: 852
Nishisaka T 17: 233, 17: 326
Nishiwaki T 8: 718
Nishiyama K 7: 608, 20: 367
Nishiyama O 20: 207
Nishizaki K 5: 85
Nishizaki T 1: 375
Nishizawa I 1: 361
Nitta K 19: 175
Niwa A 19: 271
Noda Yasuhiro 20: 631, 20: 777
Noda Yoshiaki 1: 408
Nogi M 13: 159, 13: 250
Noguchi T 12: 198, 14: 305
Nohara F 9: 316
Nohara T 9: 564
Nomura G 5: 69, 11: 121
Nomura M 1: 348, 3: 569
Nomura T 2: 538
Nomura Y 8: 438
Nonaka Y 17: 114
Nonogawa A 6: 71, 6: 346, 8: 67
Nosaka S 8: 168
Nose Y 15: 262, 15: 485, 16: 156
Notomi A 18: 277
Numano F 16: 664
Numao Y 15: 166, 16: 257, 16: 719, 17: 80, 17: 196
Nuruki K 17: 717

O

Obe Y 1: 149
Obeid AI 20: 277
Ochiai M 9: 247, 11: 559
Oda H 14: 479, 17: 43
Oda M 8: 242
Oda T 13: 407
Ogata E 1: 106
Ogata H 5: 49
Ogawa I 1: 325
Ogawa J 6: 12
Ogawa Kouichi 17: 445, 18: 348, 20: 177, 20: 195, 20: 469
Ogawa Kyoichi 20: 157
Ogawa M 19: 791
Ogawa N 2: 256
Ogawa Satoshi 17: 123, 17: 172
Ogawa Shinkichi 8: 291
Ogawa T 7: 448

Ogino K 16: 446, 18: 24, 18: 392,
Ogino T 15: 543, 17: 123
Ogino Y 19: 926
Ogura K 18: 357, 19: 505, 20: 557
Oguri M 19: 791
Oguro C 4: 294, 5: 180
Oguro M 4: 294
Ohashi I 4: 105
Ohgitani N 18: 202
Ohira S 4: 577
Ohishi H 11: 291, 11: 379
Ohkawa S 9: 411, 10: 20, 10: 121, 11: 5, 11: 460, 12: 105, 12: 305, 12: 500, 13: 457, 14: 22, 14: 88, 14: 510, 15: 113, 15: 314, 16: 526, 17: 25, 17: 269, 17: 290, 17: 471, 17: 731, 18: 57, 18: 143, 18: 154, 18: 178, 18: 287, 18: 798, 19: 544, 19: 677, 20: 141, 20: 163
Ohkubo M 17: 32
Ohkuni H 10: 485
Ohmichi H 17: 233, 17: 326
Ohmori R 1: 113
Ohnishi K 16: 446
Ohnishi M 14: 479
Ohno K 9: 88
Ohno M 20: 603
Ohno Y 2: 505, 8: 148
Ohshima H 1: 226
Ohshima M 8: 252
Ohshita K 5: 380
Ohsuzu H 19: 332
Ohta A 2: 77, 2: 538
Ohta Hideya 8: 142
Ohta Hiroshi 1: 408
Ohta Hisao 19: 829
Ohta M 16: 670
Ohta S 1: 120, 16: 620
Ohta Y 18: 860, 19: 503
Ohtani M 17: 258
Ohtani S 19: 324
Ohya G 19: 297, 19: 938
Ohya N 9: 473, 9: 564
Ohya Z 5: 380
Oikawa A 7: 419, 8: 433
Oishi H 6: 71, 8: 276, 19: 396
Oka K 8: 690
Oka S 8: 331
Oka Y 17: 61
Okabayashi T 17: 61
Okabe F 20: 623
Okabe S 17: 437
Okabe T 20: 441
Okada K 19: 829
Okada M 17: 123, 18: 777
Okada N 19: 829
Okada R 1: 248, 1: 348, 2: 220, 2: 265, 2: 538, 3: 13, 3: 275, 4: 69, 4: 224, 4: 537, 5: 445, 6: 206, 6: 294, 8: 219, 8: 265, 8: 411, 8: 509, 8: 603, 10: 20, 10: 121, 10: 203, 11: 5, 11: 26, 11: 460, 12: 105, 12: 305, 12: 450, 13: 307, 13: 307, 14: 88, 15: 92, 15: 314, 20: 831
Okada S 5: 583
Okada T 4: 499
Okai O 11: 45, 15: 469, 16: 694, 18: 225
Okajima M 6: 71, 7: 331, 8: 438
Okajima S 20: 577
Okamoto K 8: 168, 17: 428,
Okamoto N 18: 482
Okamoto Y 1: 149
Okamura T 5: 558, 6: 313
Oken DE 13: 214
Oki Y 5: 574
Okimoto T 17: 290, 17: 731, 18: 143, 18: 798, 19: 677
Okinaka S 2: 404
Oku H 20: 419
Oku Y 20: 23
Okubo A 5: 373
Okubo K 9: 453
Okuda M 20: 643
Okuda Y 14: 184
Okumachi F 19: 46, 19: 58, 20: 95
Okumura M 20: 577
Okuni M 1: 149, 3: 275, 5: 243, 11: 334, 12: 436, 16: 189, 17: 545, 19: 531, 20: 237
Okura Y 4: 542
Okuyama K 1: 149
Omae T 5: 12, 5: 127, 10: 248, 12: 79, 12: 84, 13: 471, 14: 440, 15: 498, 16: 316, 16: 319, 16: 575, 16: 654, 17: 649, 18: 473, 20: 631, 20: 777
Omoto R 8: 569, 19: 297, 19: 938
Oniki H 18: 473
Onishi H 17: 649
Onishi T 17: 592
Ono A 6: 174, 6: 256, 6: 452, 11: 202
Ono H 15: 610, 16: 143
Ono I 5: 272, 12: 214, 12: 405, 14: 110
Ono J 2: 338

Ono N 19: 297, 19: 938
Onodera I 5: 272
Onodera S 10: 59
Onoe T 13: 128, 14: 80
Onouchi Z 16: 211
Onoyama K 14: 440, 15: 498, 17: 649, 18: 473, 19: 522
Onuigbo WIB 15: 234
Ookubo S 13: 379
Oosuzu F 17: 172
Ootsuka T 16: 211
Oreshkov VI 9: 332
Oriani G 18: 434
Osada H 3: 442, 5: 224, 7: 430
Osako R 6: 12
Osamura Y 17: 798
Osanai S 15: 455
Oshibuchi R 11: 202, 20: 23
Oshima F 13: 118
Oshima M 1: 149, 5: 243, 5: 497, 11: 149, 12: 198, 12: 442, 13: 307, 14: 467, 14: 503, 15: 469, 16: 694
Oshima T 16: 592
Oshima Y 1: 361, 5: 99, 9: 453, 10: 289
Ota A 1: 157
Ota Yaeko 8: 721
Ota Yoshinobu 12: 198
Otabe E 16: 211
Otani S 17: 442
Otorii T 16: 421, 20: 881
Otsu S 4: 92
Otsuka H 4: 577
Otsuka Keiji 18: 340
Otsuka Kuniaki 18: 17, 18: 322, 18: 340
Otsuka Y 14: 110, 17: 1, 17: 258, 16: 683, 18: 31, 19: 46, 19: 58, 20: 95
Owaki T 14: 563, 16: 1, 16: 394, 16: 683, 18: 31, 19: 46, 19: 58, 20: 95
Oya N 6: 543
Ozaki H 3: 563, 5: 108
Ozaki M 8: 545
Ozawa K 8: 867
Ozawa Takayuki 20: 657
Ozawa Toshio 1: 339
Ozeki K 6: 396, 9: 228, 10: 95, 10: 318, 12: 177, 13: 418, 15: 337, 15: 524, 16: 122, 16: 221, 20: 813
Özdogan E 20: 381
Ozkan E 8: 67, 11: 291

P

Paasch LH 20: 427
Page IH 2: 132
Pak CH 18: 24, 18: 392
Pang PKT 19: 783
Pastorini C 18: 434
Pathak CL 14: 296, 15: 299
Patterson RH 17: 784
Paydar M 17: 54, 17: 727, 18: 690, 19: 439
Pearce ML 8: 683
Pedrielli F 20: 333
Peracha MA 16: 118
Perticone F 19: 732
Perugini P 18: 434
Petretta M 20: 385
Phelps HW 2: 180
Placik B 10: 133
Polese A 13: 272, 14: 1, 14: 97
Popiliev I 12: 575
Portalvppi F 20: 333
Pouget MJ 13: 281
Prasad K 12: 290, 13: 59, 13: 317, 14: 454, 17: 211, 18: 102, 18: 829, 19: 136, 19: 383, 20: 341
Preda I 20: 7
Prérovský I 20: 823
Prinzmetal M 7: 101, 7: 606, 8: 67, 10: 465, 11: 57, 11: 291, 11: 379, 11: 478, 11: 512

R

Raafat F 16: 603, 16: 749
Radev C 12: 575
Rahman I 16: 118
Ramez B 12: 263

Rao MS 18: 406
Rapaport E 11: 160, 12: 221
Rastan H 19: 439
Reddy CV 14: 393
Reindell H 9: 258
Rengo F 19: 732, 20: 385
Ressl J 17: 706, 20: 261
Retting G 20: 253
Reyhani F 17: 54, 18: 690
Rhorer RG 20: 427
Ricciardelli B 19: 732, 20: 385
Roberts S 20: 289
Robertson TL 18: 812
Rodbard S 7: 369, 8: 728
Rodriquez-Torres R 20: 289
Roelandt J 18: 878
Roitman D 20: 1
Rubegni M 3: 505

S

Sabah I 20: 95
Sabherwal U 20: 897
Sada T 15: 47, 19: 315, 20: 623
Saeki T 7: 505
Saeki Y 14: 71
Safavian MH 19: 167
Sagawa K 9: 46
Sagawa Y 8: 741
Saheki H 1: 120
Said SI 8: 742
Saigusa M 3: 240, 3: 373, 6: 558, 8: 58, 8: 181, 8: 264, 8: 529, 8: 620, 8: 670, 9: 200, 9: 316, 9: 434, 9: 520, 9: 531, 11: 113, 11: 417, 12: 111, 17: 88, 17: 163, 18: 621, 18: 629, 20: 843
Saikawa T 17: 246, 17: 760, 18: 235
Saimyoji H 18: 272
Sainani GS 20: 351
Sainani PG 20: 351
Saito D 19: 916, 20: 207
Saito I 19: 741
Saito Mamoru 3: 13
Saito Masamichi 5: 69, 5: 549
Saito Muneyasu 18: 24
Saito S 4: 224
Saito Tadanori 16: 196, 18: 638
Saito Takao 17: 258
Saito Tatsuo 14: 110
Saito Tetsuo 17: 1, 17: 258
Saito Yokuko 3: 275
Saito Yoshiaki 19: 159
Saito Yoshimi 3: 275, 5: 445, 6: 428, 8: 4, 8: 107, 9: 88, 9: 573, 10: 277, 12: 1, 12: 40, 13: 20, 13: 107, 13: 201, 13: 488
Saitoh S 8: 700
Sakaki F 6: 233, 7: 68
Sakae K 13: 369
Sakai Makoto 20: 33
Sakai Masao 17: 531
Sakai S 6: 543, 9: 473, 9: 564, 11: 309
Sakai Takashi 14: 326
Sakai Teruo 20: 153
Sakaida Y 6: 71
Sakaki Y 17: 791
Sakakibara H 5: 85, 16: 500
Sakakibara K 1: 375
Sakakibara S 3: 537, 5: 297, 8: 721, 12: 263, 13: 250, 13: 563, 19: 799
Sakakibara T 18: 743, 18: 789
Sakamoto A 1: 37, 15: 271
Sakamoto M 19: 748
Sakamoto N 17: 691, 18: 743, 18: 789, 20: 537
Sakamoto S 7: 536, 8: 202, 11: 213
Sakamoto T 1: 113, 1: 198, 1: 213, 1: 248, 1: 333, 1: 466, 2: 7, 2: 426, 3: 176, 3: 207, 3: 231, 3: 408, 5: 3, 5: 201, 5: 287, 6: 206, 6: 294, 7: 3, 7: 154, 7: 204, 7: 460, 8: 318, 8: 459, 8: 642, 9: 117, 9: 142, 9: 303, 9: 420, 10: 185, 10: 379, 12: 123, 13: 379, 13: 478, 13: 488, 15: 360, 15: 524, 16: 107, 17: 150, 17: 611, 18: 298, 18: 421, 18: 883
Sakamoto Yasuki 9: 208, 11: 301, 13: 362
Sakamoto Yoshiyuki 8: 498, 9: 303
Sakanashi M 11: 550, 20: 75, 20: 549
Sakashita I 8: 19, 8: 211, 8: 309, 8: 632, 9: 441, 10: 82, 10: 395, 10: 552, 12: 205, 14: 213, 14: 554, 17: 442, 17: 676, 19: 324
Sako Y 4: 53
Saku J 18: 277
Sakuma A 8: 718
Sakurai Tadashi 1: 333, 3: 569

Sakurai Takeo 19: 829
Sakurai Tsunetaro 16: 204
Sakurai Yasushi 17: 233, 17: 326
Sakurai Yoshifumi 8: 19, 8: 211, 10: 478, 10: 545, 10: 552
Sanada M 6: 243
Sano S 8: 433
Sano Tadahiro 11: 433
Sano Toyomi 1: 81, 1: 226, 1: 325, 5: 347, 6: 387, 7: 597, 8: 301, 8: 388, 8: 438, 9: 64, 9: 161, 10: 343, 11: 269, 11: 301, 12: 281, 13: 362, 13: 521, 14: 71, 14: 273, 14: 477, 15: 248, 15: 385
Sarma JSM 19: 513
Sarma R 16: 22
Saruta T 19: 741
Sasagawa H 16: 211
Sasaki A 17: 774
Sasaki H 17: 717
Sasaki N 3: 313
Sasaki R 4: 577, 11: 36, 12: 325
Sasaki S 4: 599
Sasaki T 14: 531, 14: 539
Sasaki Y 6: 534, 11: 345
Sasamoto H 8: 709, 9: 20, 10: 470, 13: 150, 14: 193, 14: 494, 17: 437, 20: 395, 20: 765
Sasamoto S 7: 524
Sasamoto E 4: 542
Sasaoka T 10: 297
Sassa H 18: 348
Sassa K 3: 203
Sata T 7: 474, 10: 218
Satake H 1: 375, 1: 397
Satake K 1: 300, 3: 167
Sato C 3: 176, 4: 303, 4: 356, 4: 586, 5: 312, 7: 460, 8: 83, 13: 478, 15: 503
Sato F 9: 200, 11: 113, 12: 111
Satoh H 18: 751
Sato Ichiro 2: 256, 15: 239
Sato Iwao 17: 479
Sato Kiyoshi 12: 368
Sato Kohji 7: 87, 7: 590
Sato Koichi 17: 592
Sato M 1: 317, 1: 432, 2: 112
Sato R 8: 148
Sato Sadayuki 7: 597, 8: 433, 9: 161, 11: 269
Sato Shunichi 4: 577
Sato Tatsuo 7: 419, 8: 202, 8: 433, 9: 13, 11: 423, 12: 214, 12: 405, 14: 110
Sato Tomizo 3: 373
Sato Tomohide 13: 187, 15: 374
Sato Toru 15: 623
Sato Toshiro 1: 361, 20: 853
Sato Y 17: 258, 18: 751,
Satoyoshi E 6: 521
Sawa A 1: 375
Sawada T 6: 243
Sawaguchi S 2: 187, 9: 520
Sawanobori T 9: 64, 15: 248
Sawamura A 20: 557
Sawayama T 5: 201, 9: 247
Saylam A 13: 195, 13: 572, 15: 554
Schaaf J 4: 205
Schanberg SM 14: 432, 16: 148
Scherlag BJ 20: 495
Schmitt OH 8: 438
Schölkens B 11: 470
Seager LD 8: 736
Segall HN 8: 468
Segawa Y 2: 147
Segi M 5: 549
Seino M 12: 405, 14: 110
Seino T 18: 457
Seki A 13: 340, 14: 45, 14: 445, 15: 615, 18: 112, 18: 386, 18: 722, 19: 712, 19: 895
Seki I 6: 273, 19: 531
Seki K 1: 106, 1: 181, 7: 289, 8: 32, 8: 252, 9: 3, 16: 538
Seki M 5: 543, 8: 419, 8: 514, 8: 522, 12: 460, 13: 34, 19: 212
Sekiguchi M 10: 30, 17: 133
Sekimoto H 3: 563, 5: 108, 9: 461
Sekimoto T 15: 543
Sera K 2: 170
Serizawa S 18: 608, 19: 671
Serizawa T 18: 883, 20: 813
Seta K 13: 187
Sezai Y 8: 733
Shaikh RA 18: 447
Shakibi JG 17: 54, 17: 731, 18: 690, 19: 167, 19: 346, 19: 439, 20: 53, 20: 117, 20: 271, 20: 789
Shaklai M 14: 12
Shakin VV 20: 7
Shankaar SK 20: 375
Shariff M 11: 17, 11: 141, 11: 521
Sharp A 8: 468
Sheffield LT 20: 1
Shepard RS 17: 97
Shetty N 10: 474

Shiba M 4: 489, 6: 189, 8: 121
Shiba T 1: 442
Shibata A 20: 301
Shibata H 17: 452, 18: 457
Shibata M 4: 542
Shibata N 2: 42, 3: 342, 5: 150
Shibayama F 6: 233, 12: 68
Shibayama H 4: 407
Shibuya M 17: 798
Shichida K 17: 452
Shida H 20: 803
Shieffer H 20: 253
Shigei T 8: 718, 19: 775,
Shigenobu K 7: 494
Shigiya R 17: 190, 17: 428
Shiina S 6: 511, 9: 208, 12: 90
Shikata T 9: 247
Shimada H 9: 219, 9: 265, 9: 411, 9: 509, 10: 20, 11: 5, 12: 105, 12: 191, 12: 305, 12: 450, 16: 526, 17: 269, 17: 731, 19: 754
Shimada M 12: 198
Shimada S 13: 118
Shimamoto T 1: 226, 3: 581, 6: 407, 11: 433, 12: 335, 13: 537, 16: 76, 19: 748
Shimazaki S 9: 247
Shimonura K 3: 73, 3: 284, 4: 118, 4: 173, 4: 356, 5: 323, 5: 359, 6: 428, 7: 255, 10: 535, 13: 295, 15: 239, 18: 259
Shimoyama S 11: 243
Shimizu Kimiaki 13: 84
Shimizu Koichi 8: 538, 13: 307
Shimizu Kurakazu 10: 437, 13: 187, 14: 140
Shimizu T 1: 375, 1: 397, 19: 865, 20: 511
Shinagawa Tatsuo 20: 33
Shinagawa Toshio 3: 563, 5: 108
Shindo G 18: 621, 18: 629, 20: 843
Shingh S 12: 290
Shinghal V 19: 358
Shinmura H 13: 84
Shino T 20: 577
Shinoda A 9: 564, 11: 121
Shinohara Y 5: 497
Shintani F 1: 288, 3: 332, 4: 25, 4: 69, 4: 496, 5: 260, 13: 222, 13: 512, 16: 583, 17: 491
Shiokawa Y 3: 393, 4: 407, 5: 532
Shiono K 17: 768
Shiota K 17: 465
Shiotani K 5: 474
Shiozaki K 8: 19, 8: 196, 8: 211, 8: 309, 8: 487, 9: 97
Shiraishi T 2: 325, 4: 524, 5: 445, 6: 428, 11: 345
Shirasaki K 5: 373
Shirasaki Y 18: 606
Shirataka M 20: 853
Shirato K 17: 742
Shiratsuchi K 5: 101
Shisa H 8: 545
Shivashankar A 16: 235
Shoji T 13: 464
Shohtsu A 17: 437
Shozawa G 4: 92
Shozawa T 4: 285
Shu T 8: 751
Siassi B 17: 54, 17: 727, 18: 690, 19: 346, 19: 439
Siddiqui MA 19: 687
Simmons TW 17: 656
Singal PK 20: 341
Siwadlowski W 10: 142
Smirk FH 6: 289
Smulyan H 14: 226, 14: 239
So CS 17: 459
Soares PM 18: 447
Soejima K 13: 118, 18: 277
Sogo T 20: 207
Sokabe H 6: 51, 6: 233, 7: 68, 8: 607, 9: 494, 12: 68, 13: 428, 16: 36, 17: 768
Somani P 14: 126
Sotobata I 18: 1, 20: 577
Spearling DR 13: 307, 14: 503
Spodick DH 19: 675
Srinivas HV 14: 104, 14: 291, 16: 235
Stark L 8: 438
Staub NC 7: 386, 8: 683
Steer A 18: 812
Stieler M 5: 81
Stilinovic L 17: 753
Sudo K 8: 202
Suga Hideaki 17: 190
Suga Hiroyuki 10: 509, 11: 45, 11: 373, 12: 153, 16: 257, 16: 719, 17: 80, 17: 196, 17: 527, 17: 663
Suga T 17: 512
Sugai J 2: 28
Sugai M 3: 442
Sugano T 7: 136
Sugaya S 11: 559
Sugeno H 1: 418, 5: 140
Sugenoya J 15: 560, 19: 12, 19: 28,

20: 603
Sugimoto T 2: 397, 3: 73, 3: 455, 3: 617, 4: 118, 4: 356, 5: 323, 5: 359, 6: 428, 7: 255, 9: 46, 12: 368, 14: 146, 16: 433, 16: 489, 16: 731, 17: 791
Sugishita Y 6: 189, 6: 396, 6: 534, 8: 121, 9: 228, 10: 95, 12: 40, 12: 50, 12: 60, 12: 123, 15: 524, 16: 122, 16: 221, 17: 114, 18: 366
Sugita A 12: 405
Sugiura Masahiko 20: 177
Sugiura Masaya 1: 129, 2: 77, 6: 189, 6: 396, 8: 4, 8: 107, 9: 228, 9: 265, 9: 411, 9: 509, 10: 20, 10: 121, 10: 203, 11: 5, 11: 460, 11: 582, 12: 105, 12: 191, 12: 305, 12: 450, 13: 457, 14: 22, 14: 510, 15: 113, 15: 314, 16: 526, 17: 25, 17: 269, 17: 290, 17: 452, 17: 471, 17: 731, 18: 57, 18: 143, 18: 154, 18: 178, 18: 287, 18: 798, 19: 544, 19: 677, 20: 141, 20: 163
Sugiyama S 15: 560, 18: 28, 20: 603, 20: 657
Sukumar IP 17: 570
Suma K 12: 616, 12: 198, 19: 84
Sumiyoshi A 7: 474, 17: 61
Sunaga T 3: 581
Sunagawa H 16: 629
Surawicz B 18: 398
Surovy R 15: 485
Suwa M 19: 719
Suzuki AK 2: 119
Suzuki C 8: 202, 17: 676
Suzuki F 8: 301, 8: 388, 9: 64, 9: 161, 10: 343, 11: 269, 12: 281, 13: 362, 13: 521, 14: 273, 15: 385, 16: 564
Suzuki H 2: 505, 8: 148
Suzuki Keigo 2: 443, 3: 269, 3: 544, 4: 323, 5: 37
Suzuki Keiji 16: 44
Auzuki Keiko 7: 269, 17: 180, 17: 302
Suzuki Kenji 4: 577
Suzuki M 13: 428, 14: 467
Suzuki S 18: 789, 19: 946, 20: 675
Suzuki T 19: 212
Suzuki Y 18: 348, 19: 829
Szekely A 20: 7
Szentiványi M 15: 289

T

Tabaeezadeh MJ 20: 117
Tada Hiroyasu 7: 608
Tada Hisao 17: 691, 18: 743, 18: 789
Tada T 1: 275
Tada Y 10: 561
Tadokoro I 19: 918
Tafazoli M 16: 603
Tagami Y 19: 829
Tagawa H 8: 156, 9: 142
Taguchi K 8: 745
Taira A 16: 639
Taira N 15: 126, 18: 120
Tajima Nobuhiko 12: 581
Tajima Nobuo 6: 174, 6: 256, 6: 452
Tajiri M 20: 301
Takabatake Y 1: 135, 2: 77, 4: 118, 6: 189, 6: 396, 7: 277, 8: 318, 8: 498, 9: 228, 10: 95, 16: 122, 16: 221, 18: 43, 20: 813
Takabori T 10: 59
Takada A 9: 473, 11: 309
Takada H 7: 448
Takada T 15: 455
Takada T 16: 211
Takagi K 7: 136, 7: 494
Takagi Toshihiro 19: 659
Takagi Toshitaka 7: 136, 20: 831
Takagi Yoshihiro 19: 46, 19: 58, 20: 95
Takagi Yukio 8: 142
Takagishi S 1: 261
Takahashi A 6: 256, 6: 452
Takahashi Haruo 4: 105, 18: 482
Takahashi Hisako 18: 638
Takahashi Kimiyoshi 14: 326
Takahashi Kosei 1: 361, 8: 438
Takahashi Masanao 20: 623
Takahashi Masando 18: 246, 18: 729
Takahashi Masao 8: 252, 9: 3, 9: 281, 10: 335, 10: 428, 11: 533, 11: 541
Takahashi Masatoshi 10: 53
Takahashi Minoru 13: 502
Takahashi N 3: 269, 3: 544, 4: 233, 4: 323, 5: 37, 14: 414
Takahashi Tadao 2: 28
Takahashi Tadashi 8: 301
Takahashi Takeo 19: 748

Takaku F 2: 404
Takamiya M 18: 652, 18: 175
Takamoto S 19: 297, 19: 938
Takano S 5: 12
Takao A 15: 28
Takase M 11: 450
Takashima Y 19: 748
Takasu T 3: 183
Takata T 18: 608
Takatani O 7: 227
Takatsu T 19: 719, 19: 852
Takayama K 6: 483, 13: 118
Takayanagi K 19: 544, 19: 677, 20: 843
Takayasu M 3: 494, 4: 103
Takeda H 18: 652, 19: 175
Takeda Keisuke 16: 421, 18: 92, 20: 881
Takeda Kenichi 1: 189
Takeda M 14: 202
Takeda R 3: 5, 14: 373, 18: 312
Takeda Tadanao 1: 308, 2: 65, 2: 368, 2: 443, 3: 57, 3: 259, 3: 332, 4: 25, 4: 69, 4: 364, 4: 496, 5: 260, 5: 399, 6: 325, 6: 416, 7: 308, 7: 543, 7: 608, 9: 88, 9: 142, 10: 277, 12: 1, 13: 20, 13: 107, 13: 201, 20: 367
Takeda Tasuo 17: 669
Takeda Y 14: 385
Takei F 11: 470, 13: 150
Takekoshi N 13: 128, 14: 80, 14: 373
Takenaka F 7: 1, 11: 550, 12: 169, 19: 103, 19: 913, 20: 549, 20: 667
Takeo S 19: 103
Takeshita A 16: 98, 17: 106, 19: 66
Takeshita I 5: 583, 10: 516
Taketani T 1: 275
Takeuchi Akiteru 16: 741
Takeuchi Ayako 14: 479
Takeuchi J 1: 288, 1: 308, 1: 466, 2: 65, 2: 368, 2: 443, 3: 57, 3: 259, 3: 332, 4: 25, 4: 69, 4: 365, 4: 378, 4: 599, 5: 69, 6: 243, 6: 543, 7: 168, 7: 201, 9: 473, 9: 564, 11: 121, 11: 309, 12: 368, 16: 433, 16: 489, 16: 731, 19: 271
Takeuchi Kazuhide 14: 563, 17: 465, 20: 419
Takeuchi Kiyoshi 15: 47
Takeuchi M 19: 315
Takeuchi N 13: 128, 14: 80
Takeuchi S 16: 280
Takeuchi T 17: 592
Takeuchi Y 10: 552, 17: 422
Takeya S 5: 12
Taki K 19: 775
Takigawa S 5: 347
Takii H 11: 325
Takii M 19: 151
Takikawa K 17: 479
Takimoto M 19: 829
Takishita S 20: 631, 20: 777
Tamai M 16: 500
Tamaki M 7: 305
Tamaki T 20: 321
Tamakuma S 2: 92
Tamari K 6: 20
Tamura K 4: 294, 5: 180, 5: 456, 6: 165, 6: 376, 8: 652, 8: 661, 14: 306, 14: 314, 16: 361, 18: 751
Tamura Takashi 8: 652, 8: 661
Tamura Tsutomu 18: 638
Tanabe H 1: 239
Tanabe T 9: 225
Tanabe Y 7: 536, 11: 213, 20: 907
Tanabe T 5: 243
Tanaka C 14: 563, 17: 465, 20: 419
Tanaka Hiromitsu 13: 369, 14: 202, 15: 1, 16: 639, 17: 717
Tanaka Hirotomi 19: 829
Tanaka Keiji 18: 736
Tanaka Kenjiro 5: 127, 12: 79, 12: 84, 13: 471, 14: 440, 15: 498, 16: 575, 16: 654
Tanaka Kenzo 7: 474
Tanaka Kiyoshi 13: 118
Tanaka Kumeo 14: 563, 16: 1, 16: 394, 16: 623, 17: 465, 18: 31
Tanaka Makoto 8: 19, 8: 211, 9: 97
Tanaka Motonao 8: 331, 18: 652, 19: 175
Tanaka N 14: 202, 16: 639
Tanaka R 11: 325, 13: 118, 16: 610
Tanaka Sadao 16: 639
Tanaka Sanae 7: 87
Tanaka Satomi 4: 323
Tanaka Senichi 19: 66
Tanaka Sho 8: 148
Tanaka Shugo 20: 813
Tanaka T 16: 741, 18: 112, 18: 722, 19: 712, 19: 895
Tandon R 20: 897
Taneichi Y 15: 218, 20: 623
Taniguchi K 13: 362, 19: 271
Taniguchi S 20: 441
Tanijiri H 16: 174
Tanimoto T 18: 357, 19: 505, 0: 557
Tanmoto Y 19: 252
Tanimura H 18: 1
Tanioka T 13: 118

Tankawa H 4: 426
Tanoue M 7: 505
Tasaka S 1: 106, 1: 120
Tasaki H 16: 629, 17: 669
Tasaki S 19: 946
Tasaki T 19: 839
Tashiro H 11: 325, 13: 118
Tateishi Y 3: 494
Tatematsu H 17: 691
Tatsuguchi M 3: 563, 5: 108
Tatsumi S 5: 583
Tawara I 15: 218
Tazumi K 17: 479
Tei C 17: 611, 18: 298, 18: 421, 18: 883
ten Cate EJ 18: 878
Terasawa F 6: 370, 8: 419, 8: 514, 8: 522, 12: 460, 13: 34, 19: 212
Terasawa Y 8: 331, 18: 652, 19: 175
Terashi S 14: 202
Terashima M 8: 19, 8: 211, 8: 582, 10: 552, 14: 554
Theilen EO 16: 98
Thom B 8: 734
Tillmanns H 16: 22
Togashi Minoru 6: 268
Togashi Mitsuhiro 19: 954
Togawa T 12: 161, 12: 383, 13: 232, 15: 469
Tohara M 18: 611
Tohgi H 8: 94
Toku A 17: 731, 20: 163
Tokumasa Y 8: 700
Tokutsu S 19: 829
Tomida Y 4: 542
Tominaga F 4: 285
Tomita I 18: 608, 19: 671
Tomita K 7: 566
Tomita Y 16: 1
Tomizaka S 9: 57
Tomoda H 14: 193, 14: 494, 15: 543, 17: 437, 19: 74
Tomoike H 16: 156, 17: 106, 18: 841, 19: 66
Tomomatsu K 18: 638
Tomomatsu T 4: 13, 5: 583, 6: 493, 8: 242, 8: 690
Tomono S 19: 895
Tone T 7: 168
Tonomura R 1: 375
Torii S 6: 20, 7: 474, 15: 517
Torikai T 5: 549, 7: 419
Toriyama A 20: 157
Toshima H 6: 483, 11: 325, 13: 118, 16: 377, 17: 275, 20: 477
Toyama J 6: 71, 7: 331, 15: 560, 19: 28, 19: 865, 20: 511, 20: 603
Toyama S 7: 269, 17: 32, 17: 180, 17: 302
Toyama Y 15: 1, 17: 717
Toyo-oka 15: 532
Toyoshima Hideaki 15: 560
Toyoshima Hideo 8: 67
Trethewie ER 9: 583, 10: 113, 10: 456
Trimarco B 19: 732, 20: 385
Tsubokawa T 2: 147
Tsuchida T 6: 152, 8: 67
Tsuchida Y 9: 520, 11: 417
Tsuchihashi H 1: 226, 5: 347, 12: 281, 15: 385
Tsuchimochi T 16: 741
Tsuchioka H 1: 375, 1: 397
Tsuchiya M 13: 128, 14: 80, 14: 373
Tsuchiya S 9: 208, 11: 301, 13: 362
Tsuiki K 16: 11
Tsuji T 19: 84
Tsukada T 19: 762, 20: 881
Tsukamoto N 15: 579, 17: 32, 18: 357, 19: 505
Tsumura G 14: 373
Tsuneda T 14: 184
Tsunemoto M 12: 198, 14: 503
Tsuruta H 20: 853
Tsushima N 7: 536
Tsutsui S 6: 521
Tsuyuki H 1: 157, 2: 77, 4: 489, 6: 189, 8: 121, 11: 26
Tsuzuki M 9: 258, 11: 113, 12: 111, 14: 184
Tsuzuku A 20: 83
Tunstall Pedœ DS 20: 571
Tyagi SP 20: 63

U

Uchida E 1: 288, 1: 308, 2: 65, 2: 368, 3: 57, 3: 259, 3: 332, 3: 617, 4: 69, 4: 364, 7: 308
Uchida K 18: 312
Uchida R 8: 331
Uchida Y 7: 543, 8: 121, 8: 597, 9: 228, 9: 517, 10: 70, 10: 95, 10: 161, 10: 225, 10: 243, 10: 318, 10: 503, 12: 233, 12: 347, 12: 562, 13: 241, 13: 502, 14: 32, 15: 84, 15: 154, 15: 271, 15: 280, 16: 122, 16: 162, 16: 221, 16: 265, 16: 454, 17: 599, 18: 43, 18: 70, 19: 112, 19: 281, 19: 493, 19: 904, 20: 813
Uchiyama S 18: 154
Ueba Y 4: 13, 8: 242
Ueda E 3: 423
Ueda Hideo 1: 1, 1: 17, 1: 129, 1: 135, 1: 198, 1: 213, 1: 257, 1: 288, 1: 308, 1: 357, 1: 418, 1: 466, 2: 65, 2: 77, 2: 210, 2: 265, 2: 309, 2: 368, 2: 426, 2: 443, 2: 460, 3: 13, 3: 24, 3: 57, 3: 73, 3: 103, 3: 154, 3: 176, 3: 207, 3: 231, 3: 259, 3: 284, 3: 332, 3: 408, 3: 455, 3: 503, 3: 569, 3: 617, 4: 25, 4: 118, 4: 224, 4: 303, 4: 346, 4: 356, 4: 364, 4: 386, 4: 489, 4: 496, 4: 509, 4: 537, 4: 586, 5: 3, 5: 115, 5: 140, 5: 201, 5: 254, 5: 260, 5: 312, 5: 323, 5: 359, 5: 399, 5: 431, 5: 445, 5: 558, 6: 40, 6: 115, 6: 189, 6: 206, 6: 268, 6: 294, 6: 325, 6: 396, 6: 416, 6: 428, 6: 527, 6: 534, 7: 3, 7: 154, 7: 204, 7: 255, 7: 277, 7: 308, 7: 318, 7: 349, 7: 438, 7: 460, 7: 487, 7: 543, 7: 608, 8: 4, 8: 42, 8: 83, 8: 107, 8: 121, 8: 156, 8: 209, 8: 329, 8: 369, 8: 378, 8: 459, 8: 498, 8: 559, 8: 597, 8: 642, 9: 1, 9: 88, 9: 117, 9: 142, 9: 186, 9: 228, 9: 295, 9: 303, 9: 349, 9: 420, 9: 517, 9: 539, 9: 552, 9: 573, 10: 1, 10: 70, 10: 95, 10: 149, 10: 161, 10: 185, 10: 225, 10: 243, 10: 277, 10: 318, 10: 379, 10: 503, 11: 26, 11: 345, 11: 400, 12: 1, 12: 40, 12: 50, 12: 60, 12: 123, 12: 233, 12: 347, 12: 562, 13: 20, 13: 107, 13: 241, 13: 502, 14: 32, 15: 271, 15: 503, 16: 162, 16: 465, 17: 521
Ueda Hirobumi 18: 513, 19: 583
Ueda I 8: 744
Ueda K 2: 210, 6: 189, 6: 396, 6: 534, 9: 228, 9: 295, 10: 95, 10: 243, 11: 26, 16: 122, 16: 221, 17: 25, 17: 269, 17: 290, 17: 731, 18: 57, 18: 143, 18: 154, 18: 178, 18: 287, 18: 798, 19: 455, 19: 544, 19: 677, 20: 33, 20: 141, 20: 163
Ueda M 19: 926
Ueda T 4: 417, 9: 359
Uei I 3: 240, 8: 58
Uemura N 13: 369, 15: 1
Uemura S 17: 275
Uemura Y 17: 592
Ueno A 7: 608, 8: 583, 9: 88, 10: 561
Ueno K 11: 582, 13: 457
Ueno Teiichi 18: 357, 19: 505, 20: 557
Ueno Teruki 19: 193
Uesugi M 7: 136
Ueyama T 18: 312
Umeda T 19: 698
Unno K 8: 331
Unuma T 3: 154
Uozumi Z 1: 333, 2: 426, 3: 207, 3: 408, 4: 509, 5: 3, 6: 206, 6: 294, 7: 3, 7: 154, 7: 204, 7: 460, 8: 318, 8: 459, 8: 642, 9: 117, 9: 142, 9: 303, 9: 420, 9: 539, 10: 185, 10: 379, 12: 123, 17: 531, 18: 482
Urabe M 2: 147, 8: 738
Uraoka T 16: 489
Urabanics R 17: 485
Urca I 14: 12
Urzua J 15: 262, 15: 485
Usami M 8: 700, 9: 180
Ushiyama K 4: 313, 8: 219
Utsu F 9: 241, 11: 325
Uzawa H 5: 101, 5: 127
Uzawa T 5: 445, 6: 428

V

Valame VP 20: 351
Valdes E 14: 548
Van Dam RT 3: 34
Van de Brand 18: 878
Vardan S 20: 277
Villegas FR 3: 117
Visscher M 8: 679
Vletter WB 18: 878
Vo Q 20: 823
Vojacek J 20: 832
Volpe M 20: 385

W

Wada J 9: 105
Wada Masaru 20: 441
Wada Masatoshi 15: 560, 19: 28
Wada N 17: 32
Wada O 13: 394
Wada Takao 20: 853
Wada Tatsuo 2: 119, 4: 496
Wadia RS 18: 447
Wagner A 4: 205
Wago K 2: 354
Wakabayashi A 8: 538, 16: 204
Wakaki K 15: 99
Wakatsuki T 4: 378
Wakayama J 11: 291, 11: 379
Wakisaka J 8: 722
Wallick D 18: 81
Walsh J 5: 171
Wanibuchi Y 19: 297, 19: 938
Ward DE 20: 571
Warner R 20: 277
Washio M 8: 19, 8: 211, 8: 487, 9: 97, 9: 134, 10: 82, 10: 552, 12: 507, 17: 422, 17: 676, 19: 342
Watabe Y 4: 577
Watanabe A 11: 149
Watanabe Hideto 16: 731
Watanabe Hiroki 8: 433, 12: 405
Watanabe Hiroshi 1: 133, 2: 7, 3: 269, 3: 544, 4: 323, 4: 509, 5: 3, 5: 37, 6: 206, 6: 294, 7: 235, 13: 222, 17: 630
Watanabe J 2: 92
Watanabe K 8: 744
Watanabe M 1: 157
Watanabe Naoyoshi 8: 433, 12: 251, 13: 176, 14: 335
Watanabe Nobuo 11: 258, 12: 251, 13: 176, 14: 335, 17: 580
Watanabe Satoru 18: 652, 19: 175
Watanabe Shigetaka 1: 181, 5: 497
Watanabe Taketoshi 17: 592
Watanabe Tan 7: 235, 13: 222, 13: 512, 16: 583, 17: 491
Watanabe Tetsujiro 17: 592
Watanabe Toshimitsu 18: 611
Watanabe Toshio 19: 252
Watanabe Tsutomu 17: 445
Watanabe TX 19: 886
Watanabe Yoshihiko 11: 223, 18: 1, 18: 482
Watanabe Yoshio 7: 110, 16: 243
Wegner S 5: 414, 6: 104, 6: 497, 7: 103, 9: 169, 9: 339
Wei H 12: 138, 17: 550, 17: 560, 20: 237
Weishaar R 19: 513
West JB 7: 350
Wocial B 19: 468
Wongthongsri W 6: 144
Worthen MC 10: 133, 10: 142, 17: 222

Y

Yabe Y 20: 83
Yabuta N 6: 20
Yagi S 1: 288, 1: 308, 2: 65, 2: 368, 3: 57, 3: 259, 3: 332, 4: 364, 5: 254
Yahata K 1: 300
Yajima M 10: 343
Yamada A 1: 135, 4: 118
Yamada EY 10: 11
Yamada H 2: 538, 4: 224, 5: 115, 6: 115
Yamada Kazunori 11: 213
Yamada Kazuo 6: 71, 7: 331, 15: 560, 19: 28, 19: 865, 20: 511, 20: 603
Yamada Kensuke 13: 118
Yamada Kozo 2: 281
Yamada M 4: 378
Yamada N 20: 207
Yamada S 4: 407
Yamada Takashi 19: 271
Yamada Takio 3: 563, 5: 108, 5: 445
Yamada Tetsuro 4: 173, 6: 294, 6: 428, 7: 3, 7: 204, 7: 460, 8: 459, 8: 642, 9: 117, 9: 142, 9: 539
Yamada Y 16: 500
Yamagami T 8: 132, 17: 32
Yamagata S 4: 577, 11: 36, 12: 325
Yamagiwa Hiroshi 8: 545
Yamagiwa Hirotsugu 12: 325
Yamaguchi A 5: 497
Yamaguchi Hiromu 8: 4, 9: 573, 10: 277, 12: 1, 12: 40, 13: 20, 13: 107, 13: 201
Yamaguchi Hiroshi 10: 328
Yamaguchi M 20: 157
Yamaguchi Takaji 18: 621, 18: 629
Yamaguchi Takenori 10: 248
Yamaguchi Tetsu 15: 443, 16: 196, 18: 638, 19: 698
Yamaguchi Y 6: 174, 6: 256, 6: 452
Yamaji T 16: 741
Yamakawa I 5: 474
Yamakawa K 1: 408, 2: 256, 2: 473, 4: 81, 6: 187, 7: 136
Yamakura K 4: 81
Yamamoto Hideo 13: 295, 15: 239
Yamamoto Hiroshi 11: 515, 15: 517
Yamamoto J 16: 446, 18: 24, 18: 392
Yamamoto Keiichi 2: 147
Yamamoto Manabu 14: 140
Yamamoto Masao 17: 512
Yamamoto Mutsuo 7: 277, 8: 498, 11: 400, 15: 503
Yamamoto Tetsuo 20: 157
Yamamoto Torao 18: 473
Yamamoto Toru 15: 223, 18: 696
Yamamoto Yoshio 19: 585
Yamamoto Yoshitake 16: 404
Yamamura A 18: 515, 19: 583
Yamamura Y 8: 132, 15: 579, 17: 32, 18: 357, 19: 505, 20: 557
Yamanaka T 13: 187
Yamanaka Yogo 2: 505, 8: 148, 9: 180
Yamanaka Yoshitada 4: 81, 7: 136
Yamane O 17: 190
Yamane Y 1: 181
Yamaoka K 5: 549
Yamaoka Y 19: 829
Yamashita K 15: 475
Yamashita S 2: 42, 3: 342, 4: 182, 5: 150, 11: 433, 12: 242, 12: 354, 12: 474
Yamatori K 16: 446
Yamauchi K 18: 1, 20: 587
Yamazaki H 16: 57
Yamazaki Noboru 17: 445, 18: 348, 20: 177
Yamazaki Nobuyasu 5: 212, 7: 188
Yamazaki S 20: 477
Yamazaki T 15: 28
Yamazaki Y 14: 554, 18: 751
Yamazaki Z 6: 558
Yamori Y 8: 168
Yanaga T 5: 380, 7: 505, 8: 17, 8: 322, 18: 340
Yanagihara K 19: 46, 19: 58, 20: 95
Yanagisawa M 20: 675
Yanai Y 4: 303, 4: 537, 4: 586, 5: 359
Yano H 8: 722
Yano K 11: 202
Yano S 20: 675
Yano Y 17: 43
Yasuda H 1: 157, 2: 77, 2: 309, 4: 173, 4: 489, 5: 323, 6: 189, 6: 396, 7: 277, 7: 318, 7: 487, 7: 543, 8: 42, 8: 121, 8: 369, 8: 387, 8: 498, 9: 186,

9: 228, 10: 95, 10: 149, 11: 26, 12: 50, 12: 60, 12: 123, 16: 122, 16: 221, 17: 774, 19: 193, 20: 907
Yasuda Yasutoshi 6: 511
Yasuda Yoshiaki 3: 563, 5: 108, 9: 461
Yao T 8: 242
Yasuhara K 20: 207
Yasui S 18: 1, 18: 482
Yasumizu K 2: 338
Yasumura A 9: 461
Yatsuki K 10: 218, 15: 517
Yawata K 7: 188
Yazaki Y 13: 73, 13: 340, 15: 615, 19: 754
Yazdanyar A 17: 727, 19: 167, 20: 789
Yigitbasi Ö 11: 195
Yokoi H 19: 829
Yokoi M 18: 482
Yokosawa T 17: 676
Yokosuka H 13: 187
Yokota Mannosuke 20: 227
Yokota Michio 16: 204
Yokota Mitsuhiro 18: 1
Yokota T 6: 483
Yokota Y 13: 118, 18: 525
Yokote Y 19: 297, 19: 938
Yokoyama I 1: 361
Yokoyama K 13: 159, 13: 250
Yokoyama Masayoshi 11: 177, 12: 517, 13: 159, 13: 250, 13: 563, 17: 133, 17: 315, 19: 159
Yokoyama Minoru 3: 46
Yokoyama Mitsuhiro 20: 485
Yokoyama N 15: 92
Yokoyama S 16: 741
Yokoyama T 5: 474
Yomoda M 9: 241
Yoneyama T 7: 227, 8: 744
Yoshida Hidenori 19: 926
Yoshida Hiromi 17: 290
Yoshida Ken 1: 275
Yoshida Kiyoshi 19: 58
Yoshida Koichi 4: 313, 8: 219
Yoshida Seiichi 6: 220, 6: 370
Yoshida Shigeo 19: 954
Yoshida Shinji 7: 448
Yoshida Shoji 8: 652
Yoshida Tadashi 17: 479
Yoshida Tsuneo 1: 261, 5: 85
Yoshida Y 8: 690
Yoshikawa H 5: 549
Yoshikawa J 13: 379, 14: 563, 17: 465, 18: 31, 19: 46, 19: 58, 20: 95
Yoshimasu N 2: 338
Yoshimine N 4: 542
Yoshimoto N 16: 454, 16: 548, 18: 70, 19: 112, 19: 281, 19: 493, 19: 904
Yoshimura S 2: 28, 3: 442, 5: 558, 6: 313, 15: 37, 20: 83
Yoshinaga K 7: 419, 8: 202, 9: 13, 11: 423, 12: 214, 12: 405, 14: 110, 17: 1, 17: 258
Yoshinaga M 13: 118
Yoshioka A 2: 256
Yoshioka H 16: 377
Yoshioka Masami 18: 340
Yoshioka Masato 6: 174, 6: 256, 11: 202
Yoshioka N 19: 926
Yoshioka Y 6: 452
Yoshitake Y 17: 190, 17: 428, 18: 340
Yoshitani N 19: 839
Yoshitoshi Y 1: 106, 2: 42, 3: 220, 3: 342, 4: 182, 4: 301, 5: 150, 5: 497, 7: 298, 8: 32, 8: 252, 9: 3, 9: 180, 9: 281, 10: 177, 10: 335, 10: 428, 10: 437, 11: 533, 11: 541, 13: 187, 14: 140, 14: 518, 16: 44
Yuhara M 19: 308
Yuhara N 14: 479

Z

Zahir M 10: 372, 11: 17, 11: 141, 11: 521
Zangeneh F 16: 749
Zapfe H 6: 313
Zee D 8: 734
Zelikovsky A 14: 12
Zieske H 15: 308
Zinnouchi J 17: 275
Zook BC 20: 427

C21